

Abstrak

UNIVERSITAS MUHAMMADIYAH JEMBER
FAKULTAS ILMU KESEHATAN
PROGRAM STUDI S-1 KEPERAWATAN

Skripsi, Juli 2017
Linggar Okti Priastuti

Hubungan Persepsi Tentang Bahaya Pre-Eklamsia Dengan Perilaku Antenatal Care
Pada Ibu Hamil Di Puskesmas Arjasa Kabupaten Situbondo

Xv + 76 hal + 1 skema + 11 tabel + 9 lampiran

Abstrak

Pre-eklamsia merupakan komplikasi kehamilan yang belum diketahui penyebabnya, beberapa peneliti menyebutkan bahwa salah satu penyebab pre-eklamsia yaitu perilaku ANC yang tidak rutin. Perilaku ANC yang tidak rutin dapat terjadi Karena ibu hamil memiliki persepsi kurang baik terhadap Pre-eklamsia. Penelitian ini menggunakan desain *korelasional* dengan pendekatan *cross sectional*, bertujuan untuk mengetahui apakah terdapat hubungan yang signifikan antara persepsi ibu hamil tentang bahaya pre-eklamsia terhadap perilaku ANC di Puskesmas Arjasa. Hasil analisis memaparkan bahwa 24 responden ibu hamil memiliki persepsi kurang, dan 16 ibu hamil memiliki persepsi baik terhadap bahaya pre-eklamsia. Ibu hamil dengan persepsi kurang baik dengan kunjungan ANC tidak rutin sebanyak 18 responden sedangkan persepsi yang kurang baik tetapi memiliki kunjungan ANC rutin sebanyak 6 responden dan untuk persepsi baik yang melakukan kunjungan ANC tidak rutin sebanyak 5 responden (31,25%), sedangkan sisanya sebanyak 11 responden (69,75%), dengan persepsi baik dan rutin melakukan kunjungan ANC. Hasil analisis yang didapatkan dari uji statistik *chi square* menyimpulkan bahwa di dapatkan hasil p-value $0,009 < 0,005$ yang artinya ada hubungan yang signifikan antara persepsi ibu hamil tentang bahaya pre-eklamsia terhadap perilaku ANC, rekomendasi bagi ibu bagi pelayanan kesehatan untuk lebih sering memberikan edukasi tentang kehamilan.

Kata kunci: Pre-eklamsia, Persepsi pre-eklamsia, perilaku ANC.
Daftar pustaka 30 (2007-2016)

Abstract
UNIVERSITY OF MUHAMMADIYAH JEMBER
NURSING STUDY PROGRAM
FACULTY OF HEALTH SCIENCES

Thesis, July 2017
Linggar Okti Priastuti

Perception Relationship About The Dangers of Pre-Eclampsia With Antenatal Behavior Care At Pregnant Women At Arjasa Puskesmas Situbondo Regency

Xv + 76 pages + 1 chart + 11 tables + 9 attachments

Abstract

Pre-eclampsia is a complication of pregnancy that is not yet known the cause, some researchers say that one of the causes of pre-eclampsia is an ANC behavior that is not routine. Non-routine ANC behavior may occur Because pregnant women have poor perception of Pre-eclampsia. This study uses correlational design with cross sectional approach, aimed to find out whether there is a significant relationship between the perception of pregnant women about pre-eclampsia hazard to ANC behavior in Puskesmas Arjasa. The results of the analysis revealed that 24 respondents of pregnant women have less perception, and 16 pregnant women have a good perception of the dangers of pre-eclampsia. Pregnant women with poor perception with ANC visit is not routine as much as 18 respondents while perception is not good but have visit of routine ANC counted 6 respondent and for perception good that do visit of ANC not routine counted 5 respondent (31,25%), while the rest as much 11 respondents (69.75%), with good perception and routine to visit ANC. The results of the analysis obtained from chi square statistical test concluded that the results obtained p-value $0.009 < 0.005$ which means there is a significant relationship between the perception of pregnant women about the dangers of pre-eclampsia to ANC behavior, recommendations for mothers for health services to more often provide education About pregnancy.

Keywords: Pre-eclampsia, Perception of pre-eclampsia, ANC behavior.
References 30 (2007-2016)