

LAMPIRAN 1:

Kuesioner

Pengantar Kuesioner



PENGARUH KUALITAS PRODUK, KUALITAS PELAYANAN, DAN PROMOSI TERHADAP KEPUTUSAN PEMBELIAN (Studi Kasus Pada Tape Super Madu Dijember)

Kepada Yth,
Kuisisioner Tape Super Madu Jember
Di Tempat
Dengan Hormat,

Sehubungan dengan penelitian saya yang berjudul “Pengaruh kualitas produk, kualitas pelayan dan promosi terhadap keputusan pembelian”, saya mohon izin kesedian dan kerelaan saudara untuk menjawab dengan penuh kejujuran atas pernyataan- pernyataan yang berhubungan dengan judul penelitian saya seperti tersebut diatas. Hal – hal yang berkaitan dengan anda saya jamin kerahasiannya.

Atas kesediaan dan kerjasamanya saya ucapkan terima kasih.

Hormat Saya,

Regha Viellano

Nim : 1310411070

PETUNJUK PENGISIAN :

Berilah tanda cek list (√) pada jawaban yang dipilih.

1. Bila pendapat anda Sangat Setuju (SS)
2. Bila pendapat anda Setuju (S)
3. Ragu Ragu atau Netral (N)
4. Bila Tidak Setuju (TS)
5. Bila Sangat Tidak Setuju (STS)

Identitas Responden

1. Usia :
2. Jenis Kelamin :
3. Pendidikan Terakhir :
4. Lama Berlangganan :

KUESIONER

Tabel Kuesioner

KUALITAS PRODUK (X1)

No	Pernyataan	Jawaban				
		SS	S	KS	TS	STS
1	Tape Super Madu memiliki rasa yang enak.					
2	Tape Super Madu menggunakan bahan baku berkualitas baik					
3	Tape Super Madu tidak cepat rusak atau kedaluwarsa.					
4	Tape Super Madu dikerjakan menggunakan mesin modern.					

Berilah tanda check list (√) pada jawaban yang dipilih.

1. Bila pendapat anda Sangat Setuju (SS)
2. Bila pendapat anda Setuju (S)
3. Bila Ragu Ragu atau Netral (N)
4. Bila pendapat anda Tidak Setuju (TS)
5. Bila pendapat anda Sangat Tidak Setuju (STS)

KUALITAS PELAYANAN (X2)

No	Pernyataan	Jawaban				
		SS	S	KS	TS	STS
1	Karyawan Tape Super Madu berpenampilan menarik.					
2	Karyawan Tape Super Madu selalu cekatan dalam menanggapi pelanggan.					
3	Karyawan Tape Super Madu memiliki ketrampilan yang memadai dalam mengerjakan pesanan.					
4	Karyawan Tape Super Madu Selalu tepat waktu dalam menyelesaikan pesanan					

Berilah tanda check list (√) pada jawaban anda.

1. Bila pendapat anda Sangat Setuju (SS)
2. Bila pendapat anda Setuju (S)
3. Ragu ragu atau Netral (N)
4. Bila pendapat anda Tidak Setuju (TS)
5. Bila pendapat anda Sngat Tidak Setuju (STS)

PROMOSI (X3)

No	Pernyataan	Jawaban				
		SS	S	KS	TS	STS
1	Tape Super Madu memiliki iklan yang cukup menarik.					
2	Tape Super Madu memiliki promosi yang sering kita lihat dan sering kita dengar.					
3	Tape Super Madu melakukan promosi dengan gencarnya					
4	Tape Super Madu memiliki <i>sales promotion</i> yang cukup efektif.					

Berilah tanda check list (√) pada jawaban anda.

1. Bila pendapat anda Sangat Setuju (SS)
2. Bila pendapat anda Setuju (S)
3. Ragu ragu atau Netral (N)
4. Bila pendapat anda Tidak Setuju (TS)
5. Bila pendapat anda Sangat Tidak Setuju (STS)

KEPUTUSAN PEMBELIAN (Y)

No	Pernyataan	Jawaban				
		SS	S	KS	TS	STS
1	Saya mudah menemukan lokasi Tape Super Madu karena mudah dijangkau.					
2	Saya percaya terhadap produk Tape Super Madu.					
3	Saya merekomendasikan Tape Super Madu kepada orang lain.					
4	Saya melakukan pembelian ulang terhadap produk Tape Super Madu.					

Berilah tanda cek list (√) pada jawaban anda.

1. Bila pendapat anda Sangat Setuju (SS)
2. Bila pendapat anda Setuju (S)
3. Ragu ragu atau Netral (N)
4. Bila pendapat anda Tidak Setuju (TS)
5. Bila pendapat anda Sangat Tidak Setuju (STS)

LAMPIRAN 2:
Rekapitulasi Kuesioner

Rekapitulasi Kuesioner

NO	X1.1	X1.2	X1.3	X1.4	X1	X2.1	X2.2	X2.3	X2.4	X2	X3.1	X3.2	X3.3	X3.4	X3	Y1.1	Y1.2	Y1.3	Y1.4	Y
1	4	4	4	5	17	5	4	4	5	18	5	5	4	4	18	4	4	4	5	17
2	5	5	4	4	18	4	5	4	4	17	4	4	4	4	16	4	4	5	4	17
3	4	4	3	5	16	5	4	4	4	17	4	4	4	4	16	5	4	4	5	18
4	3	4	4	4	15	4	5	4	4	17	4	4	4	4	16	4	5	5	4	18
5	4	4	4	3	15	3	4	4	3	14	3	3	3	3	12	3	4	4	3	14
6	4	5	5	5	19	5	5	4	5	19	5	4	5	4	18	4	4	4	4	16
7	3	4	4	4	15	4	4	4	5	17	5	5	4	5	19	5	4	4	5	18
8	3	4	4	5	16	5	5	4	4	18	4	4	4	5	17	5	5	4	4	18
9	3	3	3	3	12	3	3	4	3	13	3	2	3	3	11	3	4	4	4	15
10	2	3	3	3	11	3	5	4	3	15	3	3	4	3	13	3	4	5	5	17
11	4	4	4	5	17	5	4	4	4	17	4	5	5	4	18	4	4	5	5	18
12	5	4	5	5	19	5	5	4	5	19	5	5	5	4	19	4	5	5	5	19
13	5	5	4	4	18	4	5	5	4	18	4	4	5	4	17	4	4	5	4	17
14	5	4	5	5	19	5	5	4	5	19	5	5	4	4	18	4	4	4	5	17
15	5	3	2	3	13	5	3	5	4	17	4	4	4	3	15	3	3	4	4	14
16	5	5	5	4	19	4	4	4	4	16	4	5	4	5	18	5	5	4	5	19
17	4	4	5	4	17	5	5	5	5	20	4	4	4	4	16	4	4	4	4	16
18	5	4	5	5	19	5	5	4	4	18	4	4	4	5	17	5	5	4	4	18
19	5	4	3	3	15	4	5	4	4	17	3	3	3	4	13	4	4	4	3	15
20	4	4	4	4	16	4	4	4	4	16	3	4	4	3	14	3	4	4	4	15
21	5	5	5	4	19	4	4	4	5	17	5	5	4	5	19	5	5	5	5	20
22	4	4	5	4	17	4	5	4	4	17	4	4	4	4	16	4	4	5	4	17
23	5	5	4	4	18	4	4	4	5	17	5	5	4	4	18	4	5	4	5	18
24	4	4	4	4	16	4	3	4	5	16	5	5	4	4	18	4	5	4	5	18
25	5	4	4	5	18	5	5	5	4	19	4	4	4	4	16	4	4	4	4	16
26	4	4	4	3	15	3	4	4	4	15	4	3	4	4	15	4	4	4	3	15
27	4	4	3	4	15	4	4	4	4	16	4	4	4	4	16	4	4	5	4	17
28	3	4	4	4	15	4	4	3	5	16	5	3	3	3	14	3	4	4	3	14

29	4	5	5	5	19	5	5	4	4	18	4	5	4	4	17	4	5	5	5	19
30	4	3	4	3	14	3	4	4	4	15	4	4	4	4	16	4	4	4	4	16
31	5	5	4	4	18	4	4	4	5	17	5	4	4	5	18	5	5	5	4	19
32	4	4	4	4	16	4	5	5	5	19	5	4	5	3	17	3	4	4	4	15
33	5	5	5	4	19	4	3	4	4	15	5	5	4	5	19	5	5	5	5	20
34	4	4	5	4	17	5	5	4	5	19	5	4	4	3	16	3	4	4	4	15
35	5	5	4	4	18	4	4	5	5	18	5	5	4	5	19	5	4	4	5	18
36	4	4	3	3	14	3	4	4	5	16	3	3	4	3	13	3	3	4	3	13
37	5	5	4	4	18	4	4	4	5	17	5	5	5	5	20	5	5	4	5	19
38	5	5	5	4	19	5	4	5	5	19	4	5	4	5	18	5	5	4	5	19
39	4	4	4	4	16	4	5	5	5	19	4	4	3	4	15	4	4	4	4	16
40	5	4	5	4	18	5	5	5	5	20	5	4	4	4	17	4	5	4	4	17
41	4	5	5	4	18	4	4	5	4	17	4	4	5	5	18	5	4	4	4	17
42	5	4	4	4	17	5	5	4	5	19	5	5	4	5	19	5	4	4	5	18
43	4	4	4	3	15	5	4	4	5	18	4	4	4	4	16	4	4	4	4	16
44	5	5	4	4	18	5	5	5	4	19	4	4	5	5	18	5	5	4	4	18
45	5	5	4	5	19	5	4	5	4	18	4	5	5	5	19	5	4	4	5	18
46	5	5	5	4	19	4	4	5	5	18	5	5	4	4	18	4	4	5	5	18
47	4	4	5	4	17	4	5	5	5	19	5	4	4	4	17	4	4	4	4	16
48	4	4	4	5	17	5	4	5	5	19	4	4	4	4	16	4	4	4	4	16
49	5	5	5	5	20	5	5	5	5	20	5	5	4	5	19	5	5	5	5	20
50	5	4	5	5	19	5	4	5	4	18	4	5	4	5	18	5	4	4	5	18
51	4	4	4	4	16	5	5	5	4	19	4	4	4	4	16	4	4	4	4	16
52	3	4	4	3	14	4	5	5	5	19	3	3	3	4	13	4	4	4	3	15
53	3	3	3	3	12	4	5	5	5	19	3	3	3	3	12	3	3	5	5	16
54	4	5	5	4	18	5	5	5	4	19	4	5	4	4	17	4	4	4	5	17
55	5	4	5	4	18	4	5	5	5	19	4	5	4	4	17	4	4	4	5	17
56	5	4	4	4	17	5	5	5	5	20	3	4	4	4	15	4	5	5	5	19
57	5	5	5	5	20	5	4	4	5	18	5	5	4	4	18	4	5	5	5	19
58	5	5	5	5	20	5	5	4	4	18	4	4	4	5	17	5	5	5	4	19

59	4	4	4	4	16	5	5	5	5	20	4	5	4	4	17	4	5	5	5	19
60	5	4	5	5	19	5	5	5	4	19	4	5	4	5	18	5	5	5	5	20
61	5	5	5	4	19	5	5	5	5	20	5	4	5	5	19	5	5	5	4	19
62	4	4	4	4	16	5	5	5	5	20	3	3	4	3	13	5	5	5	5	20
63	5	4	4	4	17	5	5	5	5	20	4	5	5	5	19	5	4	5	5	19
64	4	4	4	3	15	3	5	5	5	18	3	4	4	4	15	4	4	5	5	18
65	5	5	5	5	20	5	5	4	4	18	4	4	4	5	17	5	5	5	5	20
66	5	4	4	4	17	5	5	5	5	20	5	5	4	4	18	5	5	5	5	20
67	5	5	5	4	19	4	4	4	5	17	5	4	5	3	17	5	5	5	5	20
68	5	4	4	4	17	5	5	5	5	20	4	4	5	4	17	5	5	4	5	19
69	5	5	5	4	19	4	5	5	5	19	4	5	5	4	18	5	5	5	5	20
70	3	4	4	3	14	5	5	5	5	20	3	3	3	4	13	4	5	5	5	19
71	4	4	4	4	16	4	5	5	5	19	4	4	5	4	17	5	5	4	5	19
72	5	4	4	4	17	5	5	5	5	20	4	5	5	5	19	5	5	5	5	20
73	4	4	4	4	16	5	5	5	5	20	4	4	5	4	17	4	5	5	4	18
74	5	5	4	5	19	5	5	4	4	18	4	4	5	4	17	5	5	5	5	20
75	4	4	4	4	16	5	5	5	5	20	3	4	4	4	15	5	5	5	5	20
76	4	4	5	4	17	5	5	5	5	20	4	4	4	4	16	5	5	5	5	20
77	5	5	5	4	19	5	5	5	5	20	5	5	5	4	19	5	5	5	5	20
78	5	4	5	4	18	5	5	5	5	20	4	4	4	5	17	5	5	5	5	20
79	4	4	4	3	15	5	4	5	5	19	4	4	3	4	15	5	4	5	4	18
80	4	5	5	5	19	5	5	5	5	20	4	4	4	4	16	5	5	5	5	20
81	4	4	4	5	17	5	4	4	5	18	5	5	4	4	18	4	4	4	5	17
82	5	5	4	4	18	4	5	4	4	17	4	4	4	4	16	4	4	5	4	17
83	4	4	3	5	16	5	4	4	4	17	4	4	4	4	16	5	4	4	5	18
84	3	4	4	4	15	4	5	4	4	17	4	4	4	4	16	4	5	5	4	18
85	4	4	4	3	15	3	4	4	3	14	3	3	3	3	12	5	4	5	3	17
86	4	5	5	5	19	5	5	4	5	19	5	4	5	4	18	4	4	4	4	16
87	3	4	4	4	15	4	4	4	5	17	5	5	4	5	19	5	4	4	5	18
88	3	4	4	5	16	5	5	4	4	18	4	4	4	5	17	5	5	4	4	18

89	3	3	3	3	12	3	3	4	3	13	3	2	3	3	11	3	4	4	4	15
90	2	3	3	3	11	3	5	4	3	15	3	3	4	3	13	3	4	5	5	17
91	4	4	4	5	17	5	4	4	4	17	4	5	5	4	18	4	4	5	5	18
92	5	4	5	5	19	5	5	4	5	19	5	5	5	4	19	4	5	5	5	19
93	5	5	4	4	18	4	5	5	4	18	4	4	5	4	17	4	4	5	4	17
94	5	4	5	5	19	5	5	4	5	19	5	5	4	4	18	5	5	5	5	20
95	5	3	2	3	13	5	3	5	4	17	4	4	4	3	15	5	5	5	4	19
96	5	5	5	4	19	4	4	4	4	16	4	5	4	5	18	5	5	4	5	19
97	4	4	5	4	17	5	5	5	5	20	4	4	4	4	16	4	5	5	5	19
98	5	4	5	5	19	5	5	4	4	18	4	4	4	5	17	5	5	4	5	19
99	5	4	3	3	15	4	5	4	4	17	3	3	3	4	13	5	3	5	5	18
100	5	4	5	5	19	5	3	5	4	17	4	4	4	4	16	5	5	5	5	20

Sumber; Data primer yang diolah 2017

LAMPIRAN 3:
Frekuensi Pernyataan
Responden

Frekuensi Pernyataan Responden

1. *Kualitas Produk*

Frequencies

Statistics

		X1.1	X1.2	X1.3	X1.4
N	Valid	100	100	100	100
	Missing	0	0	0	0

Frequency Table

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	2.0	2.0	2.0
	3.00	12	12.0	12.0	14.0
	4.00	38	38.0	38.0	52.0
	5.00	48	48.0	48.0	100.0
	Total	100	100.0	100.0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	8	8.0	8.0	8.0
	4.00	61	61.0	61.0	69.0
	5.00	31	31.0	31.0	100.0
	Total	100	100.0	100.0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent

	2.00	2	2.0	2.0	2.0
	3.00	11	11.0	11.0	13.0
Valid	4.00	49	49.0	49.0	62.0
	5.00	38	38.0	38.0	100.0
Total		100	100.0	100.0	

X1.4

	Frequency	Percent	Valid Percent	Cumulative Percent
	3.00	19	19.0	19.0
Valid	4.00	52	52.0	71.0
	5.00	29	29.0	100.0
Total		100	100.0	

2. *Kualitas pelayanan*

Frequencies

Statistics

		X2.1	X2.2	X2.3	X2.4
N	Valid	100	100	100	100
	Missing	0	0	0	0

Frequency Table

X2.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	10	10.0	10.0	10.0
4.00	34	34.0	34.0	44.0
5.00	56	56.0	56.0	100.0
Total	100	100.0	100.0	

X2.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	7	7.0	7.0	7.0
4.00	33	33.0	33.0	40.0
5.00	60	60.0	60.0	100.0
Total	100	100.0	100.0	

X2.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	1	1.0	1.0	1.0
4.00	53	53.0	53.0	54.0
5.00	46	46.0	46.0	100.0
Total	100	100.0	100.0	

X2.4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	6	6.0	6.0	6.0

4.00	39	39.0	39.0	45.0
5.00	55	55.0	55.0	100.0
Total	100	100.0	100.0	

FREQUENCIES VARIABLES=X3.1 X3.2 X3.3 X3.4
/ORDER=ANALYSIS.

3. Promosi

Frequencies

		X3.1	X3.2	X3.3	X3.4
N	Valid	100	100	100	100
	Missing	0	0	0	0

Frequency Table

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2,00	2	2,0	2,0	2,0
	3,00	13	13,0	13,0	15,0
	4,00	50	50,0	50,0	65,0
	5,00	35	35,0	35,0	100,0
	Total	100	100,0	100,0	

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3,00	12	12,0	12,0	12,0
	4,00	65	65,0	65,0	77,0
	5,00	23	23,0	23,0	100,0
	Total	100	100,0	100,0	

X3.4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3,00	16	16,0	16,0	16,0
4,00	57	57,0	57,0	73,0
5,00	27	27,0	27,0	100,0
Total	100	100,0	100,0	

X3.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3,00	17	17,0	17,0	17,0
4,00	53	53,0	53,0	70,0
5,00	30	30,0	30,0	100,0
Total	100	100,0	100,0	

FREQUENCIES VARIABLES=Y1 Y2 Y3 Y4
/ORDER=ANALYSIS.

4. Keputusan Pembelian**Frequencies**

Statistics

		Y1	Y2	Y3	Y4
N	Valid	100	100	100	100
	Missing	0	0	0	0

Frequency Table

Y1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3,00	12	12,0	12,0	12,0
	4,00	42	42,0	42,0	54,0
	5,00	46	46,0	46,0	100,0
	Total	100	100,0	100,0	

Y2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3,00	4	4,0	4,0	4,0
	4,00	49	49,0	49,0	53,0
	5,00	47	47,0	47,0	100,0
	Total	100	100,0	100,0	

Y3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4,00	50	50,0	50,0	50,0
	5,00	50	50,0	50,0	100,0
	Total	100	100,0	100,0	

Y4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3,00	7	7,0	7,0	7,0
4,00	36	36,0	36,0	43,0
5,00	57	57,0	57,0	100,0
Total	100	100,0	100,0	

CORRELATIONS

```
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1  
/PRINT=TWOTAIL NOSIG  
/MISSING=PAIRWISE.
```

LAMPIRAN 4:

Hasil Uji validitas

Uji Validitas

1. Kualitas Produk

```

CORRELATIONS
/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
Correlations
  
```

		Correlations				
		X1.1	X1.2	X1.3	X1.4	X1
X1.1	Pearson Correlation	1	,513**	,359**	,303**	,731**
	Sig. (2-tailed)		,000	,000	,002	,000
	N	100	100	100	100	100
X1.2	Pearson Correlation	,513**	1	,568**	,394**	,791**
	Sig. (2-tailed)	,000		,000	,000	,000

	N	100	100	100	100	100
	Pearson Correlation	,359**	,568**	1	,501**	,799**
X1.3	Sig. (2-tailed)	,000	,000		,000	,000
	N	100	100	100	100	100
	Pearson Correlation	,303**	,394**	,501**	1	,722**
X1.4	Sig. (2-tailed)	,002	,000	,000		,000
	N	100	100	100	100	100
	Pearson Correlation	,731**	,791**	,799**	,722**	1
X1	Sig. (2-tailed)	,000	,000	,000	,000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X2.1	X2.2	X2.3	X2.4	X2
	Pearson Correlation	1	,278**	,297**	,380**	,738**
X2.1	Sig. (2-tailed)		,005	,003	,000	,000
	N	100	100	100	100	100
	Pearson Correlation	,278**	1	,253*	,238*	,653**
X2.2	Sig. (2-tailed)	,005		,011	,017	,000
	N	100	100	100	100	100
	Pearson Correlation	,297**	,253*	1	,316**	,641**
X2.3	Sig. (2-tailed)	,003	,011		,001	,000
	N	100	100	100	100	100
	Pearson Correlation	,380**	,238*	,316**	1	,706**
X2.4	Sig. (2-tailed)	,000	,017	,001		,000

	N	100	100	100	100	100
	Pearson Correlation	,738**	,653**	,641**	,706**	1
X2	Sig. (2-tailed)	,000	,000	,000	,000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

CORRELATIONS

```

/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

		X3.1	X3.2	X3.3	X3.4	X3
X3.1	Pearson Correlation	1	,648**	,398**	,335**	,787**
	Sig. (2-tailed)		,000	,000	,001	,000
	N	100	100	100	100	100
X3.2	Pearson Correlation	,648**	1	,474**	,554**	,888**
	Sig. (2-tailed)	,000		,000	,000	,000
	N	100	100	100	100	100
X3.3	Pearson Correlation	,398**	,474**	1	,261**	,674**
	Sig. (2-tailed)	,000	,000		,009	,000
	N	100	100	100	100	100
X3.4	Pearson Correlation	,335**	,554**	,261**	1	,705**
	Sig. (2-tailed)	,001	,000	,009		,000
	N	100	100	100	100	100

	Pearson Correlation	,787**	,888**	,674**	,705**	1
X3	Sig. (2-tailed)	,000	,000	,000	,000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

CORRELATIONS

```

/VARIABLES=Y1 Y2 Y3 Y4 Y
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

		Y1	Y2	Y3	Y4	Y
Y1	Pearson Correlation	1	,525**	,176	,399**	,772**
	Sig. (2-tailed)		,000	,080	,000	,000
	N	100	100	100	100	100
Y2	Pearson Correlation	,525**	1	,333**	,351**	,769**
	Sig. (2-tailed)	,000		,001	,000	,000
	N	100	100	100	100	100
Y3	Pearson Correlation	,176	,333**	1	,288**	,580**
	Sig. (2-tailed)	,080	,001		,004	,000
	N	100	100	100	100	100
Y4	Pearson Correlation	,399**	,351**	,288**	1	,727**
	Sig. (2-tailed)	,000	,000	,004		,000
	N	100	100	100	100	100

	Pearson Correlation	,772**	,769**	,580**	,727**	1
Y	Sig. (2-tailed)	,000	,000	,000	,000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

LAMPIRAN 5:

Hasil Uji Relibilitas

Uji Relabilitas

1.Kualitas Produk

RELIABILITY

/VARIABLES=X1.1 X1.2 X1.3 X1.4

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/STATISTICS=DESCRIPTIVE SCALE CORR COV

/SUMMARY=TOTAL.

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100,0
	Excluded ^a	0	,0
	Total	100	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,750	,759	4

Item Statistics

	Mean	Std. Deviation	N
X1.1	4,3200	,76383	100
X1.2	4,2300	,58353	100
X1.3	4,2300	,72272	100
X1.4	4,1000	,68902	100

Inter-Item Correlation Matrix

	X1.1	X1.2	X1.3	X1.4
X1.1	1,000	,513	,359	,303
X1.2	,513	1,000	,568	,394
X1.3	,359	,568	1,000	,501
X1.4	,303	,394	,501	1,000

Inter-Item Covariance Matrix

	X1.1	X1.2	X1.3	X1.4
X1.1	,583	,229	,198	,160
X1.2	,229	,341	,239	,159
X1.3	,198	,239	,522	,249
X1.4	,160	,159	,249	,475

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X1.1	12,5600	2,633	,473	,277	,738

X1.2	12,6500	2,795	,642	,438	,652
X1.3	12,6500	2,492	,602	,415	,658
X1.4	12,7800	2,779	,494	,276	,719

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
16,8800	4,389	2,09511	4

2.Kualitas Pelayan

RELIABILITY

/VARIABLES=X2.1 X2.2 X2.3 X2.4

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/STATISTICS=DESCRIPTIVE SCALE CORR COV

/SUMMARY=TOTAL.

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100,0
	Excluded ^a	0	,0
	Total	100	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items

	,622	,625	4
--	------	------	---

Item Statistics

	Mean	Std. Deviation	N
X2.1	4,4600	,67300	100
X2.2	4,5300	,62692	100
X2.3	4,4500	,51981	100
X2.4	4,4900	,61126	100

Inter-Item Correlation Matrix

	X2.1	X2.2	X2.3	X2.4
X2.1	1,000	,278	,297	,380
X2.2	,278	1,000	,253	,238
X2.3	,297	,253	1,000	,316
X2.4	,380	,238	,316	1,000

Inter-Item Covariance Matrix

	X2.1	X2.2	X2.3	X2.4
X2.1	,453	,117	,104	,156
X2.2	,117	,393	,082	,091
X2.3	,104	,082	,270	,101
X2.4	,156	,091	,101	,374

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X2.1	13,4700	1,585	,446	,205	,519
X2.2	13,4000	1,818	,344	,120	,595
X2.3	13,4800	1,949	,395	,158	,561
X2.4	13,4400	1,724	,433	,200	,529

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
------	----------	----------------	------------

17,9300	2,793	1,67124	4
---------	-------	---------	---

```

3.Promosi
RELIABILITY
/VARIABLES=X3.1 X3.2 X3.3 X3.4
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/STATISTICS=DESCRIPTIVE SCALE CORR COV
/SUMMARY=TOTAL.

```

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100,0
	Excluded ^a	0	,0
	Total	100	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,767	,762	4

Item Statistics

	Mean	Std. Deviation	N
X3.1	4,1300	,67652	100
X3.2	4,1800	,73002	100
X3.3	4,1100	,58422	100
X3.4	4,1100	,64971	100

Inter-Item Correlation Matrix

	X3.1	X3.2	X3.3	X3.4
X3.1	1,000	,648	,398	,335
X3.2	,648	1,000	,474	,554
X3.3	,398	,474	1,000	,261
X3.4	,335	,554	,261	1,000

Inter-Item Covariance Matrix

	X3.1	X3.2	X3.3	X3.4
X3.1	,458	,320	,157	,147
X3.2	,320	,533	,202	,263
X3.3	,157	,202	,341	,099
X3.4	,147	,263	,099	,422

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X3.1	12,4000	2,424	,593	,431	,698
X3.2	12,3500	2,028	,755	,582	,597
X3.3	12,4200	2,872	,463	,239	,762
X3.4	12,4200	2,691	,478	,308	,757

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
16,5300	4,130	2,03234	4

4.Keputusan Pembelian

RELIABILITY

```
/VARIABLES=Y1 Y2 Y3 Y4  
/SCALE('ALL VARIABLES') ALL  
/MODEL=ALPHA  
/STATISTICS=DESCRIPTIVE SCALE CORR COV  
/SUMMARY=TOTAL.
```

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100,0
	Excluded ^a	0	,0
	Total	100	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,680	,679	4

Item Statistics

	Mean	Std. Deviation	N
Y1	4,3400	,68490	100
Y2	4,4300	,57305	100
Y3	4,5000	,50252	100
Y4	4,5000	,62765	100

Inter-Item Correlation Matrix

	Y1	Y2	Y3	Y4
Y1	1,000	,525	,176	,399
Y2	,525	1,000	,333	,351
Y3	,176	,333	1,000	,288
Y4	,399	,351	,288	1,000

Inter-Item Covariance Matrix

	Y1	Y2	Y3	Y4
Y1	,469	,206	,061	,172
Y2	,206	,328	,096	,126
Y3	,061	,096	,253	,091
Y4	,172	,126	,091	,394

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
Y1	13,4300	1,601	,506	,330	,587
Y2	13,3400	1,762	,563	,345	,550
Y3	13,2700	2,199	,332	,147	,687
Y4	13,2700	1,775	,465	,220	,613

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
17,7700	2,947	1,71656	4

LAMPIRAN 6:
Hasil Uji Regresi, Uji
Asumsi Klasik Dan Uji
Hipotesis

Uji Regresi, Uji asumsi klasik, uji hipotesis

```
REGRESSION  
  /MISSING LISTWISE  
  /STATISTICS COEFF OUTS CI(95) BCOV R ANOVA COLLIN TOL CHANGE ZPP  
  /CRITERIA=PIN(.05) POUT(.10)  
  /NOORIGIN  
  /DEPENDENT Y  
  /METHOD=ENTER X1 X2 X3  
  /SCATTERPLOT=(*ZPRED , *SRESID)  
  /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID)
```

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X3, X2, X1 ^b	.	Enter

a. Dependent Variable: Y

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics					Durbin-Watson
					R Square Change	F Change	df1	df2	Sig. F Change	
1	,585 ^a	,342	,322	1,41391	,342	16,639	3	96	,000	1,488

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	99,792	3	33,264	16,639	,000 ^b
	Residual	191,918	96	1,999		
	Total	291,710	99			

a. Dependent Variable: Y

b. Predictors: (Constant), X3, X2, X1

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B		Correlations			Collinearity Statistics		
	B	Std. Error	Beta			Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	VIF	
(Constant)	7,161	1,657		4,322	,000	3,872	10,450						
X1	,208	,103	,253	2,025	,046	,004	,411	,523	,202	,168	,438	2,285	
X2	,196	,095	,191	2,072	,041	,008	,384	,399	,207	,172	,807	1,240	
X3	,217	,104	,257	2,080	,040	,010	,424	,519	,208	,172	,449	2,226	

a. Dependent Variable: Y

Coefficient Correlations^a

Model		X3	X2	X1	
1	Correlations	X3	1,000	-,137	-,684
		X2	-,137	1,000	-,211
		X1	-,684	-,211	1,000
	Covariances	X3	,011	-,001	-,007
		X2	-,001	,009	-,002
		X1	-,007	-,002	,011

a. Dependent Variable: Y

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	X1	X2	X3
1	1	3,981	1,000	,00	,00	,00	,00
	2	,010	19,480	,19	,16	,15	,16
	3	,004	30,299	,67	,10	,71	,13
	4	,004	32,150	,13	,74	,15	,71


a. Dependent Variable: Y

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	14,5898	19,3598	17,7700	1,00399	100
Std. Predicted Value	-3,168	1,584	,000	1,000	100
Standard Error of Predicted Value	,166	,504	,270	,083	100
Adjusted Predicted Value	14,5301	19,3352	17,7572	1,01312	100
Residual	-3,02753	2,77238	,00000	1,39232	100
Std. Residual	-2,141	1,961	,000	,985	100
Stud. Residual	-2,189	2,058	,004	1,006	100
Deleted Residual	-3,16396	3,05331	,01283	1,45352	100


Stud. Deleted Residual	-2,234	2,094	,003	1,013	100
Mahal. Distance	,368	11,575	2,970	2,656	100
Cook's Distance	,000	,107	,011	,017	100
Centered Leverage Value	,004	,117	,030	,027	100

a. Dependent Variable: Y




Normal P-P Plot of Regression Standardized Residual

Dependent Variable: Y



Scatterplot

Dependent Variable: Y



LAMPIRAN 7: DOKUMENTASI







