



ICP - HESOS

PROCEEDINGS BOOK

of

International Conference on Psychology
in Health, Educational, Social, and Organization Settings

Universitas Airlangga, Surabaya, 21-23 November 2013

"Psychology in Changing Global Contexts"



**Faculty of Psychology
Universitas Airlangga**

PROCEEDINGS BOOK

International Conference on Psychology in Health, Education, Social and Organizational Settings (ICP-HESOS)

"Psychology in Changing Global Contexts"

Board of Reviewers:

Prof. Dr. Fendy Suhariadi, MT
Prof. Dr. Suryanto, M.Si.
Dr. Seger Handoyo, M.Si. (Chief)
Dr. Dewi Retno Suminar, M.Si
Dr. Hamidah, M.Si.
Veronika Supratiknya, MS.Ed.
Endang R. Surjaningrum, S.Psi., M.Appl.Psy.

Chief Editor:

Herison Purba, S.Psi., M.Sc.

Cover Design:

Vito Daryfauzi

Cover Picture:

google.com

Layout:

Nur Rachmah A. P.	Dita Ayu
Musrifatul Jannah	Nido Dipo
Evryanti Rasari	Lukman Faizin
Kamelia Widyati	Annisa S
Aini Nadhifah	Dwika Puspita
Vinny josephine	Ribka Mutiara

Publisher:

Unit Penelitian dan Publikasi (UP3)
Psychology Faculty Universitas Airlangga

All rights reserved. No part of this book may be reproduced, in any form or by any means, without permission in writing from the publisher

First Edition:

2013, 1015 pages. 15 X 21 cm
ISBN: 978-979-99555-7-9

Printed by:

Psychology Faculty Universitas Airlangga
Printed in: Surabaya, Indonesia

All articles in the proceedings of International Conference on Psychology in Health, Education, Social and Organizational Settings (ICP-HESOS) year of 2013 are not the official opinions and standings of editors. Contents and consequences resulted from the articles are sole responsibilities of individual writers, and it is protected by the law

48. Potency and Problems of <i>Kenshusei</i> (Indonesian Apprentice in Japan) Towards Independency (<i>Cholicul Hadi, Dimas Aryo, Tika Miftahul, Irvani Putri Bethaziiza, Uthia Estiane</i>).....	296
49. Description of Adolescents Resilience Who Live in Prone Areas to Occur Human Trafficking (<i>Dany Effendi, and Ike Herdiana</i>).....	300
50. Self Efficacy In Entrepreneurship Among The Students (<i>Dewi Mutamimah, Nurul Sih Widanti, Putri Aquarisnawati</i>)	305
51. The Relationships Among Ethnic Prejudice, Centripetal-Centrifugal Tendencies and Interpersonal Attraction Native Children toward Chinese (<i>Dyan Evita Santi</i>)	311
52. What Are Men's Characteristics That Make Women Attracted? A research about men physical attractiveness according to women in Jakarta: a pilot study (<i>Edward Andriyanto, Gisca Syalindri, and Solita Tiolina</i>)	318
53. Effect of Exercise on Patient with Diabetes Mellitus : A Case Study of a Patient with Type 2 Diabetes (<i>Andreany Kusumowardani, and Firmanto Adi Nurcahyo</i>)	323
54. Preparation of The Happiness Module to Improve the Quality of Life of The <i>Odapus</i> in Syamsi Duha Foundation Bandung (<i>Farida Coralita, and Milda Yanuvianti</i>).....	327
55. Training Design to Stimulate Application of Clarity Standard on the Elements of Thinking to Improve Quality of Response (<i>Fida Nirmala Nugraha</i>).....	333
56. Hope of the Student from Divorced Family (<i>Nur'aini Azizah</i>).....	341
57. Indonesian Youth Micro Expression On Premarital Sexual Behavior Topic (<i>Fransisca Linda Susilowati, Christ Billy Aryanto, Annabele Wenas, Anissa Arnindita, Michael Kendro, and Vinsensia Arindita</i>)	345
58. Relationship Between Organizational Culture And Competence With Employee Performance - Survey in the Office of Tanjung Perak Port Authority (<i>Imayatur Robbany</i>)	350
59. Coping Strategies To Satisfied Psychological Needs Women With Postpartum Depression (<i>Istiqomah, Latipun, and Cahyaning Suryaningrum</i>)	358
60. A School-Based Radio Program in Psychology: A Phenomenological Analysis of Strengths and Weaknesses (<i>Dan Albert D. Merais, and Juan Victor P. Pascual</i>)	365
61. Description Of Adolescent Sexual Behavior Associated With Increased Of Human Trafficking Cases In East Java A Pre-Eliminary Study (<i>Retno Ayu Astrini, Ike Herdiana</i>)	371
62. The Importance of Smile And Laughter: A Physical Sign of Happiness to Promote A Good Health Condition of Patients Suffering From Any Kind of Disease (<i>Rufus Patty Wutun, Maximus Biaedae, Petrus Yulius, and Wilibaldus Daningga</i>).....	378
63. Pattern Quality Relationship Between Leader and Member In A Team (<i>Elly Yuliandari</i>).....	382
64. The Exploration Study About College Adjustment of Freshmen (<i>Ruseno Arjangga</i>).....	387
65. The Difference of Meaning of Work Between Chinese and Indonesia Employees and Its Effect on Work Engagement and Workaholism (<i>Rui Yang, Jianhong MA, Chuncuo YANG, Frikson Christian, Karina Indra, Risma Tiara, Sus Budiharto, Retno Kumolohadi, and Sitti Hadjar Nurul Istiqamah</i>)	392
66. Balance Relationship in Parent Marriage, Parenting Effectiveness, Deviant Peers and The Tendency of Externalizing Behavior on Adolescents (<i>Siti Attiyatul Fahirah</i>)	401
67. Cross Cultural Study About College Adjustment Study of China & Indonesian College Students: "How Coping Strategies Help Social Adjustment" (<i>Soerjantini Rahaju, Alexander English, Uly Gusniarti, Anastasia Dewi, Jiang Jing Xin, Anita Verina, and Wen Xue Q</i>)	409
68. The Effect Of Social Stories On The Pragmatic Communication Skills Of Children With Asperger Syndrome (<i>Shella Tanriady, and Aniva Kartika</i>).....	414
69. Psychological Dynamic In Gays Practicing Heterosexual Relationship (<i>Hangga Diputra</i>).....	419
70. Psychological Conditions of Junior School Students Who Will Participate in Scholastic Aptitude Test in Surabaya (<i>Akhmad Fauzy, Mufidatul Husna, Mochamad Dachlan, and Taufan Setyawan</i>)	426
71. Trust, Intercultural Competence and the Influence of Perceived Cultural Distance of Indonesians and Americans in China (<i>Alexander Scott English, and Ma Jianhong</i>).....	433
72. Social Interaction on Gifted Child (<i>Alissa Nurfathia</i>)	441
73. Cross-Cultural Emotion Recognition of Angry and Happy Face between China and Indonesia samples (<i>Yudiarso, A., Herdianto, CR.</i>).....	447



UNIVERSITAS AIRLANGGA



ICP-HESOS
INTERNATIONAL CONFERENCE ON PSYCHOLOGY
IN HEALTH, EDUCATIONAL, SOCIAL AND
ORGANIZATIONAL SETTINGS



ZHEJIANG UNIVERSITY

INTERNATIONAL CONFERENCE ON PSYCHOLOGY IN HEALTH, EDUCATIONAL, SOCIAL AND ORGANIZATIONAL SETTINGS

CERTIFICATE OF ATTENDANCE

THIS CERTIFICATE IS AWARDED TO


Istiqomah

Has Participated on the International Conference on Psychology in Health, Educational, Social, and Organizational Settings 2013
(ICP-HESOS 2013)

Held In Faculty of Psychology, Universitas Airlangga, Surabaya, 21st -23rd of November 2013 as:

Oral Presenter

Dean & Scientific Committee Chairman


Dr. Seger Handoyo

Technical Committee Chair


Margaretha, M.Sc., G. Dipl. Psych



Coping Strategies To Satisfied Psychological Needs Women With Postpartum Depression

Istiqomah

Psychology Faculty of Muhammadiyah University of
Jember

Email: lativ_un@yahoo.com ;

Cahyaning Suryaningrum

Psychology Faculty of Muhammadiyah University of
Malang

Email: csuryaningrum@yahoo.com

Latipun

Psychology Faculty of Muhammadiyah University of
Malang

Email: iztieq75@yahoo.com

Abstract

Postpartum depression often appears as type of unsuccess in adapting to face new role as parents. The recent study found that personality factor, include psychological needs, is consistent determination in determining appearance of the postpartum depression.

The aim of this study is to explore the psychological needs of women with postpartum depression. The focus of the study is directed to understand: 1) The types of psychological needs; 2) The pattern of interaction among psychological needs; and 3) The coping strategy that is used for satisfied the psychological needs.

The case study approach was applied to encourage that purpose. The subjects of the research are three women with postpartum depression. The method of collecting data were observation, depth interview, and objective test (TAT). The data was collected and analyzed by analysis model interpretative phenomenological analysis (IPA).

The study found that psychological needs in women with postpartum depression mother are: 1) Love and belonging, it appears in forming of desire to get support, attention and understanding from spouse; 2) Safety needs appears in forming to feel safety from the anxiety about health and the growth of baby; and 3) Esteem appears in forming of desire to manage and play an important role as independent mother. Psychological needs above to have interaction with certain pattern, in this research was found two patterns: fit out each other pattern, and interaction incompatible each other pattern. The Coping strategy that done is proactive coping, mostly on instrumental support seeking and emotional support seeking aspect.

Key Words: Postpartum depression, psychological needs, coping strategies.

INTRODUCTION

Postpartum depression are major depressive that onset within 4 weeks after childbirth. Maternal attitudes toward the infant are highly variable but can include disinterest, fearfulness of being alone with the infant, or overintrusiveness that inhibits adequate infant rest. However, the postpartum period is unique with respect to the degree of neuroendocrine alterations and psychological adjustments, the potential impact of breast-feeding on treatment planning, and the long-term implications of a history of postpartum mood disorder on subsequent family planning (APA, 2000).

8% up to 15% women were diagnosed postpartum depression in mid level, dan postpartum depression is a serious problem that affects many

mothers of infants. Although effective treatment is available, fewer than half of cases are recognized. Although several depression screens have been used in postpartum women, it may not impact clinical outcomes unless systems are in place to ensure effective treatment and follow-up. However, for screening to positively impact clinical outcomes, it needs to be combined with systems-based enhanced depression care that provides accurate diagnoses, strong collaborative relationships between primary care and mental health providers, and longitudinal case management, to assure appropriate treatment and follow-up (Gjerdingen & Yawn, 2007).



Survei used by Gjerdingen & Yawn (2007) indicated that parents had not, but should have been asked about family or psychosocial risk. In a national survey of pediatricians, 57% said that they felt responsible for recognizing maternal depression, but only 32% expressed confidence in their ability to diagnose postpartum depression.

Symptoms of postpartum depression, include: think to hurt themselves or their babies, feel strange from themselves and their babies, feel confused about reality. These symptoms can work in few weeks or months (Nevid, dkk, 2005).

Previous qualitative studies have depicted the feelings experiences of mothers with postnatal depression: loneliness, obsessive thinking, anxiety attacks, loss of control, guilt, insecurities, diminished concentration, fear that life would never be normal again, lack of positive emotions, loss of interests in hobbies or goals, and fear of contemplation of harming themselves and their infants (Beck in Chew-Graham, et.al., 2009).

Although postpartum depression involve unstable hormone in preperiod of childbirth, there are many factors associated with decrease risk, include: stress, single mothers atau the first time become a mothers, financial, marital problem, social isolation, unless support from spouse and family, history of depression, or an unwanted child, ill, or having babies with difficult temperament (Nevid, dkk, 2005).

It has been established that the transition to parenthood is a stressful event, requiring ongoing adjustments at both individual and dyadic level. It has also been shown that attachment security predicts threat appraisal and coping strategies in many stressful situations, including new parenthood. Most of the new mothers reported that they were providing full-time care for their infants; further, of those husband who had taken some time off after the birth, almost all had returned to full-time employment. Hence, mothers may have reported more problem-focused coping support seeking because they were responsible for most of the tasks of infant care and home making. In addition, as noted earlier, women tend to focus on intimacy and emotional support in their relationships with friends and family. For this reason, it is not surprising that new mothers reported turning to others for support and advice; in fact, support-seeking was their most strongly endorsed coping strategy (Alexander, et al., 2001).

Postpartum depression could impact to dyadic interaction between mothers and their babies. In addition to impacting parent-child relationships and disturbing the attachment process (Hadadian & Merbler in Misri & Reebye, 2006), high levels of parenting stress can contribute to the disruption of family systems and indirectly affect children's development (Mash & Johnson in Misri & Reebye, 2006). Given the negative impact of parenting stress on children's cognitive, affective, and social development (Crnic & Acevedo; Rodgers in Misri & Reebye, 2006).

Based on the conditions and facts about postpartum depression phenomena, preventive action is more effective way to better than rehabilitative. For this aim, is needed a comprehensive understanding about postpartum depression. According to Lusskin, et al. in Zee, et al. (2009), postpartum depression has recently become more publicized due to heightened awareness of negative outcomes and the vulnerability to depression during the postpartum periode.

There have been a number of studies on postpartum depression of both the risk factors and symptoms, and the risks factors predicting will be changed (Cooper, et.al., 2003). However, few studies have examined personality as a determinant of depression after childbirth. Personality was a stable determinant of both clinical depression and depressive symptoms in the first year postpartum (Verkerk, et al., (2005). Some women described their feeling as a response to physical changes around childbirth, but suggested that they were susceptible to depression in some way (Chew-Graham, et al., 2009). Edhborg, et al., (2005) from the perspective of women with symptoms of depression, the women's struggles with life related to self, to the child, and to the partner during the first two months postpartum.

It become clearer that understanding about characteristics and personality factors of women with postpartum depression urgent to be explore. Neuroticism leads people to cope ineffectively, and this coping, in turn, leads to increases in distress (Bolger, 1990).

Based on understanding that women's struggle to face themselves, it can called as a process to understanding their hopes and willingness. Understanding their willingness means trying to understand determinant of their personality, as Murray explanation about needs. Murray (in Hjelle & Ziegler, 1987) define need as a construct that can be found in brain, internally or externally organize another psychological processes in individual, e.g. perception, thinking, and action to change the condition than unsatisfied. Definition of needs also called as psychological processes that influence behaviour.

Need to change the condition that unsatisfied explore in previous study (Bilszta, et al., 2006), one of the most often repeated comments from women was a need to be seen be, 'keeping up appearances' – the façade or image of being seen to be able to cope with the demands of parenthood.

In the postpartum period, Blum (in Montgomery, et al., 2009) proposed that the availability of a sympathetic other counterbalances another's inherent dependency needs, whether verbalized or not. Women's risk for maternal distress increased when they find no one available to assist them in meeting such rudimentary psychodynamic needs (Montgomery, et al., 2009).

Studies about personality factors of women with postpartum depression were done by Verkerk, et.al

(2005), high neuroticism was associated with an increased risk of clinical depression and depressive symptoms during the postpartum period. According to Greco (2006) studies about correlation between perfectionism and postpartum depression.

Neuroticism aspek correlate with the effectiveness of coping in stressfull event. Bolger (1990), suggest that coping has an interactional component that is consistent with the state-trait theory of anxiety. Neuroticism emerges in pattern of coping with major stressfull event and that certain coping modes, namely wishful thinking and self-blame, help explain why neuroticism leads to increases in anxiety under stress.

Studies about psychological needs women with postpartum depression explain by Gauthier, et al., (2010), self determanation theory posits three fundamental psychological needs: competence; relatedness; and autonomy. According to self determanation theory, when these needs are satisfied, they enhance personal well-being. Taken together, past research on these three psychological needs suggests that women's autonomy in the decision to have a child, perceived self-efficacy in the maternal role, and a less anxious attachment to the partner are important coponents that foster women's psychological adjustment during the trantition to parenthood.

This paper focus to explore psychological needs of women with postpartum depression. The aim of this study are: 1) To understanding the psychological needs of women with postpartum depression; 2) To understanding interaction of psychological needs of women with postpartum depression; 3) To understanding coping strategies of women with postpartum depression to satisfy their psychological needs.

METHODS

This study were Case Study- Interpretative Phenomenological Analysis, the rancangan tahat integrated case study and interpretatif fenomenologis. The aim of interpretative phenomenological analysis (IPA) is to to explore in detail how participants are making sense of their personal and social world, and the main currency for an IPA study is the meaning psrticular experiences, events, states hol for participants (Smith & Osborn, 2007).

This study were integrated phenomenology to understanding the phenomena of postpartum depression, base on Davidson (2004) suggests this special issue reconsiders the contributions that phenomenology can make to the development and practice of clinical science of psychology.

Data were colletion from three women with postpartum depression (EPDS). They have been interviewed and observation. Proyektif test, TAT (Thematic Apperception Test) have been used to assesst psychological needs that could not explore by interview. In detail characteristic of the subject:

Women with indication postpartum depresi pasca melahirkan, it shown by scor of EPDS up to 12.

Minimum in the 4 weeks period of postpartum.

Data analized with Interpretative Phenomenological Analysis (IPA), with this steps (Smith & Osborn, 2007): 1) Looking for themes in the firsts case; 2) Connecting the themes; 3) Continuing the analysis with other cases; 4) Writing up.

RESULTS

Psychological Needs of Women With Postpartum Depression

The dominant psychological needs of women woth postpartum depression are: love and belonging needs that raise in form of need to get support, attention, and understanding from spouse and family. Safety needs that raise form of satisfistied secure feeling about health conditions and developmental of their babies. And esteem needs that raise in form of motivation to learn about how to manage and get some role as a independence m other

"...understand my feeling.. now he is the one nearest form me..I want he understand may feeling...as effort to take care of me....if stiiil hurting me...so I will ask whome to take care of? Not to my father and mother ofcourse, there was Him beside Me ..." (Ibu Dewi).

"Yeah..usually there is husband beside Me, as same as with other wpomen...but now there is not...I want be happy....like other women ..." (Dik Ida).

"...My hope...He is become the first man that I told about My feeling....Yea He is nearest beside Me...so He should be the most understand of Me...because we're as a family...everithing to be think together...include our feeling" (Mbak Dea).

This psychological needs more over rise by spouse and family that perceived as a source of conflict. These conlicts arise in form of lose support from spouse and family, dependence feeling arise in form of feel blamed by spouse and family, or feel pushed to be a good mother in take care baby or role as a new mother.

"I feel sad of my children.....I fear that she and her father could not close as a family ..." (Ibu Dewi).

"..She is have been not a father figure as usual...live with no father...and died was not a father too ..." (Dik Ida).

"...because who take care all of my baby activities almost by her grand mother...so the frequent of childbearing more done by my mother than Me...especially I am work now....so it is make Me worry...I fear if My baby does not close to Me...." (Mbak Dea).

Interaction Pattern of Psikological Needs of Women With Postpartum Depression

The dominat psychological needs of women with postpartum depression were interact in some pattern, this recent study found two patters: fusion pattern and conflict pattern.



The fusion pattern work in love and belonging need and safety need. Needs and hopes to get some support, attention and loving by spouse and family can satisfied by when the women try to actualization safety needs to the baby or spouse and family. Such as breast feeding process and take care of developmental and growth of the baby. This condition rise some support behavior from spouse and family, such as available of healthy food for the women or driving her to get some medical check up for the babies.

Esteem needs that arise in form of feeling guilty or blaming others, feel empty, unhappy, until feeling to suicide, relize could disturb the relation between women and their spouse and family.

"...My mother could not to be confronted...If I confronted to her, she could not accepted...because she did not accept others opinion...So I did not want to confronted her...especially to avoid the conflict..." (Ibu Dewi).

"...I fear lose this close relation....because I have experience about lose some one...so I worry about this condition...if its not become better...can impact to may close relationship ..." (Mbak Dea).

Coping Strategies to Satisfied Psychological Needs of Women With Postpartum Depression

The dominat psychological needs of women with postpartum depression that arise in form of love and belonging needs, safety needs, and esteem needs were important to be satisfied. The satisfied process can be call coping strategies. Coping strategies that found in recent study is proactive coping, specially in instrumental support seeking aspect and emotional support seeking aspect.

"...when I was angry...sad...I was cry...after cry I felt better...or I talk to my friend...because I can see their expression...after my baby birth, I more like talk to My friend." (Ibu Dewi).

"...I talk to my friend first...until I done express my emotion...after that I feel better..." (Mbak Dea).

Coping strategies that usually done by women with postpartum depression are the willingness to be more disclosure by trying to talk about their feeling to with spouse, family, and riends. This disclosure process have been choosen because similarly could satisfified their needs to be support (love and belonging) by spouse and family. This proactive coping, can be arise in form of all efforts to seek information and new knowledge about how to take care and facilitating the growth and developmental process of their babies.

"...usually if I have some problem...I send a massage to my friend...There are respons or not...I was share my feeling...it was make me feel better..." (Ibu Dewi).

"...I need to be heard, to be understand....it is can reduction my emotion...just by talk to others...if I need to cry...I want be let take a tiem to cry...untill I feel better...I need to talk face to face with my friend, I feel do not enough by send a messages or by phone...maybe it was about interaction that I could got..." (Mbak Dea).

DISCUSSION

Support from spouse as media to satisfy love and belonging needs of women with postpartum depression

This study found that women experienced of love and belonging needs that actual in to willingness to be support and understood by thier spouse. Montgomery, et.al., (2009) finding that the women characterized two types of husband availability: 'doing for' and 'being with'. 'Doing for' stories involved the husband's response to the immediate needs of family, both spouse and child (Montgomery, et al., 2009).

His physical presence, regardless, lessened their fear of "going crazy". Being "alone" in the home was perceived as begrudgingly to tolerable, especially when husbands were contract or shift workers, requiring them to be out of the home for extended or unpredictable periods of time. Additionally, their husband's physical presence was represented as an opportunity for women to verbally express their worries and uncertainties. Overall, the women were strategic about what, how and when they talked to their husbands. Women did not want to risk "further isolation," "frightening" their husbands or having their partner distance themselves by "never talking about what happened" in illness (Montgomery, et al., 2009).

'Being with,' stories involved the husband's affective presence that also promoted the women's sense of security. 'Being with' their husbands afforded women the oppurtunity to discuss their worries without fera of alineation (Montgomery, et al., 2009). Women hopes to be together with their spouse to tak care their babies as representation of love and belonging needs. Exspecially in the period of trantition to be a mother. Behaviours that maintain attachments to significant others will change as the individual passes throught different life stages (Ma, 2006). Attachment relationships in adulthood provide feelings of security and belonging (Crowell, et.al. in Ma, 2006).

This feelings of securiyy and belonging could be develop in to anxiety attachment and avoidance attachment. This study explain that relation between women and their spouse in adequat. It is shown with un open communication. Moer over, support from spouse could not perceived as a support by the women with postpartum depression. Un open communication represented conflict that face by women with postpartum depression. One hand, they needs support, but Disatu sisi mereka ingin mendapatkan dukungan, but in another hand they would not perceived as a 'bad mother.'

According to Maunder & Hunter (dalam Ditzen, et.al, 2008) proposed an influence of insecure attachment on stress responses in humans via (1) the increase of precieved stress, (2) the impairment of the psychological responses to stress, and (3) the rduced effectiveness of social support in buffering stress. This condition streghthen the previous study by Stewart, et al. (2003), was found that women with postpartum depression

often seen everything in negative side, including perception about level of support. This study found that support by spouse still perceived do not enough by women with postpartum depression.

Interaction with child as a projection of safety needs of women with postpartum depression

Unrealistic hopes to childbearing processes influence the fact that were new mothers. Conflict between hopes and experience become a mother make some anxiety, and judge themselves fail and guilty. The women described many moral belief regarding the definition of a "good mother". A "good mother" would be happy when she got a healthy child, have patience with all her children, always think about the children before herself, and she would breastfeed her children. As consequence of this belief, women felt guilt and like a "bad mother" if they were not immediately happy about the new child but instead wanted personal space and time for themselves (Edhborg, et al., 2005). It is shown as feeling guilty and worries that felt by women with postpartum depression. That condition correlate with inadequate safety needs. This inadequate safety needs can be projected in interaction mothers and their baby, so that become insecure attachment. This insecure attachment actual in to interaction that: 1) Stripped of a strong desire to interact with their children and plagued by oversensitivity to stimuli, mothers often failed to respond to their infants' cues; 2) Guilt and irrational thinking pervaded mothers' minds during their day-to-day interactions with their children. Postpartum depressed mothers perceived themselves as being the worst mothers in the world. They were filled with pain-ridden guilt for not being able to love their babies as they thought they should; 3) Striving to minimize the negative effects of postpartum depression on their children, mothers attempted to put their children's needs above their own. (Beck & Driscoll, 2006).

To be alone with the child might weigh heavy both related to the responsibility of the child, but also because the mothers felt lonely and tie; they longed for help, support, and adult people to talk to. They felt that the feeling might be confirmed and consolidated when speaking about them (Edhborg, et al., 2005). In fact the process to speak not an easy thing to do, because in some way women did not want to seen weak that can percepts as fail mother. Now become clear there are conflict between need to be support and need to be perceived as good mother. More time conflict doesn't solve, more longer time needed to adapted with this period childbearing.

Contribution of psychological needs in choosing coping strategies of women with postpartum depression

Research by Hachaturova (2010) choosing coping strategies deals with such personality traits as empathy, locus of control, anxiety, self-appraisal, and temperament. Person with the high level of empathy chooses emotional coping strategies in interactions. Internal controllers choose cognitive behavioural coping strategies in

conflict, while the majority of external controllers choose emotional coping strategies. While people with low self-appraisal choose emotional coping strategies. According to Terry in Alexander, et al. (2001) personal resources are relatively stable personality and cognitive characteristics that shape coping processes. In term of personal resources, coping is influenced by a range of dispositional factors (e.g., self-efficacy, optimism, sense of coherence) that are related to self-esteem (Holahan, Moos, & Schaefer, 1996 dalam Alexander, et al., 2001). Basic psychological needs, as one of personal characteristic have role in choosing process coping strategies of women with postpartum depression. This study found that women choose to speak with trusted figure. Interaction and regard that accepted, felt as support and can facilitating their psychological needs, involved love and belonging needs and safety needs. The interaction were learning processes to develop coping strategies. Maslow in Feist & Feist (2008) explain that coping usually conscience, need effort, learned, and influence by external.

About seeking support behaviour, Alexander, et al. (2001) for both husbands and wives, support-seeking was predicted directly by wives attachment security and husbands' parenting strain. This seeking support behaviour actual in process talk to trusted figure. Consequences from talk to others is one of process that usually happen in proactive coping strategies, also termed preventive coping and anticipatory coping, involves making an effort to prepare for stressful events that could occur in the future (Aspinwall, 2005; Aspinwall & Taylor, 1997; Greenglass, 2002 dalam Allen & Leary, 2010), especially talk about infant health and relation between women and spouse.


Recent study, found that proactive coping were choose by women especially in instrumental support seeking and emotional support seeking. Greenglass, in Sulistyarini (2010) explain instrumental support seeking, is coping strategy that focus on solve the problem by seeking support, such as suggestion from others. Emotional support seeking, is an coping strategy by seeking emotional support by more focus to self relation more than solve the problem. This coping strategy develop by arouse empathy and seeking emotional support from nearest person or family.

Seeking support process works similarly with development of attachment between women and environment, specially with spouse. Discuss about correlation between attachment and coping, Milkulincer & Florian, 1998 dalam Alexander, et al. (2001) suggested that secure attachment is a core protective factor from which coping resources, such as self esteem and social support, are derived. Adult attachment may contribute to individual differences in well-being. The ability to build close personal relationships may have a profound impact on well-being (Wei, et. Al., 2011).

Finding of the recent study describe that women with postpartum depression does not optimal in develop

secure attachment, they describe more develop insecure attachment (fearful and dismissing). This attachment pattern develop similarly with indication deprivation in

some basic psychological needs (love and belonging, safety needs, and esteem). More over, they effort to adaptation with with their conflicts by develop proactive coping. As seen in this picture:



OUTCOME

Picture 1. Pattern of satisfying psicological needs of women with postpartum depression

SUMMARY AND RECOMMENDATION

Althought recent study can help to understanding the psichological needs of women with postpartum depression, advanced study still needed, expecially to conseptualization and to redefining corelation between psichological needs fullfilment and bonding behaviour mothers and their infant. It is also important to develop research about deprivasi in affection needs can be inflence attachment process and maturity of interpersonal relation ini general.

Finding of recent study were explain that wpmen with postpartum depression needs support,

specially from spouse dan family, it can be more important to get some relational perspepective in preventive proces and recovery period. As explain by Montgomery, et.al (2009) as sekunder intervention, program that develop relasional intervention have positive assosiaciation with optimalization mother and familiy in childberaing. This program can do by volunteer, paraprofesional, or home visit workers. Based on experience of home visitors, they were report that their coming develop relation between mothers and children. While women said that they were need for some information and skill to make empatic relational.

REFERENCES

- Alexander, R., Feeney, J., Hohaus, L., & Noller, P. (2001). Attachment style and coping resources as predictors of coping strategies in the transition to parenthood. *Personal Relationship*, 8, 137-152.
- Allen, A.B. & Leary, M.R. (2010). Self-compassion, stress, and coping. *Social and Personality Psychology Compass*, 4(2), 107-118.
- APA. 2000. *Diagnostical & statistical manual of mental disorder. (4th ed). Text revision (DSM-IV-TR TM)*. Whasington, DC: American Psychitaric Association.
- Beck, CT & Driscoll, JW. (2006). *Postpartum mood and anxiety disorders a clinician's guide*. Massachusetts: Jones and Bartlett Publishers, Inc.
- Bilszta, J., Ericksen, J., Buist, A., & Milgrom, J. (2006). Women's experience of postnatal depression – beliefs and attitudes as barriers to care. *Australian Journal of Advanced Nursing*, 27 (3), 44-54.

- Bolger, N. (1990). Coping as a personality process: A prospective study. *Journal of Personality and Social Psychology*, 59, (3), 525-537.
- Chew-Graham, CA., Sharp, D., Chamberlain, E., Folkles, L., & Turner, KM. (2009). Disclosure of symptoms of postnatal depression, the perspectives of health professionals and women: a qualitative study. *BMC Family Practice*, 10,(7), 1-9.
- Cooper, PJ., Murray, LW., Wilson, A., & Romaniuk, H. (2003). Controlled trial of the short- and long-term effect of psychological treatment of post-partum depression impact on maternal mood. *The British Journal of Psychiatry*, 182, 412-419.
- Davidson, L. (2004). Phenomenology and contemporary clinical practice: introduction to special issue. *Journal of Phenomenological Psychology*, 35(2), 149-162.
- Ditzen, B., Schmidt, S., Strauss, B., Nater, U.M., Ehler, U., & Heinrichs, M. (2008). Adult attachment and social support interact to reduce psychological but not cortisol responses to stress. *Journal of Psychosomatic Research*, 64, 479-5486.
- Edhborg, M., Friberg, M., Lundh, W., & Widstrom, AM. (2005). "Struggling with life": narratives from women with signs of postpartum depression. *Scandinavian Journal of Public Health*, 33, 261-167.
- Feist, J. & Feist, G.J. (2008). *Theories of personality*. (Edisi kelima). Yogyakarta: Pustaka Pelajar.
- Gauthier, L., Guay, F., Senecal, C., & Pierce, T (2010). Women's depressive symptoms during the transition to motherhood: The role of competence, relatedness, and autonomy. *Journal of Health Psychology*, 15 (8), 1145-1156.
- Gjerdingen, DK. & Yawn, BP. (2007). Postpartum depression screening: importance, methods, barriers, and recommendations for practice. *Journal Am Board Family Medicine*, 20 (3), 280-288.
- Greco, A (2006). "Perfectionism, multiple roles, and postpartum depression: is perfectionism a factor in multiple-role women experiencing postpartum depression?". Paper Magister Program. School of Professional Psychology.
- Hachaturova, M. (2010). *The role of personality traits in choosing of coping strategies in an organizational conflict*. Moscow: World Academy of Science, Engineering and Technology.
- Hjelle, LA. & Ziegler, DJ. (1987). *Personality theories. Basic assumptions, research, and applications*. (2nd ed). Singapore: McGraw-Hill Book Company.
- Ma, K. (2006). Attachment theory in adult psychiatry. Part 1: Conceptualisations, measurement and clinical research findings. *Journal of Continuing Professional Development*, 12, 440-449.
- Misri, S. & Reebye, P. (2006). The impact of treatment intervention on parenting stress in postpartum depressed mothers: a prospective study. *American Journal of Orthopsychiatry*, 76, (1), pp.
- Montgomery, P., Bailey, P., Purdon, SJ., Snelling, SJ & Kauppi, C. (2009). Women with postpartum depression: "my husband" stories. *BMC Nursing*, 8,(8), 1-14.
- Nevid, SJ., Rathus, AS., & Greene, B. (2005). *Psikologi abnormal*. (Jilid 1). Jakarta: Penerbit Erlangga.
- Smith, JA, & Osborn, M. (2007) *Interpretative phenomenological analysis. Chapter Four. In JA Smith. Qualitative Psychology: A practical guide to methods* (2nd ed). London: Sage.
- Stewart, DE., Robertson, E., Dennis, CL., Grace, SL., & Wallington, T. (2003). *Postpartum depression: literature review of risk factors and interventions*. University Health Network Women's Health Program. Toronto Public Health.
- Sulistiyarini, I.R. (2010). *Pelatihan kebersyukuran untuk meningkatkan proactive coping pada survivor bencana gunung merapi*. Proposal Penelitian. Yogyakarta: Direktorat Penelitian dan Pengabdian Masyarakat. Universitas Islam Indonesia.
- Verkerk, G.J.M., Denollet, J., Van Heck, G.L., Vanson, M.J.M., & Pop, V.J.M. (2005) Personality factors as determinants of depression in postpartum women a prospective 1-year follow-up Study. *Psychosomatic Medicine. Journal of Biobehavioral Medicine*, 67, 632-637.
- Wei, M., Liao, K.Y., Ku, T., & Shaffer, P.A. (2011). Attachment, self-compassion, empathy, and subjective well-being among college students and community adults. *Journal of Personality*, 79(1), 191-221.
- Zee, AK., Cates, JT., & Schaeffle, SE. (2009). Perinatal mental health services: a preliminary needs assessment from the consumer perspective. *Washington State Journal of Public Health Practice*, 2(2), 32-46.