

DAFTAR PUSTAKA

- Ghomi, H., Yadegari, F., Soleimani, F., Knoll, B. L., Noroozi, M., & Mazouri, A. (2019). The effects of premature infant oral motor intervention (PIOMI) on oral feeding of preterm infants: A randomized clinical trial. *International Journal of Pediatric Otorhinolaryngology*, 120(February), 202–209. <https://doi.org/10.1016/j.ijporl.2019.02.005>
- Govindarajan, K., Serane, V. K., Kadirvel, K., & Palanisamy, S. (2020). The effects of combined modalities of prefeeding stimulation on feeding progression, length of stay and weight gain in early preterm babies. *Journal of Neonatal Nursing*, 26(6), 330–334. <https://doi.org/10.1016/j.jnn.2020.04.005>
- Lessen Knoll, B. S., Daramas, T., & Drake, V. (2019). Randomized Controlled Trial of a Prefeeding Oral Motor Therapy and Its Effect on Feeding Improvement in a Thai NICU. *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 48(2), 176–188. <https://doi.org/10.1016/j.jogn.2019.01.003>
- Li, X. L., Liu, Y., Liu, M., Yang, C. Y., & Yang, Q. Z. (2020). Early Premature Infant Oral Motor Intervention Improved Oral Feeding and Prognosis by Promoting Neurodevelopment. *American Journal of Perinatology*, 37(6), 626–632. <https://doi.org/10.1055/s-0039-1685448>
- Syaiful, Y., Fatmawati, L., & Sholikhah, S. (2019). Stimulasi Oral Meningkatkan Reflek Hisap pada Bayi Berat Badan Lahir Rendah (BBLR). *Journals of Ners Community*, 10(01), 20–28. <https://doi.org/10.5281/j%20ners%20community.v10i1.841>
- M. Kamitsuka, P. Nervik, S. Nielsen, R. Clark, Incidence of nasogastric and gastrostomy tube at discharge is reduced after implementing an oral feeding protocol in preterm (< 30 weeks) infants, Am. J. Perinatol. 34 (2017) 606–613. <https://doi.org/10.1055/s-0037-1601443>
- S. Younesian, F. Yadegari, F. Soleimani, Impact of oral sensory motor stimulation on feeding performance, length of hospital stay, and weight gain of preterm infants in NICU, Iran. Red Crescent Med. J. 17 (7) (2015). [https://dx.doi.org/10.5812%2Fircmj.17\(5\)2015.13515](https://dx.doi.org/10.5812%2Fircmj.17(5)2015.13515)
- Fucile, S., Milutinov, M., Timmons, K., Dow, K., 2018. Oral sensorimotor intervention enhances breastfeeding establishment in preterm infants. Breastfeed. Med. 13, 473–478. <https://doi.org/10.1089/bfm.2018.0014>
- Thakkar, P.A., Rohit, H.R., Das, R.R., Thakkar, U.P., Singh, A., 2018. Effect of oral stimulation on feeding performance and weight gain in preterm neonates: a randomised controlled trial. Paediatr. Int. Child Health 38, 181–186. <https://doi.org/10.1080/20469047.2018.1435172>

- Rhooms, L., Dow, K., Brandon, C., Zhao, G., Fucile, S., 2019. Effect of unimodal and multimodal sensorimotor interventions on oral feeding outcomes in preterm infants: an evidence-based systematic review. *Adv. Neonatal Care* 19, E3–E20. .
<https://doi.org/10.1097/ANC.0000000000000546>
- Amer, H. W., Rashad, H. M., Dabash, S. A. E., & El Din, Z. M. E. (2015). Effect of prefeeding oral stimulation program on preterm infants' feeding performance. *Journal of Biology, Agriculture and Healthcare*, 5, 39–46. <http://citeseerp.ist.psu.edu/viewdoc/download?doi=10.1.1.874.4338&rep=re&p1&type=pdf>
- Cichero, J. A. Y. (2016). Introducing solid foods using baby-led weaning vs. spoon-feeding: A focus on oral development, nutrient intake and quality of research to bring balance to the debate. *Nutrition Bulletin*, 41(1), 72–77. <https://doi.org/10.1111/nbu.12191>
- Topkar, P., Metgud, D., & Machakanur, V. (2019). Effect of follow-up home-based oromotor stimulation on breastfeeding performance in preterm low-birth-weight infants: A randomized control trial. *Indian Journal of Health Sciences and Biomedical Research (KLEU)*, 12(1), 85. https://doi.org/10.4103/kleuhsj.kleuhsj_129_18
- John, H. B., Padankatti, S. M., Kuruvilla, K. A., Rebekah, G., & Rajapandian, E. (2018). Effectiveness of oral motor stimulation administered by mothers of preterm infants- A pilot study. *Journal of Neonatal Nursing*, 24(5), 261–265. .
<https://doi.org/10.1016/j.jnn.2018.05.001>
- Kollia, B., Tsiamtsiouris, J., & Korik, P. (2019). Oral motor treatment: Effects of therapeutic feeding on articulatory skills. *Journal of Prevention & Intervention in the Community*, 47(1), 14–24. <https://doi.org/10.1080/10852352.2018.1547305>
- Fucile, S., Milutinov, M., Timmons, K., & Dow, K. (2018). Oral Sensorimotor Intervention Enhances Breastfeeding Establishment in Preterm Infants. *Breastfeeding Medicine*, 13(7), 473–478. <https://doi.org/10.1109/BioRob49111.2020.9224287>
- Vela-Anton, P., Nina, C., Ticllacuri, V., Shah, D., Tincopa, J. P., Llontop, M., Aguilar, F., Cruz, S., & Vela, E. A. (2020). Borjibot: A Soft Robotic Device Performing Pressure and Torsional Stimuli for Neonates Oral-Motor Rehabilitation. *2020 8th IEEE RAS/EMBS International Conference for Biomedical Robotics and Biomechatronics (BioRob)*, 403–409. <https://doi.org/10.1109/BioRob49111.2020.9224287>

- Perroteau, A., Nanquette, M.-C., Rousseau, A., Renolleau, S., Bérard, L., Mitanchez, D., & Leblanc, J. (2018). Efficacy of facilitated tucking combined with non-nutritive sucking on very preterm infants' pain during the heel-stick procedure: A randomized controlled trial. *International Journal of Nursing Studies*, 86, 29–35. <https://doi.org/10.1016/j.ijnurstu.2018.06.007>
- Kim, M. K., & Kim, D. J. (2018). Effects of Oral Stimulation Intervention in Newborn Babies with Cri du Chat Syndrome: Single-Subject Research Design. *Occupational Therapy International*, 2018, 1–8. <https://doi.org/10.1155/2018/6573508>
- Hasanah, O., Novayelinda, R., & Deli, H. (2019). The effect of oromuscular stimulation on neonate latch score. *Enfermería Clínica*, 29, 46–48. <https://doi.org/10.1016/j.enfcli.2018.11.017>