PAPER • OPEN ACCESS

The Fifth International Conference on Combinatorics, Graph Theory, and Network Topology 2021

To cite this article: 2022 J. Phys.: Conf. Ser. 2157 011001

View the article online for updates and enhancements.

You may also like

- <u>The 2nd International Conference of</u> <u>Combinatorics, Graph Theory, and</u> <u>Network Topology</u>
- <u>The Erds-Hajnal problem of hypergraph</u> <u>colouring, its generalizations, and related</u> <u>problems</u> Andrei M Raigorodskii and Dmitrii A

Andrei M Raigorodskii and Dmitrii A Shabanov

- <u>Optimal network topologies: expanders,</u> <u>cages, Ramanujan graphs, entangled</u> <u>networks and all that</u> Luca Donetti, Franco Neri and Miguel A Muñoz



This content was downloaded from IP address 125.166.117.182 on 12/05/2022 at 09:29

The Fifth International Conference on Combinatorics, Graph Theory, and Network Topology 2021

2157 (2022) 011001

Dafik

Editor in Chief of International Conference on Combinatorics, Graph Theory, and Network Topology 2021 E-mail: d.dafik@unej.ac.id

We gratefully acknowledge the presence of all participants on "The Fifth International Conference on Combinatorics, Graph Theory, and Network Topology (ICCGANT)". It is the 5th International conference was held on 21-22 August 2021 by the CGANT Research Group, University of Jember in collaboration with the Indonesian Combinatorics Society (INACOMBS). The conference welcomed participants from several countries, with a wide and variety of mathematics research of interests, in particular combinatorial research. The mission of this conference is to be an annual international forum where members of society organizations, research students, educators and researchers, writers, physicists, teachers and practitioners from all over the world can meet and exchange ideas to communicate and discuss theoretical and practical knowledge of mathematical research that leads to the exchange of new theoretical, analytical and scientific knowledge and to a deeper understanding of the fields of mathematics, application of mathematics, and mathematics education. The topics of this conference have been identified on the ic.cgant.unej.ac.id website.

There were 200 participants in ICCGANT 2021, consist of research students, academics and researchers, scholars, scientist, teachers and practitioners from many countries. The number of paper submitted to this conference 138 articles, and the number of paper sent to the reviewers were 95 articles. Throughout the tough refereeing process, we have successfully selected some papers to be published on IOP Conference Series: Journal of Physics of 71 papers.

Finally, on behalf of the organizing committee, we gratefully acknowledge the support from the University of Jember of the year 2021. We would also like to express our sincere gratitude to all the lovely participants who have engaged in this unforgettable and important scientific annual forum.

Prof. Drs. Dafik, M.Sc., Ph.D

IOP Publishing

2157 (2022) 011001 doi:10.1088/1742-6596/2157/1/011001

THE COMMITTEES

Honorary Advisory Committee: Dr. Ir. Iwan Taruna, M.Eng. Prof. Drs. Slamin, M.Comp.Sc., Ph.D

Organizing Committee:

Prof. Drs. Dafik, M.Sc., Ph.D Ika Hesti Agustin, S.Si., M.Si Chairperson

Secretary

Rector of the University of Jember

Vice Rector of the University of Jember

Editorial Board

Prof. Surahmat Tita Khalis Maryati

Arika Indah Kristiana Elsa Yuli Kurniawati Rosanita Nisviasari Ika Nur Maylisa Dwi Agustin Retno Wardani

Scientific Committee and Reviewers

Prof. Ismail Naci Cangul Prof. V. Lokesha

M. Venkatachalam Prof. M. Salman A. N. Prof. Slamin Prof. Suratno Dwi Wahyuni Roslan Hasni Kiki A. Sugeng Liliek Susilowati Syaiful Bukhori Antonius Cahya Prihandoko Khairul Anam Universitas Islam Malang Universitas Islam Negeri Syarif Hidayatullah Jakarta, Indonesia University of Jember, Indonesia University of Jember, Indonesia University of Jember, Indonesia INIVERSITY OF JEMBER, Indonesia

Uludag University, Turkey Vijaya Nagara Sri Krishnadevaraya University, India Kongunadu Arts and Science College, India Institut Teknologi Bandung, Indonesia University of Jember, Indonesia University of Jember, Indonesia University of Jember, Indonesia Universiti Malaysia Terengganu, Malaysia University of Indonesia, Indonesia Universitas Airlangga, Indonesia University of Jember, Indonesia University of Jember, Indonesia University of Jember, Indonesia University of Jember, Indonesia

Peer review statement

The committees of the Fifth International Conference on Combinatorics, Graph Theory, and Network Topology would like to express gratitude to all Committees and Reviewers for the volunteering support and contribution in the editing and reviewing process.

PAPER • OPEN ACCESS

Peer review declaration

To cite this article: 2022 J. Phys.: Conf. Ser. 2157 011002

View the article online for updates and enhancements.

You may also like

- Peer review declaration
- Peer review declaration
- Peer review declaration



This content was downloaded from IP address 114.125.111.42 on 18/05/2022 at 06:32

Peer review declaration

All conference organisers/editors are required to declare details about their peer review. Therefore, please provide the following information:

- Type of peer review: The type of peer review article is Double-blind review where the authors name and affiliation of the paper are hidden. The reviewer independently made some suggestion and corrections on the papers.
- **Conference submission management system:** All the papers were submitted online ۰ through EasyChair system https://easychair.org/conferences/?conf=the5thiccgant2021
- Number of submissions received: 138
- Number of submissions sent for review: 95
- Number of submissions accepted:71
- Acceptance Rate (Number of Submissions Accepted / Number of Submissions Accepted X 100): 51.45%
- Average number of reviews per paper: 3
- Total number of reviewers involved: 54
- Any additional info on review process: The reviewers gave some feedback to each paper based on the referring guidelines such as the state of the art of research, methodology, a gap, a proposed novelty, originality, and language. They also review the originality of the research finding, and the bibliography cited in their paper. In general they have made refereeing on three things, namely the content, layout, and language.
- Contact person for queries: Prof. Drs. Dafik, M.S., Ph.D. University of Jember d.dafik@unej.ac.id



We acknowledge that **Reni Umilasari**

Muhammadiyah Jember University

has participated as a PAPER PRESENTER

in The 5th International Conference on Combinatorics, Graph Theory, and Network Topology

entitled DETERMINATION OF BULOG REGIONAL SUB-DIVISIONS IN EAST JAVA USING CONNECTED DOMINATION NUMBER THEORY University of Jember - Indonesia 21st 22nd August 2021 CCANT Research Group Chairman Rote Drs Dafik, M.Sc., Ph.D.



NOTICE: Ukraine: Read IOP Publishing's statement.

Table of contents

Volume 2157

2022

◆ Previous issue
 Next issue ▶

The 5th International Conference on Combinatorics, Graph Theory, and Network Topology (ICCGANT 2021) 21-22 August 2021, Jember, Indonesia

Accepted papers received: 08 December 2021 Published online: 17 January 2022

Open all abstracts

Preface

| OPEN ACCESS | | | 011001 |
|--|--|---|--------|
| The Fifth International Conference on Combinatorics, Graph Theory, and Network Topology 2021 | | | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS | | | 011002 |
| Peer review decla | aration | | |
| + Open abstract | View article | PDF | |
| Combinatorics | | | |
| OPEN ACCESS | | | 012001 |
| Sigma chromatic | numbers of the mic | Idle graph of some families of graphs | |
| J A Manamtam, A | D Garciano and M A C | C Tolentino | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012002 |
| Edge odd gracefi | al of alternate snake | graphs | |
| M Soleha, Purwant This site uses cooki | o and D Rahmadani es. By continuing to us | se this site you agree to our use of cookies. To find out more, see | |
| du Oprinachs anad tCo | | [™] PDF | 8 |
| | | | |

| OPEN ACCESS | 64 1 1 1 | 1 1 1 · | 012003 |
|--|-------------------------|---|--------|
| - | | thm on graph coloring | |
| | wilo, P Gultom and M | | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS | | | 012004 |
| - | metric dimension ir | | |
| R Amalia, Firdausiy | yah, T Yulianto, Faisol | and Kuzairi | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS | | | 012005 |
| - | an colorings of graj | | |
| J D Tolentino, M A | C Tolentino and E B | | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS Some result on in hypergraph | ntegrality of several | matrix representation of complete <i>r</i> -uniform | 012006 |
| A Y Zakiyyah | | | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS | | | 012007 |
| On <i>r</i> -dynamic co | loring of central ver | rtex join of path, cycle with certain graphs | |
| N Mohanapriya, K | Kalaiselvi, V Aparna, | Dafik and I H Agustin | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS Anonymously tra technology | cking covid-19 pat | ient using labeling graph approach and GPS tracking | 012008 |
| Nuril Lutvi Azizah | and Uce Indahyanti | | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS | | | 012009 |
| Determination of number theory | bulog regional sub | -division in east java using connected domination | |
| Reni Umilasari and | Ilham Saifudin | | |
| | | | |

| OPEN ACCESS | c dimension of whe | el like graphs | 012010 |
|---|--|--|--------|
| Darmaji and N Aza | | er-nke graphs | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS | | | 012011 |
| Graphs with strong | ng 3-rainbow index | equals 2 | |
| A N M Salman, Z Y | Y Awanis and S W Sap | putro | |
| ← Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012012 |
| e | | umber of path and comb product of special graph | |
| I Kusumawardani, I | | i, I H Agustin and R Alfarisi | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012013 |
| - | matic number of so | • • | |
| M L Asy'ari, Dafik | , I H Agustin, R Nisvia | asari and R Adawiyah | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012014 |
| | | of vertex amalgamation of graphs | |
| J C Joedo, Dafik, A | I Kristiana, I H Agus | tin and R Nisviasari | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012015 |
| C | C | number of some wheel related graphs | |
| R Humaizah, Dafik | a, A I Kristiana, I H Ag | gustin and E Y Kurniawati | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS | • • • | | 012016 |
| On the <i>r</i> -dynamic | c chromatic number | r of subdivision of wheel graph | |
| R Z Riba'ah, Dafik, | , A.I Kristiana, I.N Ma | ylisa and Slamin | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012017 |
| Improving the ro This site uses cooki R Nisviasari, Dafik our Privacy and Co | bustness of the affin ies. By continuing to u . I H Agustin, E Y Ku okies policy. | ne cipher by using a rainbow antimagic coloring use this site you agree to our use of cookies. To find out more, see rniawati, I N Maylisa and B J Septory | 8 |

| , 9:51 AM | Jo | urnal of Physics: Conference Series, Volume 2157, 2022 - IOPscience | |
|--|------------------------|---|--------|
| + Open abstract | View article | PDF | |
| OPEN ACCESS | | | 012018 |
| On local vertex in | rregular reflexive co | ploring of graphs | |
| Dafik, D J Koesoen | nawati, I H Agustin, E | Y Kurniawati and R Nisviasari | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012019 |
| The rainbow vert | ex antimagic colori | ng of tree graphs | |
| Marsidi, Ika Hesti A | Agustin, Dafik, Elsa Y | uli Kurniawati and Rosanita Nisviasari | |
| + Open abstract | View article | PDF | |
| Applied Mathe | ematics | | |
| OPEN ACCESS | | | 012020 |
| Determination of | Hue Saturation Val | ue (HSV) color feature in kidney histology image | |
| I Kurniastuti, E N I | Yuliati, F Yudianto an | d T D Wulan | |
| | View article | PDF | |
| - | using fuzzy TOPS | IS for selecting beginner UMKM that receive business | 012021 |
| funding | | | |
| N L Negari, A Risk | i, A Pradjaningsih and | A Kamsyakawuni | |
| | View article | 🔁 PDF | |
| OPEN ACCESS | C | | 012022 |
| 2 | | ehicle position estimation | |
| 0, | , <u>,</u> | oto, F Yudianto, F A Susanto and M Y Anshori | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Estimation of Pac Filter | cked Red Cells (PR | C) in Bojonegoro blood bank using Modified Kalman | 012023 |
| | | | |
| | nbang, D Rahmalia an | d D F Karya | |

OPEN ACCESS

 ${\bf E} st sistation consistent der and ielbog to joint this glassifier from a fine to quadratic tracking based on noise, see$ nustieagreed Contriss policy.

012024

Θ

T Herlambang, D Rahmalia, H Nurhadi, A Suryowinoto and D F Karya

| | Tiew article | PDF | |
|--|-----------------------|---|--------|
| OPEN ACCESS Implementation of distribution optim | | algorithm on the VRP variant and its application to | 012025 |
| Sapti Wahyuningsił | n, Darmawan Satyanan | nda and Lucky Tri Oktoviana | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS | 1.1 1. | · / 1·/ · | 012026 |
| • | | variate probit regression | |
| - | | Achmad Basuki and Muhammad Agus Zainuddin | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Profitability estin | nation of XYZ com | pany using H-infinity and Ensemble Kalman Filter | 012027 |
| M Y Anshori, T He | rlambang, P Katias, F | A Susanto and R R Rasyid | |
| + Open abstract | View article | PDF | |
| Equations of Adv | vanced Type | r of Second-Order Half-Linear Noncanonical Difference | 012028 |
| P Gopalakrishnan, A | A Murugesan, Dafik an | | |
| | View article | 🔁 PDF | |
| OPEN ACCESS Estimation of The root Ensemble K | 2 | rate (TC) in PMI Gresik using unscented and square | 012029 |
| A Muhith, T Herlar | nbang, D Rahmalia, Ir | hamah and D F Karya | |
| | Tiew article | 🔁 PDF | |
| OPEN ACCESS Hybrid clustering in East Java prov | | methods to find out the pattern of the spread of covid-19 | 012030 |
| M W F Umam, M F | Fatekurohman and D A | Inggraeni | |
| + Open abstract | View article | PDF | |

PRIE Site GSEF Sokies. By continuing to use this site you agree to our use of cookies. To find out more, see 012031 our Privacy and Cookies policy.

Design of conveyor table with quality function deployment method and statistical analysis of anthropometry data approach as a physical distance tool for SMEs

_

Zulkani Sinaga, Yuri Delano Regent Montororing and Achmad Muhazir

| | View article | PDF | |
|--|---|--|--------|
| 1 | ess improvements to d FMEA at PT KA | o minimize product defects using DMAIC six sigma EF | 012032 |
| Yuri Delano Regen | t Montororing, Murwa | an Widyantoro and Achmad Muhazir | |
| | View article | 🔁 PDF | |
| OPEN ACCESS <i>n</i> -cutting site of 1 | DNA splicing langu | age for single string and palindromic rule | 012033 |
| N M Ruslim, Y Yus | | | |
| + Open abstract | View article | 🔁 PDF | |
| method | | tion system based on color by using k-nearest neighbor | 012034 |
| Nelly Oktavia Adiv | vijaya, Hammam Iqon | natuddin Romadhon, Januar Adi Putra and Dewangga Putra Kuswa | into |
| ➡ Open abstract | View article | 🔁 PDF | |
| Education | | | |
| OPEN ACCESS | | | 012035 |
| Combination of l land | nigh order kernel es | timators for estimation of fruit trees biomass on critical | |
| Zulfikar, Munawara | ah and Ambar Susanti | | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012036 |
| = | study: is Problem B nnections ability? | eased Learning (PBL) effective toward students' | |
| S Aisyah and D Use | diyana | | |
| + Open abstract | View article | PDF | |
| OPEN ACCESS | | | 012037 |
| This site uses cooki | udents learning induces. By continuing to u Ida. T Y F Siswono ar okres policy. | ependence in mathematics based on google classroom use this site you agree to our use of cookies. To find out more, see and Masriyah | 8 |

| | View article | PDF | |
|---|---|---|--------|
| OPEN ACCESS High order thinki mathematics prob | - | e when a prospective teacher solves a controversial | 012038 |
| Alfiani Athma Putr | i Rosyadi, Cholis Sa'di | jah, Susiswo and Swasono Rahardjo | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS | × , , , 1, 1, 11 | | 012039 |
| | g mathematical skills | s: the procept (process-concept) junior high school blems | |
| Prayogo, St Suwars | ono and Siti Khabibah | | |
| | View article | 🔁 PDF | |
| • | tudents metaliteracy | v under the implementation of RBL-STEM in solving oblems | 012040 |
| E Y Kurniawati, Da | nfik, I H Agustin and I | N Maylisa | |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS Science process s how did it achiev H Fitrianingrum and | re? | Ils and tissues concept during the covid-19 pandemic: | 012041 |
| | Tiew article | PDF | |
| 1 0 | nts' mathematical in arhana and R Miftah | tuitive thinking ability using analogy learning model | 012042 |
| + Open abstract | View article | 🔁 PDF | |
| e | of mathematical re | asoning on three dimensional in high school | 012043 |
| + Open abstract | View article | 🔁 PDF | |
| OPEN ACCESS The synthesis of This site uses cooki prospective math our Privacy and Co | qualitative evidence es. By continuing to us ematics teacher okies policy. | e-based learning by design model to improve TPACK of se this site you agree to our use of cookies. To find out more, see | 012044 |

| 5/12/22, | 9:51 | AM |
|----------|------|-----|
| 0/12/22, | 0.01 | / \ |

| Yurniwati and Erry | Jtomo | | |
|-----------------------|--|--|--------|
| | View article | 🔁 PDF | |
| OPEN ACCESS | | | 012045 |
| Development of n | nathematics teachin | ng-learning material with metaphors approach | |
| G Dwirahayu, I D H | andayani, O Suhyanto | o, E Musyrifah and D Sobiruddin | |
| + Open abstract | View article | 🔁 PDF | |
| | ronment Technolog ning model in collo | y Society (SETS) based e-module development with vidal learning | 012046 |
| | , M Zubir and Nurfajr | - | |
| | View article | 🔁 PDF | |
| practicum during | pandemic | al lab and PhyPhox real lab on pendulum student P Putra and D Mulhayatiah | 012047 |
| + Open abstract | View article | PDF | |
| JOURNAL LINK | s | | |
| Journal home | | | |
| Journal Scope | | | |
| Information for orga | nizers | | |
| Information for auth | ors | | |
| Contact us | | | |
| Reprint services from | n Curran Associates | | |
| | | | |
| | | | |

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



PAPER • OPEN ACCESS

Determination of bulog regional sub-division in east java using connected domination number theory

To cite this article: Reni Umilasari and Ilham Saifudin 2022 J. Phys.: Conf. Ser. 2157 012009

View the article online for updates and enhancements.



IOP ebooks[™]

Bringing together innovative digital publishing with leading authors from the global scientific community.

Start exploring the collection-download the first chapter of every title for free.

Determination of bulog regional sub-division in east java using connected domination number theory

Reni Umilasari¹, Ilham Saifudin¹

¹Study Program of Informatics Engineering, Universitas Muhammadiyah Jember, Jl. Karimata 49 Jember 68121, Indonesia

E-mail: reni.umilasari@unmuhjember.ac.id, ilham.saifudin@unmuhjember.ac.id

Abstract. Bulog is a state-owned public company engaged in food logistics. There are about 18 Bulog warehouses in East Java Province with an uneven distribution. Because the scope of Bulog's business includes logistics or warehousing, surveys and pest eradication, provision of plastic bags, transportation business, food commodity trading and retail business, there must be good coordination between regional sub-divisions and warehouse complexes. In this study, the minimum regional sub-division recommendations in the East Java region were determined using the theory of connected domination number in graphs. The location of the warehouse complex is described as the vertex and adjacent warehouse complexes are connected by edges. In this research, we also determine the connected domination number of unicyclic graph and vertex amalgamation operations for several classes of graphs.

1. Introduction

BULOG is a state-owned public company engaged in food logistics. The company's business scope includes logistics/warehousing, surveys and pest control, supply of plastic bags, transportation business, food commodity trading and retail business. As a company that continues to carry out public duties from the government, BULOG continues to carry out activities to maintain the Basic Purchase Price for grain, stabilize prices, especially basic prices, distribute rice for social assistance (Bansos) and manage food stocks [1].

BULOG in an area is tasked with meeting the rice consumption needs not only for its own region, but BULOG is also tasked with supplying other regions with a rice deficit. At Perum BULOG, the distribution of rice stocks is known as "MoveNas" which stands for Move Nasional. Prior to the Move Nas, Perum BULOG will meet stock needs in all warehouses in each region through procurement from local farmers [1]. If the stock in the area has been met, the rice will be moved to other areas that need it to meet the rice stock in the area. This is done so that the distribution of rice throughout Indonesia is even. In order to optimize this role, it is necessary to prepare a strategy in terms of regulating which Bulogs have excess stock, so that other Bulogs which usually require supplies can be observed in order of priority. The distance and access between Bulogs also need to be considered. To observe this, we can use connected dominating number theory. Perum BULOG has more than a thousand warehouse units spread throughout Indonesia which are managed by 26 Regional Offices. These warehouses are used to store rice reserves that have been absorbed by local farmers. Of all Regional Offices, there are 3 regions that have the largest storage capacity. In the first position, the East Java Regional Office has a total of 378 warehouse units with a total capacity of more than one million tons

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

[1]. The distribution of Bulog's warehouse units can be described as points on the graph, while the easy and close distribution access is analogous to the edges connecting the points. Furthermore, from the graph formed, it can be determined which main warehouses are considered as supplying warehouses for rice stocks for other areas.

Domination is one of the topics discussion in graph theory which is known from the philosophy of the chess game. Dominating Number is one of the interesting topics in graph theory. The dominating number has existed since 1850 [2]. It appeared among chess fans in Europe, namely the determination of how many queens should be placed on an 8×8 chessboard, so that all tiles on the chessboard can be controlled by the queen and the number of queens placed on the board and it must be minimal. The problem of domination is one of the most widely studied topics in graph theory [3]. Several studies on dominating number have been developed, including: On Domination Number of Cartesian Product of Graphs yang diteliti oleh Gravier dan Mollard [4], The Domination Number of The Cartesian Products of Path and Cycles [5]. While in 1997, topics related to dominating number were developed namely connected dominating set [6]. Other research related to the dominating of the graph, such as Split Domination Number of Some Special Graphs [7,10] and Results Connecting Domination, Steiner and Steiner Domination Number of Graphs by Ramalakshmi and K. Palani [8]. The concept of connected dominating set is the suitable concept for Determination of Bulog Regional Sub-Divisions. In 1996 Some inequalities about connected domination number are given by Cheng Bo and Bollian Liu in 1996 [9]. And in 2013, some researcher can determine the Bounds on The Connected Domination Number of a Graph based on the value of girth, minimum degree, and connected order sum number [11]. The formal definition of dominating set and dominating of graph are showed in Definition 1 and Definition 2 as below.

Definition 1. [12] Let G be a graph with vertex set V and edge set E. Let S be the subset of vertex set V. If every vertex in $V \setminus S$ is adjacent to minimum one vertex of S then S is said to be a dominating set.

Definition 2. [12] The size of a smallest dominating set is referred as the dominating number of a graph G denoted by $\gamma(G)$.

While the main difference of dominating set and connected dominating set is if the connected dominating set must be in the form of subgraph of the main graph like in Definition 3. Figure 1 gives the difference among dominating set and connected dominating set of a graph.

Definition 3. [6] A dominating Set D is said to be connected dominating set, if the induced sub graph D is connected. The connected domination number γ_c (G) is the minimum cardinality of a connected dominating set.




Figure 1. A graph *G* with dominating number $\gamma(G) = 3$ and connected dominating number $\gamma_c(G) = 4$.

2. Results and Discussion

We start this section by giving the observation concerning on the connected domination number of unicyclic graph such as cycle with two pendant, pan graph, subdivision of pan graph, and subdivision of sun graph.

2157 (2022) 012009 doi:10.1088/1742-6596/2157/1/012009

Observation 1. Let C_n^2 be a cycle with two pendant graph, for $n \ge 3$, $\gamma_c(C_n^2) = \gamma_c(C_n)$. In Theorem 4 we know that $\gamma_c(C_n) = n - 2$. For C_n^2 graph, it has minimum connected dominating set if two vertices which adjacent to the pendant are elements of connected dominating set, so it can dominate both of the pendants. Thus, we can say that $\gamma_c(C_n^2) = \gamma_c(C_n)$.

Observation 2. Let $\mathcal{P}(n)$ be a pan graph, for $n \ge 3$, $\gamma_c(\mathcal{P}(n)) = \gamma_c(\mathcal{C}_n)$.

This case is equivalent with observation 9, the difference is pan graph just hs one pendant. Thus the minimum connected dominating set is n-2 where the vertex whose degree equals three is also element of connected dominating set. Therefore we can say that $\gamma_c(\mathcal{P}(n)) = \gamma_c(\mathcal{C}_n)$.




Figure 2. Connected dominating set of unicyclic graph.

Observation 3. Let $S(\mathcal{P}(n))$ be a subdivision of pan graph, for $n \ge 3$, $\gamma_c(S(\mathcal{P}(n))) = 2n - 1$. Subdivision of pan graph can be said as a cycle graph which one of the vertex has degree equals tree and connected to two vertices (it form a path with length is two). Then the connected dominating set will be minimum if we choose 2n - 2 vertices in cycle are element of connected dominating set and also a vertex that adjacent to the vertex whose the degree equals tree. So, the connected dominating number is $\gamma_c(S(\mathcal{P}(n))) = 2n - 2 + 1 = 2n - 1$.

Observation 4. Let S(S(n)) be a subdivision of sun graph, for $n \ge 3$, $\gamma_c(S(S(n))) = 3n - 1$. Subdivision of sun graph has *n* pendant, so all vertices which adjacent to the pendant must be elements of connected dominating set. To make a connected subgraph, so all vertices in the cycle also must be elements of connected dominating set. For getting the minimum cardinality, we can remove one vertex which the degree is two for not to be elements of connected dominating number. Then, $\gamma_c(S(S(n))) = 3n - 1$.

Next, we show the Connected Dominating Number of vertex amalgamation graph that will be describing on Theorem 1 to Theorem 4.

Theorem 1. Let
$$G = \bigvee_{\{v\}}^{1} \{W_{n_1}, W_{n_2}, ..., W_{n_t}\}$$
 is amalgamation vetex of wheel graph, then
 $\gamma_c(G) = \begin{cases} 1, & v \text{ is centre vertex of } W_{n_i}, 2 \le i \le t \\ t+1, & v \text{ is outer vertex of } W_{n_i}, 2 \le i \le t \end{cases}$

Proof: If the linkage vertex of $G = \bigvee_{\{v\}}^{1} \{W_{n_1}, W_{n_2}, ..., W_{n_t}\}$ is centre vertex of W_{n_i} then for any $k \in V(G) \setminus v$ show that d(v, k) = 1. It means that v can dominate all vertices of V(G), thus $\gamma_c(G) = 1$. If the linkage vertex of $G = \bigvee_{\{v\}}^{1} \{W_{n_1}, W_{n_2}, ..., W_{n_t}\}$ is outer vertex of W_{n_i} then for any k element of outer vertex in every W_{n_i} show that d(v, k) = 2. Let S is connected dominating number of G, so we

IOP Publishing

can take v_i which the centre vertex of every W_{n_i} with $d(v, v_i) = 1$ as the element of S. Then the set $S = \{v, v_i | 2 \le i \le t\}$ is subgraph of G and it can dominate all vertices of V(G), thus $\gamma_c(G) = t + 1$.

Theorem 2. Let $G = \bigvee_{\{v\}}^{1} \{F_{n_1}, F_{n_2}, \dots, F_{n_t}\}$ is amalgamation vetex of frienship graph, then $\gamma_c(G) = \begin{cases} 1, & v \text{ is centre vertex of } F_{n_i}, 2 \le i \le t \\ t+1, & v \text{ is any vetex of degree } 2, 2 \le i \le t \end{cases}$

Proof: If the linkage vertex of $G = \bigvee_{\{v\}}^1 \{F_{n_1}, F_{n_2}, \dots, F_{n_t}\}$ is centre vertex of F_{n_i} then for any $k \in$ $V(G)\setminus v$ show that d(v,k) = 1. It means that v can dominate all vertices of V(G), thus $\gamma_c(G) = 1$. If the linkage vertex of $G = \bigvee_{\{v\}}^{1} \{F_{n_1}, F_{n_2}, \dots, F_{n_t}\}$ is any vetex of degree 2 of F_{n_i} then for any k element of $V(G) \setminus v$ show that $d(v,k) \ge 2$. Let S is connected dominating number of G, so we can take v_i which the centre vertex of every F_{n_i} with $d(v, v_i) = 1$ as the element of S. Then the set $S = \{v, v_i | 2 \le 1\}$ $i \le t$ } is subgraph of G and it can dominate all vertices of V(G), thus $\gamma_c(G) = t + 1$.

Theorem 3. Let $G = \bigvee_{\{v\}}^{1} \{C_n, P_m, S_k, B_{x,v}\}$ is amalgamation vertex of cycle, path, star, and complete bipartite graph with the each order is $n \ge 3$, $m \ge 2$, $k \ge 3$, $x, y \ge 2$, then

 $\gamma_c(G) = \begin{cases} n+m-2, & v \text{ of } S_k \text{ is one of the pendant, } v \text{ of } P_m \text{ is } v_1 \text{ or } v_m \\ n+m-3, & v \text{ of } S_k \text{ is one of the pendant, } v \text{ of } P_m \text{ is } v_i \text{ for } 2 \le i \le n-1 \end{cases}$ **Proof:** A cycle graph has a connected dominating number that is the number of vertices minus 2 (Theorem 4). The connected dominating vertex in a cycle graph are all vertices except two neighboring vertices, in this case all vertices can be chosen to be the connected dominating vertex. In a path graph, the connected dominating vertex are all vertices of degree 2. Thus, there are vertices that cannot be a dominating vertex, namely a vertex of degree 1. However, for the first case, one of the vertex whose the degree 1 in path is linkage vertex for vertex amalgamation. The star graph has a connected dominating number equal to one and one of its pendant is a linkage vertex. Meanwhile, in a complete bipartite graph, the connected dominating number is equal to two, i.e. two adjacent vertices. One of these vertex is the linkage vertex. Therefore connected dominating number of G = $\bigvee_{\{v\}}^{1} \{C_n, P_m, S_k, B_{x,v}\}$ is the sum of each connected dominating number in every graph except a complete bipartite graph because an element of connected dominating set set is a linkage vertex, then $\gamma_c = \gamma_c(C_n) + \gamma_c(P_m) + \gamma_c(S_k) + (\gamma_c(B_{xy}) - 1)$

$$\gamma_c = (n-2) + (m-2) + 1 + (2-1)$$

 $\gamma_c = n + m - 4 + 2$


 $\gamma_c = n + m - 2$

While for the second case, the difference is that the linkage vertex of the graph P_m is a vertex of degree 2, then reduce one vertex of connected dominating number P_m . Therefore

 $\gamma_{c} = \gamma_{c}(C_{n}) + (\gamma_{c}(P_{m}) - 1) + \gamma_{c}(S_{k}) + (\gamma_{c}(B_{x,y}) - 1)$ $\gamma_c = (n-2) + ((m-2) - 1) + 1 + (2 - 1)$ $\gamma_c = n + m - 5 + 2$ $\gamma_c = n + m - 3$

This number is minimum because subtracting just one from the connected dominating vertex will cause the subgraph that is formed to be unconnected.

As an example of using the theorem above, suppose graph G In Figure 3 is G = $V_{\{v\}}^1$ { C_6 , P_6 , S_7 , $B_{2,3}$ }, then it has (6 + 6 - 2) = 10 connected dominating number.



2157 (2022) 012009

Figure 3. Amalgamation vertex of cycle, path, star, and complete bipartite graf.

Theorem 4. Let $G = \bigvee_{\{v\}}^{1} \{C_n, P_m, S_k, B_{x,v}\}$ is amalgamation vertex of cycle, path, star, and complete bipartite graph with the each order is $n \ge 3$, $m \ge 2$, $k \ge 3$, $x, y \ge 2$, then $\gamma_c(G) = \begin{cases} n+m-3, & v \text{ of } S_k \text{ is a vertex with order } n-1, v \text{ of } P_m \text{ is } v_1 \text{ or } v_m \\ n+m-4, & v \text{ of } S_k \text{ is a vertex with order } n-1, v \text{ of } P_m \text{ is } v_i \text{ for } 2 \le i \le n-1 \end{cases}$

Proof: By the same procedure to the proof in Theorem 15, we can start by observe that a cycle graph with order n has a connected dominating number equals n-2 (Theorem 4). The connected dominating vertex in a cycle graph are all vertices except two neighboring vertices, in this case all vertices can be chosen to be the connected dominating vertex. In a path graph, the connected dominating vertex are all vertices of degree 2. Thus, there are vertices that cannot be a dominating vertex, namely a vertex of degree 1. However, for the first case, one of the vertex whose the degree 1 in path is linkage vertex for vertex amalgamation. The star graph has a connected dominating number equal to one and it is the centre vertex or vertex whose the degree is k - 1. It is also a linkage vertex in $= \bigvee_{\{v\}}^{1} \{C_n, P_m, S_k, B_{x,y}\}$. Meanwhile, in a complete bipartite graph, the connected dominating number is equal to two, i.e. two adjacent vertices. One of these vertex is the linkage vertex. Therefore connected dominating number of $G = \bigvee_{\{y\}}^1 \{C_n, P_m, S_k, B_{x,y}\}$ is the sum of each connected dominating number in every graph except star and complete bipartite graph because an element of connected dominating set set is a linkage vertex, then

 $\gamma_{c} = \gamma_{c}(C_{n}) + \gamma_{c}(P_{m}) + (\gamma_{c}(S_{k}) - 1) + (\gamma_{c}(B_{x,y}) - 1)$ $\gamma_c = (n-2) + (m-2) + (1-1) + (2-1)$ $\gamma_c = n + m - 4 + 1$ $\gamma_c = n + m - 3$ While for the second case, the difference is that the linkage vertex of the graph P_m is a vertex of

degree 2, then reduce one vertex of connected dominating number P_m . Therefore $\gamma_c = \gamma_c(C_n) + (\gamma_c(P_m) - 1) + (\gamma_c(S_k) - 1) + (\gamma_c(B_{x,y}) - 1)$

 $\gamma_c = (n-2) + ((m-2) - 1) + (1-1) + (2-1)$ $\gamma_c = n + m - 5 + 1$ $\gamma_c = n + m - 4$

This number is minimum because subtracting just one from the connected dominating vertex will cause the subgraph that is formed to be unconnected.

The last result is the case study of determination of bulog regional sub-divisions in east java using connected domination number theory. In this paper we only choose 18 vertex and 20 edes. Based on the location in the Figure 4, we represent the map into Bulog Office Graph or it call BU - graph like in Figure 5. Based on the theory of connected domination number and the result of the observation of BU - graph, we get 6 vetices which make a subgraph of BU - graph and can dominate all vertices in BU - graph. Thus. $\gamma_c(BU - graph) = 6$.

2157 (2022) 012009 doi:10.1088/1742-6596/2157/1/012009



Figure 4. Map of bulog office in East Java.




Figure 5. Representation of connected dominating set of bulog office graph.

3. Conclusion

In this paper, we can determine the connected domination number of unicyclic graph and some vertex amalgamation graphs which consisting of wheel, friendship, cycle, path, star, and complete bipartite graphs with some possibilities for the position of linkage vertex amalgamation. By apllying the theory, we also can determine the number of Bulog Regional Sub-divisions in east Java. From 18 location, we get 6 location can be recommended as Bulog Regional Sub-divisions to dominate all location.

Open problem 1. Find the connected domination number for another particular classes of graphs and the graphs obtained from graph operations such as edge amalgamation, join, shackle, etc.

Open problem 2. Find the algorithm to solve the connected domination number for case in real life.

Acknowledgment

We gratefully acknowledge the support from Informatics Engineering Study Program of Universitas Muhammadiyah Jember year 2021.

References

- [1] Bulog 2015 Standar Operasional Prosedur Pengadaan Gabah/Beras Dalam Negeri di Perum Bulog Tahun 2015 Perum Bulog Jakarta **213**
- [2] Mahalingan G 2005 *Connected Domination in Graphs* Department of Mathematics College of Arts and Sciences University of South Florida
- [3] Parui S & Adhikari A 2011 *The Domination Numbers of Cylindrical Grid Graphs* Applied Mathematics and Computation **217** 4879-4889
- [4] Gravier S & Mollard M 1997 On Domination Numbers of Cartesian Product of Paths. Discrete Applied Mathematics **80** 247-250
- [5] Pavlic P & Zerovnik J 2013 A Note on The Domination Number of The Cartesian Products of Path and Cycles Kragujevac Journal of Mathematics 7(2) 275-285
- [6] Sampathkumar E & Walikar H.B 1979 The Connected Domination Number of a Graph Journal Mathematics Physics Sience 13(6) 607-613

- [7] Maheswari S & Meenakshi S 2017 *Split Domination Number of Some Special Graphs* International Journal of Pure and Applied Mathematics, **116 (24)** 103-117
- [8] Ramalakshmi1 K & Palani K 2020 Results Connecting Domination, Steiner and Steiner Domination Number of Graphs Advances in Mathematics Scientific Journal 9 (4) 2631–2641
- [9] Bo C & Liu B 1996 Some Inequalities about Connected Domination Number Discrete Mathematics **159** 241-245
- [10] Wahyuni Y, Utoyo M.I, Slamin 2017 Domination Number of Vertex Amalgamation of Graphs Journal of Physics Conf Series **855** 012059
- [11] Desormeaux W.J, Haynes, T.W, Henning, M.A 2013 Bounds on The Connected Domination Number of a Graph Discrete Mathematics **161** 2925-2931
- [12] Darmaji, Rinurwati, Wahyudi S 2021 *The Domination Number of 2-Neighbourhood-Corona*. Journal of Physics: Conference Series **1821** 012011