

PAPER NAME

Unmarried_Women_and_Unintended_Pre gnancy__An.27.pdf

AUTHOR

Nikmatur Rohmah

WORD COUNT 2235 Words	CHARACTER COUNT 11953 Characters
PAGE COUNT 3 Pages	FILE SIZE 757.8KB
SUBMISSION DATE Apr 9, 2023 6:34 AM GMT+7	REPORT DATE Apr 9, 2023 6:35 AM GMT+7

• 22% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

- 19% Internet database
- Crossref database

• Excluded from Similarity Report

- Submitted Works database
- Quoted material
- Small Matches (Less then 10 words)

- 12% Publications database
- Crossref Posted Content database
- Bibliographic material
- Cited material
- Manually excluded text blocks

Unmarried Women and Unintended Pregnancy: An Indonesian Cross-Sectional Study

Agung D. Laksono, Ratna D. Wulandari¹, Nikmatur Rohmah², Ratu Matahari³

National Research and Innovation Agency Republic of Indonesia, Jakarta, ¹Faculty of Public Health, Universitas Airlangga, Surabaya, ²Faculty of Health Science, Muhammadiyah University of Jember, East Java, ³Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

Abstract

Background: Indonesia has moral norms consider pregnancy among unmarried women a disgrace. The study analyzes the factors influencing unintended pregnancies among unmarried women in Indonesia. **Material and Methods:** The study examined 1,050 women. The author analyzed unintended pregnancy and six other variables (residence, age, education, employment, wealth, and parity). Multivariate analysis used binary logistic regression. **Results:** 15.5% of unmarried women in Indonesia have experienced an unintended pregnancy. Women living in urban areas are more likely to experience unintended pregnancies than women in rural areas. The 15–19 have the highest chance of experiencing an unintended pregnancy. Education is a protective factor from unintended pregnancy. Employed women are 1.938 times more likely than unemployed. Poverty is a risk factor for experiencing an unintended pregnancy is 4.095 times more likely than primiparous. **Conclusion:** The study identified six variables that affect unintended pregnancy among unmarried women in Indonesia: residence, age, education, employment, wealth, and parity.

Keywords: Contraceptive use, family planning, maternal health, public health, unintended pregnancy, unmarried

INTRODUCTION

A pregnancy that occurs in unmarried women is much more likely to happen accidentally, and this accident is due to financial insufficiency and lack of support system support. The adverse effects of unintended pregnancy can be associated with pregnancy, delayed antenatal care, adverse birth outcomes, psychosocial stress, and poor mental health.^[11] The child's low development score threatens babies from an unintended pregnancy.^[2] The phenomenon indicates that unintended pregnancy has a double burden because of pregnancy's physiological changes and the absence of a conception plan.

In Indonesia, pregnancies in unmarried women get the wrong value from the community. The incidence of marriage due to unintended pregnancy in 2013 was 84.12% of 143 unions; then, in 2014, it grew to 85.9% of 140 marriages. In 2015, the increase continued, 87.5% of 160 wedding events.^[3] At the global level, the abortion incidence in the 1990–1995 period reached 55 million per year and increased to 73 million per year in 2015–2019.^[4] Unintended pregnancy that ends in abortion is rising, especially in countries where abortion is restricted.^[5]



Since an intended pregnancy in unmarried women in Indonesia has a complex impact, it requires more comprehensive attention. The study analyzes the factors influencing unintended pregnancies among unmarried women in Indonesia.

METHODS

The research used secondary data from 2017 Indonesian Demographic and Health Survey (IDHS). This study's population is unmarried women of childbearing age (15-49 years old) who had given birth in the last five years in Indonesia. Unmarried women mean never in a union, widowed, or divorced. The study gets 1,050 respondents.

The dependent variable was unintended pregnancy. Unintended pregnancy was defined and calculated as a pregnancy that is

Address for correspondence: Dr. Ratna D. Wulandari, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia. E-mail: ratna-d-w@fkm.unair.ac.id

2 is is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: WKHLRPMedknow_reprints@wolterskluwer.com

How to cite this article: Laksono AD, Wulandari RD, Rohmah N, Matahari R. Unmarried women and unintended pregnancy: An Indonesian cross-sectional study. Indian J Community Med 2023;48:361-3. Received: 16-04-22, Accepted: 09-02-23, Published: 07-04-23

361

³either unwanted or mistimed. A woman who has an unwanted pregnancy does not want to be pregnant or have children, and a woman who has a mistimed pregnancy does not wish to be pregnant at this time but wants the pregnancy later. Other variables analyzed as independent variables were residence, age, education, employment, wealth, and parity. The author used bivariate analysis by Chi-square. The final multivariate analysis used binary logistic regression.

RESULTS

The study shows that 15.5% of unmarried women in Indonesia have experienced an unintended pregnancy in the last five years. Meanwhile, Table 1 shows the statistical description of unintended pregnancy status among unmarried women in Indonesia. The result indicates that women who experience unintended pregnancy dominate in living in urban areas, and women in the 40–44 age groups dominate among unmarried women who experience unintended pregnancies. Meanwhile, unmarried women who had primary education dominated the two categories of unintended pregnancy. Employed unmarried

Table '	1: Statis	stic descrip	tion of uni	ntended p	regnancy
status	among	unmarried	women in	Indonesia	a, 2017

Variables	Unintended Pregnancy Status			Р	
	No (<i>n</i> =887)		Yes (<i>n</i> =163)		
	п	%	п	%	
Type of residence					***<0.001
Urban	390	44.0	109	66.9	
Rural	497	56.0	54	33.1	
7					***<0.001
15-19	38	4.3	11	6.7	
20-24	139	15.7	8	4.9	
25-29	187	21.1	15	9.2	
30-34	183	20.6	24	14.7	
35-39	181	20.4	37	22.7	
40-44	110	12.4	48	29.4	
45-49	49	5.5	20	12.3	
Education level					***<0.001
No education	25	2.8	6	3.7	
Primary	478	53.9	111	68.1	
Secondary	276	31.1	42	25.8	
Higher	108	12.2	4	2.5	
Employment status					**0.001
No	253	28.5	26	16.0	
Yes	634	71.5	137	84.0	
Vealth status					***<0.001
Poorest	343	38.7	80	49.1	
Poorer	183	20.6	40	24.5	
Middle	160	18.0	11	6.7	
Richer	108	12.2	25	15.3	
Richest	93	10.5	7	4.3	
Parity					***<0.001
Primiparous	229	25.8	15	9.2	
Multiparous	658	74.2	148	90.8	

^{**}*P*<0.01; ****P*<0.001

women dominate the two categories of unintended pregnancy based on employment status. The poorest unmarried women dominate the two types of unintended pregnancy. Finally, multiparous unmarried women dominate both categories of unintended pregnancy.

Table 2 shows the binary logistic regression of unintended pregnancy among unmarried women in Indonesia. The work shows that women living in urban areas are 4.711 more likely than those living in rural areas to experience an unintended pregnancy (95% CI 3.023-7.343). Age is founded to influence unintended pregnancy incidence among unmarried women. Employed women were 1.938 times more likely than unemployed women to experience unintended pregnancy (95% CI 1.145-3.281).

Secondary education is 0.341 less likely to experience unintended pregnancy than no education (95% CI 0.119-0.973). Higher education has a 0.136 chance of experiencing unintended pregnancy than no education (95% CI 0.033-0.555). Wealth status partially to affects unintended pregnancy among unmarried women. Multiparous women are 4.095 times more likely than primiparous women to experience an unintended pregnancy (95% CI 1.658-10.115).

DISCUSSION

Marriage is *sunnah*, a term described as an elective activity in Muslim settings in Indonesia, where Muslims constitute most of the population. Indonesian society still stigmatizes marriages that end in death or divorce, particularly for women. Being a widow or a single parent is always characterized as an individual with financial insecurity, gossip in the community, victims of sexual abuse, and sexual jealousy by other women.^[6]

Urban areas have more slums than rural areas. People living in slum areas are at greater risk of having children earlier and having sex without a condom. Adolescent women in low-slum settlements are at higher risk of unintended pregnancy and premarital childbearing.^[7] Meanwhile, younger people have the highest interest in sex because it is something new in their life. Actions taken, or attempted sexual activity without being followed by a good knowledge of the risks of sexual activity, could lead to pregnancy.^[8]

The study found education to be a protective factor for unmarried women from unintended pregnancy. The higher a woman's education, the more she can understand the risks of making decisions or actions.^[9] Women must face that pregnancy is a potential additional new economic burden. The combination of poverty and poor education adds to the deterioration of women who experience unintended pregnancies.^[10] Moreover, multiparous women have a much higher chance of experiencing an unintended pregnancy because women with a high degree of parity may have restricted awareness and access to family planning services.^[11]

The authors have employed a quantitative approach to secondary data from the 2017 IDHS. So, the study produced

Predictors	Unintended Pregnancy				
	Р	AOR	95%	95% CI	
			Lower Bound	Upper Bound	
Type of residence: Urban	***<0.001	4.711	3.023	7.343	
Type of residence: Rural (ref.)		-	-	-	
ge group: 15-19 (ref.)		-	-	-	
Age group: 20-24	***<0.001	0.112	0.036	0.347	
Age group: 25-29	***<0.001	0.079	0.024	0.257	
Age group: 30-34	***<0.001	0.098	0.029	0.329	
Age group: 35-39	***<0.001	0.119	0.037	0.386	
Age group: 40-44	*0.044	0.298	0.092	0.967	
Age group: 45-49	0.068	0.305	0.086	1.090	
ducation level: No education (ref.)	-	-	-	-	
Education level: Primary	0.207	0.528	0.195	1.425	
Education level: Secondary	*0.044	0.341	0.119	0.973	
Education level: Higher	**0.005	0.136	0.033	0.555	
Employment status: No (ref.)	-	-	-	-	
Employment status: Yes	*0.014	1.938	1.145	3.281	
ealth status: Poorest (ref.)	-	-	-	-	
Wealth status: Poorer	0.063	0.627	0.383	1.027	
Wealth status: Middle	***<0.001	0.171	0.083	0.353	
Wealth status: Richer	0.237	0.701	0.389	1.263	
Wealth status: Richest	**0.001	0.224	0.091	0.555	
arity: Primiparous (ref.)	-	-	-	-	
Perity: Multiparous	**0.002	4.095	1.658	10.115	

12<0.05; ***P*<0.01; ****P*<0.001

information more superficial findings. The lesson cannot explain the phenomenon related to values, norms, and religion in Indonesia's contexts.^[12]

CONCLUSIONS

The study concluded that six variables affect the incidence of anintended pregnancy among unmarried women in Indonesia: residence, age, education, employment, wealth, and parity.

⁸ inancial support and sponsorship Nil.

Conflicts of interest

There are no conflicts of interest.

REFERENCES

- Rahmadi I, Ocviyanti D. Unintended pregnancy in unmarried women in Indonesia. In: Obstetric and Gynecology Case Report. 2020. p. 21-7.
- Bearak J, Popinchalk A, Ganatra B, Moller AB, Tunçalp Ö, Beavin C, et al. Unintended pregnancy and abortion by income, region, and the legal status of abortion: Estimates from a comprehensive model for 1990–2019. Lancet Glob Heal 2020;8:e1152-61.
- Aladin. Pregnant marriage outside marriage in the perspective of Islamic law (KHI) and Islamic Fiqh in the office of religious affairs (case study in Kupang City). Masal Huk 2017;46:239-48.

- Kantorová V. Unintended pregnancy and abortion: What does it tell us about reproductive health and autonomy? Lancet Glob Heal 2020;8:e1106-7.
- Masruroh, Yusuf A, Rohmah N, Pakki IB, Sujoso ADP, Andayani Q, et al. Neonatal death incidence in healthcare facility in Indonesia: Does antenatal care matter? Indian J Forensic Med Toxicol 2021;15:1265-71.
- Dwi Kristianti A, Farida Tantiani F. The meaning of love and love orientation of widows based on erich from perspective (a study at St. Petrus Paulus Church, Wlingi, East Java, Indonesia). KnE Soc Sci 2020;2020:303-11.
- African Population and Health Research Center. Population and Health Dynamics in Nairobi's Informal Settlements: Report of the Nairobi Cross-sectional Slums Survey (NCSS) 2012. Nairobi; 2014.
- Ajayi AI, Odunga SA, Oduor C, Ouedraogo R, Ushie BA, Wado YD. "I was tricked": Understanding reasons for unintended pregnancy among sexually active adolescent girls. Reprod Health 2021;18:Article number 19.
- Wulandari RD, Laksono AD. Determinants of knowledge of pregnancy danger signs in Indonesia. PLoS One 2020;15:e0232550. doi: 10.1371/ journal.pone.0232550.
- Laksono AD, Wulandari RD, Efendi F. Determinants of hospital utilisation among urban poor societies in Indonesia. Int J Innov Creat Chang 2020;12:375-87.
- Wasswa R, Kabagenyi A, Atuhaire L. Determinants of unintended pregnancies among currently married women in Uganda. J Heal Popul Nutr 2020;39:15. doi: 10.1186/s41043-020-00218-7.
- Kusrini I, Ipa M, Laksono AD. "Is It true that the child is king?": Qualitative study of factors related to nutritional status of children in West Lombok, Indonesia. Indian J Public Heal Res Dev 2019;10:1729-33.

363

turnitin

• 22% Overall Similarity

Top sources found in the following databases:

- 19% Internet database
- Crossref database

- 12% Publications database
- Crossref Posted Content database

TOP SOURCES

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	researchgate.net	6%
2	coursehero.com Internet	4%
3	assets.researchsquare.com	2%
4	Heinrich Duhme, Stephan K. Weiland, Ulrich Keil, Barbara Kraemer, Ma Crossref	2%
5	dprexternal3.dpr.go.id	2%
6	censusindia.gov.in	1%
7	wiredspace.wits.ac.za	1%
8	research-repository.griffith.edu.au	<1%
9	scholar.ui.ac.id	<1%



6	1		
		U	

journals.lww.com

Internet

<1%



Agung Dwi Laksono, Ratna Dwi Wulandari, Noor Edi Widya Sukoco, Suh	<1%
Crossref	



link.springer.com

Internet

• Excluded from Similarity Report

- Submitted Works database
- Quoted material
- Small Matches (Less then 10 words)
- Bibliographic material
- Cited material
- Manually excluded text blocks

EXCLUDED TEXT BLOCKS

Unmarried Women and Unintended

www.researchgate.net

National Research and Innovation Agency Republic of Indonesia, Jakarta

www.researchgate.net

AbstractBackground: Indonesia has moral norms consider pregnancy among unm...

www.researchgate.net

residence, age, education

www.researchgate.net

15.5% of unmarried women in Indonesia have experienced an unintended pregnancy

www.researchgate.net

Women living in urbanareas are more likely to experience unintended pregnancies ...

www.researchgate.net

an unintended pregnancy. Multiparous

www.researchgate.net

Conclusion: The study identified six variables that affect unintended pregnancy a...

www.researchgate.net

who had given birth in the last five years in Indonesia

www.researchgate.net



Unmarried women mean never in a union, widowed, ordivorced. The

www.researchgate.net

In Indonesia, pregnancies in unmarried women get the wrongvalue from the comm...

www.researchgate.net

unintended pregnancy in 2013 was 84.12% of 143 unions

www.researchgate.net

pregnancy was defined and calculated as a pregnancy that is

www.researchgate.net

then, in 2014, it grew to 85.9% of 140 marriages

www.researchgate.net

global level, the abortion incidence in the 1990-1995 period

www.researchgate.net

were residence, age, education, employment, wealth, and parity. The

www.researchgate.net

ResultsThe study shows that 15.5% of unmarried women in Indonesiahave experie...

www.researchgate.net

women in

www.researchgate.net

women who had primary education dominated


www.researchgate.net

1: Statistic description of unintended pregnancystatus

www.researchgate.net

two categories of unintended pregnancybased on employment status

www.researchgate.net





unmarried women dominate both categories of unintended pregnancy. Table 2 sho...

www.researchgate.net

women were 1.938 times more likely thanunemployed women to

www.researchgate.net

Secondary education

www.researchgate.net

95% CI 0.119-0.973). Higher education

www.researchgate.net

Multiparous women are 4.095 times morelikely than primiparous women to experi...

www.researchgate.net

DiscussionMarriage is sunnah, a term described as an elective activityin Muslim s...

www.researchgate.net

People livingin slum areas are at greater risk of having children earlier andhaving s...

www.researchgate.net