

ABSTRAK

UNIVERSITAS MUHAMMADIYAH JEMBER
PROGRAM STUDI DIII KEPERAWATAN
FAKULTAS ILMU KESEHATAN

Karya Tulis Ilmiah, 2023
Samsul Arifin

Asuhan Keperawatan Pada Pasien Skizofrenia Dengan Gangguan Persepsi Sensori:
Halusinasi Pendengaran Di Ruang Dahlia Rumah Sakit Jiwa Dr Radjiman
Wediodiningrat Lawang , 2023
xiv + 67 halaman + 17 tabel + 1 daftar gambar

Halusinasi pendengaran, yang merupakan salah satu jenis halusinasi yang paling umum, sering terjadi. Masih ada banyak perawat yang tidak menggunakan komunikasi terapeutik saat memberikan perawatan kepada pasien yang mengalami halusinasi. Salah satu terapi yang dapat digunakan untuk mengendalikan halusinasi pendengaran adalah penerapan komunikasi terapeutik. Tujuan penulisan ini adalah untuk mengevaluasi efektivitas penerapan komunikasi terapeutik dalam mengontrol halusinasi pendengaran pada pasien di RSJ Lawang. Metode yang digunakan dalam penelitian ini adalah studi kasus asuhan keperawatan, yang meliputi pengkajian, perumusan diagnosa keperawatan, intervensi, implementasi, dan evaluasi. Intervensi difokuskan pada penerapan komunikasi terapeutik. Berdasarkan hasil observasi setelah penerapan komunikasi terapeutik selama 5 hari, terlihat penurunan halusinasi pendengaran pada pasien. Pemberian intervensi komunikasi terapeutik memiliki pengaruh positif terhadap penurunan halusinasi pendengaran di RSJ Lawang. Dapat disimpulkan bahwa halusinasi pendengaran dapat diidentifikasi dan dikendalikan dengan menggunakan komunikasi terapeutik, dengan menerapkan strategi pelaksanaan tertentu (SP1-SP4). Sebagai saran, perawat diharapkan selalu meningkatkan pengetahuan dan kemampuan mereka dalam berkomunikasi secara terapeutik dalam

memberikan asuhan keperawatan, sehingga dapat meningkatkan kualitas pelayanan keperawatan.

Kata kunci: Komunikasi terapeutik, Gangguan Sensori Persepsi Halusinasi Pendengaran

Daftar Pustaka :12 (2018-2022)



ABSTRACT

MUHAMMADIYAH UNIVERSITY JEMBER
DIII NURSING STUDY PROGRAM
FACULTY OF HEALTH SCIENCES

Scientific Writing, 2023

Samsul Arifin

Nursing Care of Schizophrenic Patients with Sensory Perception Disorders: Auditory Hallucinations in the Dahlia Room, Mental Hospital Dr. Radjiman Wediodiningrat Lawang, 2023

xiv + 67 pages + 17 tables + 1 list of figures

Auditory hallucinations, which are one of the most common types of hallucinations, are common. There are still many nurses who do not use therapeutic communication when providing care to patients who experience hallucinations. One of the therapies that can be used to control auditory hallucinations is the application of therapeutic communication. The purpose of this paper is to evaluate the effectiveness of implementing therapeutic communication in controlling auditory hallucinations in patients at Lawang Hospital. The method used in this research is a case study of nursing care, which includes assessment, formulation of nursing diagnoses, interventions, implementation, and evaluation. Interventions focused on applying therapeutic communication. Based on the results of observations after the application of therapeutic communication for 5 days, there was a decrease in auditory hallucinations in patients. Providing therapeutic communication interventions has a positive effect on reducing auditory hallucinations in Lawang Hospital. It can be concluded that auditory hallucinations can be identified and controlled using therapeutic communication, by applying certain implementation strategies (SP1-SP4). As a suggestion, nurses are

expected to always improve their knowledge and ability to communicate therapeutically in providing nursing care, so as to improve the quality of nursing services.

Keywords: Therapeutic Communication, Auditory Hallucination Sensory Perception Disturbance

Bibliography :12 (2018-2022)

