

ABSTRAK

ABSTRAK

UNIVERSITAS MUHAMMADIYAH JEMBER
PROGRAM STUDI NERS
FAKULTAS ILMU KESEHATAN

Karya Ilmiah Akhir, Maret 2023
Fatihah Za'imatus Saniyah

Asuhan Keperawatan Ibu Post *Sectio Caesarea* Komplikasi Preeklamsia Berat
Dengan Tindakan Mobilisasi Dini Pada Masalah Keperawatan Gangguan
Mobilitas Fisik Di Rsud H.Koesnadi Bondowoso

Abstrak

Pendahuluan persalinan dengan *sectio caesarea* dapat menimbulkan dampak setelah operasi yaitu nyeri, setelah operasi selesai dan pasien mulai sadar, akan merasakan nyeri di daerah sayatan yang membuat sangat terganggu, persalinan SC memiliki nyeri lebih tinggi sekitar 27,3% dibandingkan dengan persalinan normal yang hanya sekitar 9%. **Metode** Implementasi yang dilakukan pada klien A,B,C yaitu latihan mobilisasi dini untuk mengatasi gangguan mobilitas fisik pasca operasi post SC yang dilakukan selama 3 hari dengan melibatkan anggota keluarga. dengan memberikan asuhan keperawatan dengan melakukan moblisasi dini pada pasien yang mengalami Post Partum *sectio caesarea*. **Hasil** Berdasarkan pengkajian yang telah dilakukan pada ketiga pasien tersebut ditemukan data bahwa pasien tersebut mengalami gangguan mobilitas fisik, sehingga aktivitas fisik yang dilakukan pasien dibantu oleh anggota keluarganya. **Pembahasan** berdasarkan hasil pelaksanaan asuhan keperawatan yang dilakukan pada pasien post operasi dengan masalah gangguan mobilitas fisik dengan pemberian mobilisasi dini memberikan dampak perubahan aktivitas klien. Hal ini terbukti klien A,B,C sudah mampu miring kanan kiri, duduk, bersandar, berdiri dan berjalan secara perlahan.

Kata kunci: *sectio caesarea*, gangguan mobilitas fisik, nyeri

ABSTRACT

MUHAMMADIYAH UNIVERSITY OF JEMBER
NERS STUDY PROGRAM
FACULTY OF HEALTH SCIENCES

Final Scientific Paper, March 2023

Fatiha Za'imatus Saniyah

Nursing Care for Post Sectio Caesarea Mothers with Severe Preeclampsia Complications with Early Mobilization Actions on Nursing Problems with Physical Mobility Disorders at Rsud H.Koesnadi Bondowoso

Abstract

Introduction childbirth with *sectio caesarea* can have an impact after surgery, namely pain, after the operation is completed and the patient begins to wake up, will feel pain in the incision area which makes it very disturbing, SC labor has a higher pain of about 27.3% compared to normal labor which is only about 9%. Implementation **Methods** carried out on clients A,B,C, namely early mobilization exercises to overcome post-SC postoperative physical mobility disorders carried out for 3 days involving family members. by providing nursing care by performing early mobilization in patients experiencing Post Partum *sectio caesarea*. **Results** Based on the assessment that has been carried out on the three patients, it is found that the patient has impaired physical mobility, so that the physical activities carried out by the patient are assisted by his family members. **Discussion** based on the results of the implementation of nursing care carried out in postoperative patients with physical mobility problems with the provision of early mobilization has an impact on changes in client activity. It is evident that clients A, B, C have been able to tilt right and left, sit, lean, stand and walk slowly.

Keywords: *sectio caesarea*, physical mobility disorder, pain