

DAFTAR PUSTAKA

- Amin, S. (2024). A comparison of different quadriceps femoris isometric strengthening methods in healthy young women. *Turkish Journal of Physiotherapy and Rehabilitation*, 31(1), 21–28. <https://doi.org/10.21653/TJPR.526062>
- Angullo-Gómez, P., Jiménez-Luna, C., Perazzoli, G., Prados, J., Ortiz, R., & Cabeza, L. (2024). Quadriceps femoris muscle: anatomical variations, population frequencies and clinical implications. *Folia Morphologica (Poland)*, 83(3), 541–552. <https://doi.org/10.5603/fm.97238>
- Aoyagi, K., Neogi, T., Peloquin, C., Dubreuil, M., Marinko, L., Camarinos, J., Felson, D. T., & Kumar, D. (2021). Association of Physical Therapy Interventions with Long-term Opioid Use after Total Knee Replacement. *JAMA Network Open*, 4(10), 1–12. <https://doi.org/10.1001/jamanetworkopen.2021.31271>
- Ashoorion, V., Sadeghirad, B., Wang, L., Noori, A., Abdar, M., Kim, Y., Chang, Y., Rehman, N., Lopes, L. C., Couban, R. J., Aminilari, M., Malektojari, A., Ghazizadeh, S., Rehman, Y., Ghasemi, M., Adili, A., Guyatt, G. H., & Busse, J. W. (2023). Predictors of Persistent Post-Surgical Pain Following Total Knee Arthroplasty: A Systematic Review and Meta-Analysis of Observational Studies. *Pain Medicine (United States)*, 24(4), 369–381. <https://doi.org/10.1093/pm/pnac154>
- Astiti Suadnyana, I. A., Novianti, I. G. A. S. W., Thanaya, S. A. P., Suharsono, A., & Setiawan, E. (2022). Efforts to reduce the risk of anterior cruciate ligament injury through isometric quadriceps exercise. *Journal Sport Area*, 7(3), 445–455. [https://doi.org/10.25299/sportarea.2022.vol7\(3\).10588](https://doi.org/10.25299/sportarea.2022.vol7(3).10588)
- Awal, M., Arpandjaman, Erawan, T., Hendrik, & Durahim, D. (2023). Pengaruh Shortwave Diathermy Dan Latihan Kontraksi Isometrik Quadriceps Femoris Terhadap Peningkatan Pola Jalan Pada Osteoarthritis : a Literature Review. *Media Fisioterapi Politeknik Kesehatan Makassar*, 15(2), 1–7. <https://doi.org/10.32382/fis.v15i2.378>
- Azaria, D. P. (2014). (2022). Asuhan Keperawatan Pada Ny. S Dengan Total Knee Replacement (Tkr) Dextra Di Bangsal Anggrek 1 Rs Orthopedi Prof. Dr. Soeharso Surakarta Guna. *Paper Knowledge . Toward a Media History of Documents*, 7(2), 107–115.
- Azeem, K., & Zemková, E. (2022). Effects of Isometric and Isotonic Training on Health-Related Fitness Components in Young Adults. *Applied Sciences (Switzerland)*, 12(17). <https://doi.org/10.3390/app12178682>
- Azizan, N. A., & Rosyida, D. (2025). *Champions : Education Journal of Sport* ,

Health , and Recreation The Effect of Isometric Exercise on Changes in Pain and Functional Activity in Osteoarthritis Knee Patients at Samarinda Class IV Hospital. 3(1), 19–24.

- Bittmann, F. N., Dech, S., Aehle, M., & Schaefer, L. V. (2020). Manual muscle testing—force profiles and their reproducibility. *Diagnostics*, 10(12). <https://doi.org/10.3390/diagnostics10120996>
- Cheng, Y. Y., Chen, C. H., & Wang, S. P. (2024). Isokinetic training of lower extremity during the early stage promote functional restoration in elder patients with disability after Total knee replacement (TKR) - a randomized control trial. *BMC Geriatrics*, 24(1), 1–10. <https://doi.org/10.1186/s12877-024-04778-9>
- Christensen, J. C., Capin, J. J., Hinrichs, L. A., Aljehani, M., Stevens-Lapsley, J. E., & Zeni, J. A. (2021). Gait mechanics are influenced by quadriceps strength, age, and sex after total knee arthroplasty. *Journal of Orthopaedic Research*, 39(7), 1523–1532. <https://doi.org/10.1002/jor.24878>
- Collins, S. P., Storrow, A., Liu, D., Jenkins, C. A., Miller, K. F., Kampe, C., & Butler, J. (2021). *KONSEP DASAR PENYAKIT DAN ASUHAN KEPERAWATAN PASIEN DEWASA PADA SISTEM MUSKULOSKELETAL TKR (Total Knee Replacement)*.
- Dainese, P., Wyngaert, K. V., De Mits, S., Wittoek, R., Van Ginckel, A., & Calders, P. (2022). Association between knee inflammation and knee pain in patients with knee osteoarthritis: a systematic review. *Osteoarthritis and Cartilage*, 30(4), 516–534. <https://doi.org/10.1016/j.joca.2021.12.003>
- Dean, R. S., Dephillipo, N. N., Kiely, M. T., Schwery, N. A., Monson, J. K., & Laprade, R. F. (2022). Femur Length is Correlated with Isometric Quadriceps Strength in Post-Operative Patients. *International Journal of Sports Physical Therapy*, 17(4), 628–635. <https://doi.org/10.26603/001C.35704>
- Dewi, N. P. A. C. (2024). Kekuatan Otot Quadriceps Berhubungan Dengan Quality of Life Pasca Rekonstruksi Anterior Cruciate Ligament. *Masker Medika*, 12(1), 185–194. <https://doi.org/10.52523/maskermedika.v12i1.619>
- Exercises, I. Q., & Genu, O. (2023). *Kombinasi Isometric Quadriceps Exercises dan Edukasi Treatment Terhadap Perubahan Nyeri Lutut Pada Penderita Osteoarthritis Genu Ari.* 8(1), 79–83.
- Genu, O., Di, S., Harjono, R., & Jawa, P. (2025). *Pengaruh Latihan Strengthening Otot Quadriceps Pada Pasien Osteoarthritis Genu Sinistra Di RSUD Dr. Harjono Ponorogo Jawa Timur.* 4(9), 1309–1314.
- Hansen, R., Brushøj, C., Rathleff, M. S., Magnusson, S. P., & Henriksen, M. (2023). Quadriceps or hip exercises for patellofemoral pain? A randomised controlled equivalence trial. *British Journal of Sports Medicine*, 57(20), 1287–1294. <https://doi.org/10.1136/bjsports-2022-106197>

- Hislop, A. C., Collins, N. J., Tucker, K., Deasy, M., & Semciw, A. I. (2020). Does adding hip exercises to quadriceps exercises result in superior outcomes in pain, function and quality of life for people with knee osteoarthritis? A systematic review and meta-analysis. *British Journal of Sports Medicine*, 54(5), 263–271. <https://doi.org/10.1136/bjsports-2018-099683>
- Intan, P., & Eko, T. (2022). Pengaruh Pemberian Quadriceps strengthening Exercise pada Osteoarthritis Lutut. *Jurnal Kesehatan Dan Fisioterapi (Jurnal KeFis)*, 2, 73–80.
- Israwan, W. (2022). Effect of Static and Dynamic Quadriceps Exercise Program on Pain Reduction in Knee Osteoartrose Patients in Dempo Surgery. *Journal for Quality in Public Health*, 6(1), 202–209. <https://doi.org/10.30994/jqph.v6i1.420>
- Ito, Y., Aoki, T., Sato, T., Oishi, K., & Ishii, K. (2020). Comparison of quadriceps setting strength and knee extension strength tests to evaluate lower limb muscle strength based on health-related physical fitness values in elderly people. *BMJ Open Sport and Exercise Medicine*, 6(1), 1–5. <https://doi.org/10.1136/bmjsem-2020-000753>
- Kesoema, T. A., & Novriansyah, R. (2020). *Efek Prehabilitation Exercise dengan Resistance Band terhadap Kekuatan Otot Kuadrisep Femoris pada Pasien Total Knee Replacement*. 7(1), 46–52.
- Klem, N. R., Smith, A., Osullivan, P., Dowsey, M. M., Schutze, R., Kent, P., Choong, P. F. M., & Bunzli, S. (2021). What influences patient satisfaction after total knee replacement? A qualitative long-term follow-up study. *BMJ Open*, 11(11), 1–11. <https://doi.org/10.1136/bmjopen-2021-050385>
- KONDO, Y., YOSHIDA, Y., IIOKA, T., KATAOKA, H., SAKAMOTO, J., HONDA, Y., NAWATA, A., & OKITA, M. (2024). Effects of Isometric Quadriceps Muscle Exercise with Visual and Auditory Feedback at 1 Year after Total Knee Arthroplasty. *Physical Therapy Research*, 27(1), 6–13. <https://doi.org/10.1298/ptr.e10260>
- Kurniawati, A., Halimah, N., Kasimbara, R. P., & Pradita, A. (2023). Pengaruh Pemberian Quadriceps isometric exercise terhadap perubahan nyeri osteoarthritis knee pada pasien Rumah Sakit Wijaya Kusuma Lumajang. *Jurnal Keperawatan Muhammadiyah*, 8(1), 141–146. <https://doi.org/10.30651/jkm.v8i1.15925>
- Li, M., Zhang, L., Zhang, R., Ma, Y., Liao, J., Li, Q., Deng, Z., & Zheng, Q. (2020). Better quadriceps and hamstring strength is achieved after Total knee Arthroplasty with single radius femoral prostheses: a retrospective study based on isokinetic and isometric data. *Arthroplasty*, 2(1), 1–8. <https://doi.org/10.1186/s42836-020-0022-4>
- Mawastuti. (2024). Studi Kasus: Penatalaksanaan Fisioterapi Pada Post Op Total Knee Replacement Dextra Dengan Metode Aquatic Exercise. *Indonesian Journal of Health Research Innovation*, 1(3), 121–126.

<https://doi.org/10.64094/zag37198>

- Miftahudin Sigit, Doewes, M., & Liskustyawati, H. (2024). Perbedaan Pengaruh Open Kinetic Chain Exercise Dan Close Kinetic Chain Exercise Terhadap Kekuatan Otot Quadriceps Femoris Pasca Operasi Anterior Cruciate Ligamen Ditinjau Dari Usia. *ASSYIFA : Jurnal Ilmu Kesehatan*, 2(1), 29–38. <https://doi.org/10.62085/ajk.v2i1.37>
- Milenia, S., & Rahman, I. (2021). Penatalaksanaan Fisioterapi Pada Kasus Osteoarthritis genu Bilateral Menggunakan Modalitas Tens, SWD dengan Terapi Latihan. *Jurnal Stikes SitiHajar*, 3, 125–131.
- Muliyah, P. (2020). Effectiveness Off Quadriceps Strengthening exercises In Pain Intensity And Functional Outcome In Knee OA Patients. *Journal GEEJ*, 7(2).
- Nakano, N., Shoman, H., Olavarria, F., Matsumoto, T., Kuroda, R., & Khanduja, V. (2020). Why are patients dissatisfied following a total knee replacement? A systematic review. *International Orthopaedics*, 44(10), 1971–2007. <https://doi.org/10.1007/s00264-020-04607-9>
- Nasirudin, Y. (2023). Hubungan Antara Kinerja Isometric Otot Quadriceps Dengan Q Angle Knee. *Indonesian Journal of Physiotherapy Research and Education IJOPRE*, 4(2), 35–40.
- Nayanti, A. P., Prabowo, T., & Sari, D. M. (2020). The Effects of Kinesio Taping and Quadriceps Muscle Strengthening Exercise on Quadriceps Muscle Strength and Functional Status in Knee Osteoarthritis. *Journal of Medicine and Health*, 2(5), 40–50. <https://doi.org/10.28932/jmh.v2i5.1555>
- Paravlic, A. H., Meulenberg, C. J., & Drole, K. (2022). The Time Course of Quadriceps Strength Recovery After Total Knee Arthroplasty Is Influenced by Body Mass Index, Sex, and Age of Patients: Systematic Review and Meta-Analysis. *Frontiers in Medicine*, 9(May). <https://doi.org/10.3389/fmed.2022.865412>
- Pelohy, R. P. (n.d.). *PENGARUH PEMBERIAN NMES DAN ISOMETRIC QUADRICEPS TERHADAP SAKIT SILOAM SURABAYA The Effect of NMES and Isometric Quadriceps Administration on Functional Activities of Patients with Knee Osteoarthritis at Siloam Hospital Surabaya Yohanes Deo Fau , Rachma P.*
- Phruetthiphat, O. art, Zampogna, B., Vasta, S., Tassanawipas, B., Gao, Y., & Callaghan, J. J. (2021). TKR after posttraumatic and primary knee osteoarthritis: a comparative study. *Journal of Orthopaedic Surgery and Research*, 16(1), 1–8. <https://doi.org/10.1186/s13018-021-02322-8>
- Pramudaningsih, I. N., & Devi, W. S. R. (2022). Pengaruh Strengthening Exercise Terhadap Penurunan Intensitas Nyeri Lutut Pada Penderita Osteoarthritis. *Jurnal Profesi Keperawatan*, 4(2), 44–58.

- Primorac, D., Molnar, V., Rod, E., Jeleč, Ž., Čukelj, F., Matišić, V., Vrdoljak, T., Hudetz, D., Hajsok, H., & Borić, I. (2020). Knee osteoarthritis: A review of pathogenesis and state-of-the-art non-operative therapeutic considerations. *Genes*, 11(8), 1–35. <https://doi.org/10.3390/genes11080854>
- Putu, N., Asyana, D., Gde, I. P., Adhitya, S., Ayu, A., Trisna, N., & Dewi, N. (2024). *The relationship of quadriceps femoris muscle morphology and strength with patellofemoral pain syndrome and functional performance in level 1 athletes*. 4–8.
- Saeed Alshahrani, M., Reddy, R. S., Asiri, F., Tedla, J. S., Alshahrani, A., Kandakurti, P. K., & Kakaraparthi, V. N. (2022). Correlation and comparison of quadriceps endurance and knee joint position sense in individuals with and without unilateral knee osteoarthritis. *BMC Musculoskeletal Disorders*, 23(1), 1–7. <https://doi.org/10.1186/s12891-022-05403-9>
- Samsuddin, M. F., Karim, J., & Salim, A. A. (2021). The Outcomes of Health Education Programme on Stress Level Among the Caregivers of Post Total Knee Replacement Surgery. *Frontiers in Psychiatry*, 12(March), 1–5. <https://doi.org/10.3389/fpsyt.2021.571027>
- Sari, R. (2025). Pengaruh Teknik Latihan Isometric Quadriceps Dalam Menurunkan Nyeri Lutut Pada Lansia Dengan Osteoarthritis Di Wilayah Kerja Puskesmas Mekar Baru Kota Tanjungpinang. *SKOLASTIK KEPERAWATAN*, 11(1), 6. <https://www.city.kawasaki.jp/500/page/0000174493.html>
- Shetty, S., Maiya, G. A., Rao KG, M., Vijayan, S., & George, B. M. (2025). Quadriceps angle as an outcome measure for structural integrity following total knee arthroplasty in individuals with severe knee osteoarthritis. *Journal of Orthopaedics*, 61(September 2024), 37–42. <https://doi.org/10.1016/j.jor.2024.09.010>
- Strategy, B., Intervention, E., Better, I. S., Increasing, F. O. R., & Balance, D. (2018). *INTERVENSI BALANCE STRATEGY EXERCISE LEBIH BAIK DALAM MENINGKATKAN KESEIMBANGAN DINAMIS DARIPADA ISOTONIC QUADRICEPS EXERCISE DENGAN BEBAN 1 KILOGRAM PADA LANSIA*. 6(1), 5–10.
- Syahputra, I., & Nurwijayanti, N. (2021). Effect of Isometric and Isotonic Exercise Program on Increased Strength of Quadriceps Muscles in Osteoarthritis Patients in Singgasana Rama Physiotherapy Clinic Blitar. *Journal for Quality in Public Health*, 5(1), 42–48. <https://doi.org/10.30994/jqph.v5i1.246>
- Terkawi, M. A., Ebata, T., Yokota, S., Takahashi, D., Endo, T., Matsumae, G., Shimizu, T., Kadoya, K., & Iwasaki, N. (2022). Low-Grade Inflammation in the Pathogenesis of Osteoarthritis: Cellular and Molecular Mechanisms and Strategies for Future Therapeutic Intervention. *Biomedicines*, 10(5). <https://doi.org/10.3390/biomedicines10051109>

- Varović, D., Žganjer, K., Vuk, S., & Schoenfeld, B. J. (2021). Drop-set training elicits differential increases in non-uniform hypertrophy of the quadriceps in leg extension exercise. *Sports*, 9(9). <https://doi.org/10.3390/sports9090119>
- Widodo, A. F., Tien, C. W., Chen, C. W., & Lai, S. C. (2022). Isotonic and Isometric Exercise Interventions Improve the Hamstring Muscles' Strength and Flexibility: A Narrative Review. *Healthcare (Switzerland)*, 10(5), 1–10. <https://doi.org/10.3390/healthcare10050811>
- Wirayuni, S., & Arista, L. (2021). Isometric Exercise of Quadriceps and Gluteal Muscle in Patient with Close Femur Fracture. *JIKO (Jurnal Ilmiah Keperawatan Orthopedi)*, 5(1), 9–16. <https://doi.org/10.46749/jiko.v5i1.56>

