

# International Journal of Innovative Technology and Exploring Engineering

**ISSN : 2278 - 3075**

**Website: [www.ijitee.org](http://www.ijitee.org)**

**Volume-9 Issue-2, DECEMBER 2019**

**Published by:**

**Blue Eyes Intelligence Engineering and Sciences Publication**



### **Editor-In-Chief Chair**

#### **Dr. Shiv Kumar**

Ph.D. (CSE), M.Tech. (IT, Honors), B.Tech. (IT), Senior Member of IEEE  
Blue Eyes Intelligence Engineering & Sciences Publication, Bhopal (M.P.), India.

### **Associated Editor-In-Chief Chair**

#### **Prof. MPS Chawla**

Member of IEEE, Professor-Incharge (head)-Library, Associate Professor in Electrical Engineering, G.S. Institute of Technology & Science Indore, Madhya Pradesh, India, Chairman, IEEE MP Sub-Section, India

#### **Dr. Vinod Kumar Singh**

Associate Professor and Head, Department of Electrical Engineering, S.R.Group of Institutions, Jhansi (U.P.), India

#### **Dr. Rachana Dubey**

Ph.D.(CSE), MTech(CSE), B.E(CSE)

Professor & Head, Department of Computer Science & Engineering, Lakshmi Narain College of Technology Excellence (LNCTE), Bhopal (M.P.), India

### **Associated Editor-In-Chief Members**

#### **Dr. Hai Shanker Hota**

Ph.D. (CSE), MCA, MSc (Mathematics)

Professor & Head, Department of CS, Bilaspur University, Bilaspur (C.G.), India

#### **Dr. Gamal Abd El-Nasser Ahmed Mohamed Said**

Ph.D(CSE), MS(CSE), BSc(EE)

Department of Computer and Information Technology , Port Training Institute, Arab Academy for Science ,Technology and Maritime Transport, Egypt

#### **Dr. Mayank Singh**

PDF (Purs), Ph.D(CSE), ME(Software Engineering), BE(CSE), SMACM, MIEEE, LMCSI, SMIACSIT

Department of Electrical, Electronic and Computer Engineering, School of Engineering, Howard College, University of KwaZulu-Natal, Durban, South Africa.

### **Scientific Editors**

#### **Prof. (Dr.) Hamid Saremi**

Vice Chancellor of Islamic Azad University of Iran, Quchan Branch, Quchan-Iran

#### **Dr. Moinuddin Sarker**

Vice President of Research & Development, Head of Science Team, Natural State Research, Inc., 37 Brown House Road (2nd Floor) Stamford, USA.

#### **Prof. (Dr.) Nishakant Ojha**

Principal Advisor (Information &Technology) His Excellency Ambassador Republic of Sudan& Head of Mission in New Delhi, India

#### **Dr. Shanmugha Priya. Pon**

Principal, Department of Commerce and Management, St. Joseph College of Management and Finance, Makambako, Tanzania, East Africa, Tanzania

#### **Dr. Veronica Mc Gowan**

Associate Professor, Department of Computer and Business Information Systems, Delaware Valley College, Doylestown, PA, Allman, China.

#### **Dr. Fadiya Samson Oluwaseun**

Assistant Professor, Girne American University, as a Lecturer & International Admission Officer (African Region) Girne, Northern Cyprus, Turkey.

#### **Dr. Robert Brian Smith**

International Development Assistance Consultant, Department of AEC Consultants Pty Ltd, AEC Consultants Pty Ltd, Macquarie Centre, North Ryde, New South Wales, Australia

#### **Dr. Durgesh Mishra**

Professor & Dean (R&D), Acropolis Institute of Technology, Indore (M.P.), India

### **Special Issue Section Editor**

#### **Mr. Siddth Kumar**

Founder and Managing Director, IFERP, Technoarete Groups, India

**Mr. Rudra Bhanu Satpathy**

Founder and Managing Director, IFERP, Technoarete Groups, India

**Dr. Mahdi Esmailzadeh**

Founder & Chairman, of Scientific Research Publishing House (SRPH), Mashhad, Iran

**Executive Editor Chair****Dr. Deepak Garg**

Professor & Head, Department Of Computer Science And Engineering, Bennett University, Times Group, Greater Noida (UP), India

**Executive Editor Members****Dr. Vahid Nourani**

Professor, Faculty of Civil Engineering, University of Tabriz, Iran.

**Dr. Saber Mohamed Abd-Allah**

Associate Professor, Department of Biochemistry, Shanghai Institute of Biochemistry and Cell Biology, Shanghai, China.

**Dr. Xiaoguang Yue**

Associate Professor, Department of Computer and Information, Southwest Forestry University, Kunming (Yunnan), China.

**Dr. Labib Francis Gergis Rofaiel**

Associate Professor, Department of Digital Communications and Electronics, Misr Academy for Engineering and Technology, Mansoura, Egypt.

**Dr. Hugo A.F.A. Santos**

ICES, Institute for Computational Engineering and Sciences, The University of Texas, Austin, USA.

**Dr. Sunandan Bhunia**

Associate Professor & Head, Department of Electronics & Communication Engineering, Haldia Institute of Technology, Haldia (Bengal), India.

**Dr. Awatif Mohammed Ali Elsiddieg**

Assistant Professor, Department of Mathematics, Faculty of Science and Humatarian Studies, Elnielain University, Khartoum Sudan, Saudi Arabia.

**Technical Program Committee Chair****Dr. Mohd. Nazri Ismail**

Associate Professor, Department of System and Networking, University of Kuala (UniKL), Kuala Lumpur, Malaysia.

**Technical Program Committee Members****Dr. Haw Su Cheng**

Faculty of Information Technology, Multimedia University (MMU), Jalan Multimedia (Cyberjaya), Malaysia.

**Dr. Hasan. A. M Al Dabbas**

Chairperson, Vice Dean Faculty of Engineering, Department of Mechanical Engineering, Philadelphia University, Amman, Jordan.

**Dr. Gabil Adilov**

Professor, Department of Mathematics, Akdeniz University, Konyaalti/Antalya, Turkey.

**Dr.Ch.V. Raghavendran**

Professor, Department of Computer Science & Engineering, Ideal College of Arts and Sciences Kakinada (Andhra Pradesh), India.

**Dr. Thanhtrung Dang**

Associate Professor & Vice-Dean, Department of Vehicle and Energy Engineering, HCMC University of Technology and Education, Hochiminh, Vietnam.

**Dr. Wilson Udo Udofia**

Associate Professor, Department of Technical Education, State College of Education, Afaha Nsit, Akwa Ibom, Nigeria.

**Manager Chair****Mr. Jitendra Kumar Sen**

Blue Eyes Intelligence Engineering & Sciences Publication, Bhopal (M.P.), India

**Editorial Chair****Dr. Arun Murlidhar Ingle**

Director, Padmashree Dr. Vithalrao Vikhe Patil Foundation's Institute of Business Management and Rural Development, Ahmednagar (Maharashtra) India.

## **Editorial Members**

### **Dr. Wameedh Riyadh Abdul-Adheem**

Academic Lecturer, Almamoon University College/Engineering of Electrical Power Techniques, Baghdad, Iraq

### **Dr. T. Sheela**

Associate Professor, Department of Electronics and Communication Engineering, Vinayaka Mission's Kirupananda Variyar Engineering College, Periyaseeragapadi (Tamil Nadu), India

### **Dr. Manavalan Ilakkuvan**

Veteran in Engineering Industry & Academics, Influence & Educator, Tamil University, Thanjavur, India

### **Dr. Shivanna S.**

Associate Professor, Department of Civil Engineering, Sir M.Visvesvaraya Institute of Technology, Bengaluru (Karnataka), India

### **Dr. H. Ravi Kumar**

Associate Professor, Department of Civil Engineering, Sir M.Visvesvaraya Institute of Technology, Bengaluru (Karnataka), India

### **Dr. Pratik Gite**

Assistant Professor, Department of Computer Science and Engineering, Institute of Engineering and Science (IES-IPS), Indore (M.P), India

### **Dr. S. Murugan**

Professor, Department of Computer Science and Engineering, Alagappa University, Karaikudi (Tamil Nadu), India

### **Dr. S. Brilly Sangeetha**

Associate Professor & Principal, Department of Computer Science and Engineering, IES College of Engineering, Thrissur (Kerala), India

### **Dr. P. Malyadri**

Professor, ICSSR Senior Fellow Centre for Economic and Social Studies (CESS) Begumpet, Hyderabad (Telangana), India

### **Dr. K. Prabha**

Assistant Professor, Department of English, Kongu Arts and Science College, Coimbatore (Tamil Nadu), India

### **Dr. Liladhar R. Rewatkar**

Assistant Professor, Department of Computer Science, Prerna College of Commerce, Nagpur (Maharashtra), India

### **Dr. Raja Praveen.N**

Assistant Professor, Department of Computer Science and Engineering, Jain University, Bengaluru (Karnataka), India

### **Dr. Issa Atoum**

Assistant Professor, Chairman of Software Engineering, Faculty of Information Technology, The World Islamic Sciences & Education University, Amman- Jordan

### **Dr. Balachander K**

Assistant Professor, Department of Electrical and Electronics Engineering, Karpagam Academy of Higher Education, Pollachi (Coimbatore), India

### **Dr. Sudhan M.B**

Associate Professor & HOD, Department of Electronics and Communication Engineering, Vins Christian College of Engineering, Anna University, (Tamilnadu), India

### **Dr. T. Velumani**

Assistant Professor, Department of Computer Science, Kongu Arts and Science College, Erode (Tamilnadu), India

### **Dr. Subramanya.G.Bhagwath**

Professor and Coordinator, Department of Computer Science & Engineering, Anjuman Institute of Technology & Management Bhatkal (Karnataka), India

### **Dr. Mohan P. Thakre**

Assistant Professor, Department of Electrical Engineering, K. K. Wagh Institute of Engineering Education & Research Hirabai Haridas Vidyanagari, Amrutdham, Panchavati, Nashik (Maharashtra), India

### **Dr. Umar Lawal Aliyu**

Lecturer, Department of Management, Texila American University Guyana USA.

### **Dr. K. Kannan**

Professor & Head, Department of IT, Adhiparasakthi College of Engineering, Kalavai, Vellore, (Tamilnadu), India

500.	Authors:	E.Elakkiya, S.Ravichandran, S.Suresh	2927-2931
	Paper Title:	An Improved Version of Closed Spam by using Direct Bit Position Method	
501.	Authors:	B. N. V. V. Prudhvi Krishna, B.M. Kumar, Ch. S. N. Murthy	2932-2937
	Paper Title:	Leakage Current Mitigation in Transformer-less Photovoltaic Inverter Systems for Mining Equipment	
502.	Authors:	G. Sai Kiran, Rakesh Siempu, G A V S Sandeep Kumar	2938-2941
	Paper Title:	Effect of Steel Fiber Aspect Ratio on the Properties of High Strength Self Compacting Concrete	
503.	Authors:	Atla Sridhar, K.Prasanna Lakshmi	2942-2947
	Paper Title:	Characterization and Wear Properties of Al 7075/Sic/Gr Hybrid Composites	
504.	Authors:	Hafiz Tauqeer Ali	2948-2951
	Paper Title:	Effect of Different Environmental Conditions on the Mechanical Properties of CFRP Composites	
505.	Authors:	S. S. S Kalyan, B. John Philip, P.M.V.S Rajesh, A. Poojitha, Khalid Muhammad	2952-2955
	Paper Title:	Modulation Techniques of Free Space Optics using Various Link Ranges	
506.	Authors:	S.Maheswari, S.K. Logesh, S.Aruna, S. Roshini, S. Priyadharshini	2956-2960
	Paper Title:	Electronic Nerve Stimulation Device for Drop Foot People	
507.	Authors:	N. Raghavendra Sai, M.Jogendra Kumar, Pethan Hussain Basha, G.Sai Chaitanya Kumar	2961-2966
	Paper Title:	Effective Intrusion Detection System by using LOS Classifier	
508.	Authors:	Kannan G, R. Jaganraj	2967-2971
	Paper Title:	Characterisation of Mach number 1.5 and 2 Nozzle Jets using Computational Techniques	
509.	Authors:	Deval Verma, Himanshu Agarwal, A. K. Aggarwal	2972-2979
	Paper Title:	3D Motion Trajectories Recognition using Optimal Set of Geometric Primitives, Angular and Statistical Features	
510.	Authors:	Vikas Reddy.S, Chandrashekara. SN	2980-2983
	Paper Title:	Lightweight Security Architecture for Iot Device Communication	
511.	Authors:	Joseph Anthony Prathap, D. Ruth Chelsia, D.Shivani, G.Nithin Kumar, Md. Sameer	2984-2988
	Paper Title:	Design and Implementation of PERES based 128 bit Parallel Adder using FPGA	
512.	Authors:	Bhavani Marka, Joseph Anthony Prathap, S.Lavanya	2989-2992
	Paper Title:	A New Outcome based Education System in Engineering Colleges	
513.	Authors:	Chandla Ellis, Giritharan	2993-2996
	Paper Title:	Simulation and Analysis of Full Wave Bridge Rectifier Connected to DC/DC Buck Converter Feeding DC Motor	
514.	Authors:	R. Anunai, Rakesh Siempu	2997-3000
	Paper Title:	Behavior of High Strength Concrete Subjected to Elevated Temperature	
515.	Authors:	Vandana Sharma, J. K. Sharma, Suresh Kumar, Sanjay Panwar	3001-3004
	Paper Title:	Age Hardening in COR-Ten Steel	
516.	Authors:	N. Munisankar, S. Nagarajan, B. Narendra Kumar Rao	3005-3010
	Paper Title:	Defect Detection in Printed Board Circuit using Image Processing	
517.	Authors:	M Lakshmana Kumar, M Aditya, Degala Kavya Vineela,Battini Ramesh Reddy, B Vijaya Lakshmi, K.S.S.S.L. Bhargavi	3011-3016
	Paper Title:	Full Adders using GDI (with Full Swing) Technique for Power Efficient Computing	
518.	Authors:	Vani B P, R. Sundaraguru	3017-3022
	Paper Title:	Novel Analytical Framework for harnessing Cognitive Radio Resource Optimization in 5G Networks	
519.	Authors:	Mujahid J. Siddiqui, Aaliyah Siddiqui	3023-3029
	Paper Title:	Developing Entrepreneurial Ecosystem in Professional Educational Institutions through Reinforcement of Accreditation Framework	
520.	Authors:	Hamed Farahani, M. J. Ebadi, Hossein Jafari	3030-3037
	Paper Title:	Finding Inverse of a Fuzzy Matrix using Eigen value Method	
521.	Authors:	Mikhail Vasilyevich Merkulov, Rustam Juraev, Elena Fedorovna Shimorina, Tatyana Vasilievna Borzova, Sergey Alexandrovich Ananyev	3038-3045
	Paper Title:	Geological Exploration in the Cryolite Zone: Reducing Environmental Risks by Ensuring the Temperature Condition	
522.	Authors:	Ananda M.H, M.R. Shivakumar	3046-3050
	Paper Title:	Dynamic Power Oscillation Reduction using PSOA-PI in UPFC	
523.	Authors:	Abir Hasnat, Nagifa Anjum Dola, Md Rahmat Ullah, Abdus Sattar	3051-3056
	Paper Title:	IoT based Smart Agriculture System: A Perspective in Bangladesh	
524.	Authors:	Komal Singh, Sachin Sharma	3057-3064
	Paper Title:	Advanced Security Attacks on Vehicular AD HOC Network (VANET)	

524	Authors:	Komal Singh, Sachin Sharma	3057-3064
	Paper Title:	Advanced Security Attacks on Vehicular AD HOC Network (VANET)	
525	Authors:	Poomima Taranath, Siveta Das, Gowrishankar S.	3065-3070
	Paper Title:	Application of Machine Learning Techniques to Predict the Impact of Health Insurance on the Wellbeing of an Individual	
526	Authors:	M. Purnachandra Rao, E. Srinvasa Reddy	3071-3076
	Paper Title:	Performance Analysis of Adaptive Filters with various Wavelets for Noise Removal in EEG Signals	
527	Authors:	Vaibhav R. Pandit, R. J. Bhuwani	3077-3083
	Paper Title:	Optimizing Sensor Relationship for Fusion of Multispectral and Panchromatic Imagery	
528	Authors:	Sodikov Ulugbek Jurayevich	3084-3088
	Paper Title:	Using of Problem Tasks in Development of Creative Abilities of Pupils in Teaching Mathematics	
529	Authors:	Slozhenkina Marina Ivanovna, Gorlov Ivan Fedorovich, Nikolaev Dmitry Vladimirovich, Mosolova Darya Aleksandrovna, Slozhenkina Alexandra Alexeevna	3089-3091
	Paper Title:	Efficiency of the New Fodder Additive for the Production of Lamb	
530	Authors:	I.F. Gorlov, D.A. Mosolova, O. P. Shakhbazova, R. G. Radzhabov, N.V. Ivanova	3092-3095
	Paper Title:	Age-Specific Meat Productivity of Young Edilbay Sheep	
531	Authors:	Ar. Chetan Verma, Jitendra Singh, Alok Ranjan	3096-3100
	Paper Title:	Green Parking Lots for Energy plus Human Settlements	
532	Authors:	Ripunjai Gurava, P. Suresh Babu	3101-3105
	Paper Title:	Design of Multiplier through Modified Booth Algorithm with Mig Gate	
533	Authors:	P.Venkat Laxman, Ranjan K. Senapati, L.Dharma Teja	3106-3111
	Paper Title:	Design of a High Performance 4-Bit Ternary Multiplier using CNTFET	
534	Authors:	Muhtar	3112-3117
	Paper Title:	Effect of Ceramic Waste Aggregate in Concrete to Reduce Environmental Pollution	
535	Authors:	Zotova V.A., Semakhin E.A., Tikhonova N.A., Romanovskaya E.V., Andryashina N.S.	3118-3122
	Paper Title:	Theoretical and Experimental Aspects of the Combined Cutting Process with Preheating of Non-Rigid Parts (Shafts)	
536	Authors:	Harish Chandra Mohanta, Rupanita Das	3123-3125
	Paper Title:	Smart Grid Control System using Solar Panel	
537	Authors:	Illuri Sreenidhi, Chatharajupalli Navya Srecha, Penke Satyanarayana	3126-3129
	Paper Title:	Detection of fall using Embedded Device and Machine Learning Implementation	
538	Authors:	Tatyana Antonenko, Alexander Andrushko, Yana Serdyukova, Anzhela Zakudayeva, Aleksey Venetsianskiy	3130-3132
	Paper Title:	Development Technology of New Types Products Based on the Principles of Integrated Processing of Raw Materials	
539	Authors:	Siti Nur Humaira Mazlan, Aini Zulhara Abdul Kadir, Nor Hasrul Akhmal Ngadiman, Yusri Yusof, Md Saidin Wahab	3133-3139
	Paper Title:	Optimization of Truss Collinear Lattice Fabricated using Fused Deposition Modeling Technique	
540	Authors:	Manoharan, M, Rajesh Mamilla	3140-3143
	Paper Title:	Candlestick Technical Analysis on Select Indian Stocks: Pattern detection and Efficiency Statistics	
541	Authors:	S.Vandana, T.Madhavi	3144-3148
	Paper Title:	Routing Methodology for Secure Transmission of data in Physical Layer	
542	Authors:	K. Ramesh, K. Jithendra Gowd	3149-3155
	Paper Title:	Diode Clamped Multi-Level Inverter Controller Connected to a DFIG Wind Turbine Configured DVR to Get Smoother Output Voltages	
543	Authors:	B. Bhavana, M. Bramarambika Devi, B. Sarath Chandra Kumar, D. Sravanthi	3156-3163
	Paper Title:	Examination on GGBS based Geopolymer Mortar at Elevated Temperatures	
544	Authors:	K. Chandra Babu, K. Ramasekhara Reddy	3164-3172
	Paper Title:	Enhancement of the Dynamic Behavior of Grid-Connected DFIG Based Wind Turbines by using Fuzzy Logic Controller under LVRT Conditions	
545	Authors:	T. Ram Pranav, V. Arundhathi, V. Vamsi, B. Sarath Chandra Kumar, Abdul Raziya	3173-3178
	Paper Title:	Effect of Replacement of Natural Sand with M-Sand in Geopolymer Mortar	
546	Authors:	Dini Intani Angga Ranti, Surpin, Suharyanto	3179-3184
	Paper Title:	The Selection of Infrastructure Aspect for Performance Assessment in Indonesian PDAM	
547	Authors:	Noorfazila Kamal, Nadhira Mohamad Fauzi	3185-3189
	Paper Title:	Effect of Body Biasing on 0.13 Um CMOS Transistor	
548	Authors:	Noor Hikmal Noor Eing, Izyan Yahaya	3190-3195

	Paper Title:	Effect of Body Biasing on 0.13 Um CMOS Transistor	3109
548.	Authors:	Noor Hikmal Noor Eing, Lzyan Yahaya	3190-3195
	Paper Title:	Safety Practices of Foreign Workers at Construction Site: Challenges and Strategies for Improvement	
549.	Authors:	Wan MohdYaakob Wan Bejuri, MohdMurtadha Mohamad, Hadri Omar, Farhana Syed Omar and Nurfarah Ain Lumin	3196-3204
	Paper Title:	Robust Special Strategies Re Sampling for Mobile Inertial Navigation Systems	
550.	Authors:	P. K. Parida	3205-3214
	Paper Title:	A General View of TOPSIS Method Involving Multi-Attribute Decision Making Problems	
551.	Authors:	T. Pattalu Naidu, A. Kamala Kumari	3215-3220
	Paper Title:	Hybrid Obfuscation with key Based Encryption for Integrated Circuits	
552.	Authors:	Kashif Ishaq, Adnan Abid, Shoab Farooq, Uzma Farooq, Mustansar Ijaz	3221-3225
	Paper Title:	Use of Cloud Computing In Higher Education of Pakistan	
553.	Authors:	Magesh T, Kavitha P, Thiyageesan M	3226-3229
	Paper Title:	Maximum Power Extraction from Active Pitch Controlled Standalone Variable Speed Wind Turbine	
554.	Authors:	S E Warkhede, S. K. Yadav, V M Thakare, P E Ajmiri	3230-3233
	Paper Title:	Recognition of Off-Line Handwritten Rajasthani Characters using Generalized Feed Forward Classifier	
555.	Authors:	Lekshmi R. R., S. Balamurugan	3234-3241
	Paper Title:	Control Strategy for Load Frequency Control to Manage TRANSCO Reserve in Restructured Power System	
556.	Authors:	Gayathri Denis, T Krishna Kumar, Karthikeyan, S Sasipriya	3242-3246
	Paper Title:	Data Mining Techniques in Recruitment: The Future of Job Recruiting and Development	
557.	Authors:	Guntu Nooka Raju, Muddapu V Tirupathamma, K. Srinivasa Rao	3247-3251
	Paper Title:	Multuser Detection using Noma Technique in FD-MC-CDMA System in Fading Channels	
558.	Authors:	Zameer Gulzar, A.Anny Lecma, L.Malascrcnc	3252-3258
	Paper Title:	Human Activity Analysis using Machine Learning Classification Techniques	
559.	Authors:	Suruchi Pandey, Komal Chopra, Bhagyashree Borbora	3259-3264
	Paper Title:	Use of Technology and Gamification in Learning Viz a Viz Traditional methods	
560.	Authors:	Dharmendra Kumar Gautam, Anupma Rastogi	3265-3268
	Paper Title:	Growth of central index on the basis of relative L <sup>n</sup> -order, relative L <sup>n</sup> -lower order, relative L <sup>n</sup> -hyper order of entire functions	
561.	Authors:	T.Santhi Vandanna, S.Venkateshwarlu	3269-3272
	Paper Title:	Efficient End to End Data Communication Protocol for Wireless Body Area Networks	
562.	Authors:	A V Sai Veda, G. Sateesh Kumar, Atulkumar Manchalwar	3273-3276
	Paper Title:	Response Reduction Factor for Different Heights of RC Structure	
563.	Authors:	M. Venkata Jayanth, B. Sri Lakshmi Harika, B. Aashika, P.Lakshman, G Sai Santosh	3277-3280
	Paper Title:	Position only Antenna Array Synthesis using Normal Distributed Invasive Weed Optimization	
564.	Authors:	A R Jayakrishnan, V.Vasanthi	3281-3288
	Paper Title:	Attack Patterns on IoT devices using Honey Net Cloud	
565.	Authors:	Mohamed Jaouad Malzi, Aziz Ettahir, Christian Boned, Kamal Kettani, Abdelmajid Bybi	3289-3297
	Paper Title:	Performance of the Self-Referencing Model on the Determination of Viscosity versus Pressure and Temperature of Various Hydrocarbons and Their Mixtures	
566.	Authors:	Anuradha.M.G, Basavaraj L	3298-3304
	Paper Title:	FPGA Implementation of Mean Shift Algorithm for Real Time Image Segmentation	
567.	Authors:	Muhammad Nur Akmal Noor 'Adzem, Wahyu Kuntjoro, Mohd Razip Abdullah, Rizal Effendy Mohd Nesir	3305-3309
	Paper Title:	Dynamic Simulation of Tilted Rotor Quadcopter	
568.	Authors:	Shalini Rajendra Babu, N. Ramya	3310-3313
	Paper Title:	On Prime Cordial Labeling of Crown, Armed Crown, H-graph and Butterfly graph	
569.	Authors:	N F M Salleh, W M W Mohamed, R E M Nasir, A B A Mutaali, S Zainurin	3314-3318
	Paper Title:	Multirotor for Medical Aid Kit Transport	
570.	Authors:	Thiyagarajan Krishnan, Allin Joe D, Venkatesh D, Pandiyalakshmi K	3319-3324
	Paper Title:	Quarter Wave Resonator based Microstrip Bandpass Filter using Asymmetrical coefficients	
571.	Authors:	Saurabh Patil, Lata Ragha	3325-3330
	Paper Title:	Rsadp - Road Safty Accident Detection and Prevention in Vehicular Adhoc Network	
572.	Authors:	Zayniddin Karshiev, Mirzabek Sattarov	3331-3336
	Paper Title:	Technique of Building Parallel Data Mining Algorithms	

# Source details

Feedback > Compare sources >

## International Journal of Innovative Technology and Exploring Engineering

Scopus coverage years: from 2018 to 2019

Publisher: Blue Eyes Intelligence Engineering and Sciences Publication

E-ISSN: 2278-3075

Subject area: Computer Science: General Computer Science Engineering: Civil and Structural Engineering Engineering: Electrical and Electronic Engineering Engineering: Mechanics of Materials

SJR ⓘ

---

SNIP ⓘ

[View all documents >](#) [Save to source list](#) [Journal Homepage](#)

### CiteScore Scopus content coverage

CiteScoreTracker 2019 ⓘ Last updated on 06 February, 2020  
Updated monthly

0.29 =  $\frac{\text{Citation Count 2019}}{\text{Documents 2016 - 2018}}$  =  $\frac{73 \text{ Citations to date } >}{254 \text{ Documents to date } >}$

⚙️ Metrics displaying this icon are compiled according to [Snowball Metrics](#) , a collaboration between industry and academia.

#### About Scopus

- [What is Scopus](#)
- [Content coverage](#)
- [Scopus blog](#)
- [Scopus API](#)
- [Privacy matters](#)

#### Language

- [日本語に切り替える](#)
- [切换到简体中文](#)
- [切换到繁體中文](#)
- [Русский язык](#)

#### Customer Service

- [Help](#)
- [Contact us](#)



Ads by Google

Send feedback Why this ad?

## International Journal of Innovative Technology and Exploring Engineering

Discontinued in Scopus as of 2019

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
India 	Computer Science - Computer Science (miscellaneous)  Engineering - Civil and Structural Engineering - Electrical and Electronic Engineering - Mechanics of Materials	Blue Eyes Intelligence Engineering and Sciences Publication	40
PUBLICATION TYPE	ISSN	COVERAGE	
Journals	22783075	2018-2019	

Ads by Google

Send feedback

Why this ad?

### SCOPE


Information not localized

Join the conversation about this journal

Ads by Google

Send feedback Why this ad?

### Quartiles




2019

Ads by Google

Send feedback Why this ad?

FIND SIMILAR JOURNALS

options



Ads by Google

[Send feedback](#) [Why this ad?](#)

Metrics based on Scopus® data as of April 2021

**H** **Haris Alam Zuberi** 5 months ago

When this journal removed from UGC CARE list ?

reply

**Melanie Ortiz** 5 months ago

Dear Haris,  
thank you for contacting us.  
Unfortunately, we cannot help you with your request  
Best Regards, SCImago Team

**M** **Melik Masarifoglu** 8 months ago

Please stay away from this journal. I was going to publish an article in International Journal of Innovative Technology and Exploring Engineering. I paid the fee and then I read comments in this website and then I changed my mind and decided not to publish. I asked for full refund but they said the fee is non-refundable for the authors who signed copyright. I said that as authors we did not sign copyright and we are not going to publish this article in this journal. I sent them so many emails but they

**Leave a comment**

Name

Email

(will not be published)

I'm not a robot




Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on [@ScimagoJR](#)

Scimago Lab. Copyright 2007-2020. Data Source: Scopus®

EST MODUS IN REBUS  
Version 2.0.0 (1.1.2020)

This website uses cookies to ensure you get the best experience on our website

Got it!

# Effect of Ceramic Waste Aggregate in Concrete to Reduce Environmental Pollution

Muhtar

**Abstract:** *The utilization of ceramic waste is one solution to reduce environmental pollution due to development waste. The aim of this study was to utilize ceramic waste as a concrete aggregate material. The test consisted of the mechanical properties test of ceramic waste aggregates and the compressive strength test of ceramic concrete. The variation of normal aggregate partial replacement with the aggregate of CWA is 0%, 25%, 50%, 75%, and 100%. The total number of specimens is 50 cylinders. From the results of material testing and ceramic concrete tests showed that ceramic waste aggregate can be used as concrete aggregates, especially for elements that accept compressive forces, shear forces, and in-plane forces. The X-ray test shows that CWA aggregate is not pozzolanic, so it can be used as a concrete aggregate to reduce environmental pollution. The percentage porosity of ceramic concrete is smaller than the porosity of normal concrete. The effect of partial replacement of normal aggregate with the CWA aggregate in concrete optimum at a value of 55% CWA aggregate.*

**Keywords:** *Ceramic concrete, ceramic waste aggregate (CWA), environmental pollution.*

## I. INTRODUCTION

The use of industrial building materials and ignorance of their waste can cause environmental pollution. The current development period, especially the development in the field of civil engineering, require supporting materials starting from the aspect of human resources and material resources. The use of massive natural resources and environmental hazards caused by the disposal of construction waste have reached alarming proportions so the utilization of new renewable energy and waste utilization is a must. At first glance, it seems that civil engineering materials like cement will still dominate. Like other industries, advances in the material field must also consider energy savings. As a result, it is certainly expected and emphasized that there are thoughts of using waste materials to be useful as building materials, one of which is a ceramic waste as a concrete aggregate. There are so many methods that have been taken by experts such as recycling. Though getting similar materials is increasingly rare. While research on the use of renewable energy such as bamboo as concrete reinforcement has been carried out in an effort to create a green environment without pollution, including by [1], [2], [3], [4], [5], and [6].

The ceramics are materials often used in civil engineering buildings. As is known that the material for making ceramics consists of several elements such as silica ( $\text{SiO}_2$ ), feldspar ( $\text{KAl}_3\text{O}_8$ ), kaolin, clay, and others. The ingredient is processed from grinding, drying, to the combustion stage (sintered) at a certain temperature. Ceramic fragments have a sharp texture on the sides, ceramic waste is difficult to react with the soil, and can deliver radiation. This is very dangerous for the environment. Several previous researchers have carried out research on ceramic waste from microstructural and material aspects [7], solutions and methods of use as aggregates [8], the form of waste, the impact, and stability of radiation [9]. Turner [10] examines lead pollution due to ceramic waste on the beach and concludes that the presence of glazed ceramics that have been eroded to sizes  $< 2$  mm result in increases in Pb concentrations relative to a regional baseline of about an order of magnitude and enrichment factors normalized to Rb of between 5 and 13. Porcelain ceramics are very heat resistant and durability against pressure, however, this ceramic cannot be recycled to return to production [11]. Seeing this negative and positive impact, a solution is needed to utilize it as a building material, including as an aggregate of concrete.

The ceramic waste can be used as a concrete material such as a partial substitute for cement, fine aggregate, or coarse aggregate. Use Ceramic waste powder as an alternative cement replacement has been done by researchers. Lasseguette [12] concluded, ceramics containing mortar as a substitute for partial cement, CSH concentrations associated with compressive strength, higher CSH content showed an increase in mechanical performance. Other researchers who use ceramic waste as cement replacement powder include [13], and [14].

While the use of ceramic waste as concrete aggregates has been carried out by several researchers including by [15], [16], [17], [11], [18], and [19]. All researchers revealed that the compressive strength, flexural strength, and tensile strength of concrete using CWA aggregates increased rapidly when compared to conventional concrete. Wadie [20] revealed that the use of recycled ceramic tile aggregates is promising in structural concrete applications. Siddique [15] utilizes fine bone china ceramic aggregate (FBA) in concrete mixtures and concludes that fine bone china ceramic waste can be used as an aggregate to produce durable and resilient concrete. bone china ceramic fine aggregates (BCCFA) can be used as fine aggregates (up to 40%) in structural concrete to provide considerable strength

Revised Manuscript Received on December 05, 2019

\* Correspondence Author

Muhtar\*, Department of Civil Engineering, Faculty of Engineering, University of Muhammadiyah Jember, Jember, 68121, Indonesia.

## Effect of Ceramic Waste Aggregate in Concrete to Reduce Environmental Pollution

and durability characteristics. Keshavarz and Mostofinejad [11] conclude that porcelain tile waste as coarse aggregate can increase concrete compressive strength by up to 41% while red ceramic increases to 29%.

The compressive strength of the concrete runs linearly with the percentage of an aggregate amount of ceramic waste so that the analytical hierarchy process (AHP) and the technique for order preference by the similarity to ideal solution (TOPSIS) are suitable analyzes. And it was concluded that concrete by replacing 30% conventional aggregate with ceramic waste was the best proportion [16]. The concrete durability with ceramic waste aggregates is proven to be durable [17]. However, good control of material properties is very important to improve the ability of the concrete produced [18].

### II. MATERIAL AND METHODS

#### A. Ceramic Waste Aggregate (CWA)

The aggregate of ceramic waste is obtained from industrial wastes and residential waste in the Jember area. This ceramic waste cannot be reprocessed. The thickness of ceramic waste ranges from 5 mm to 15 mm. The various types of ceramic waste are shown in Fig. 1. Then, ceramic waste is milled with stone grinding machines to a maximum size of 5 mm for fine aggregate and 10 mm for coarse aggregate. Furthermore, aggregate testing is carried out, including: chemical composition test, absorption and water content test based on ASTM C 33-03 [21], specific gravity test based on ASTM C 127 [22], Soundness test based on ASTM C 88-99a [23], abrasion test based on ASTM C 131-01 [24], granular form test based on BS 812-105.2 [25], and gradation test based on ASTM C 33-03 [21].



Fig. 1. The various types of ceramic waste

#### B. Mix Proportion

Normal concrete material for this study uses Portland Pozzolana Cement (PPC), sand, coarse aggregate, and water from Jember. Replacement of partial aggregates with ceramic waste aggregates (CWA) is based on the mix design results and the planned variation of CWA aggregate. The

concrete mix plan uses the modified ACI 211.1-91 method [26]. The ratio of water-cement (W/C) is taken as 0.53 for slim construction, and the maximum slump value is 100 mm and a minimum of 25 mm.

#### C. X-ray Diffraction

Testing of ceramic waste aggregate concrete with X-ray diffraction aims to determine whether there is a reaction between the ceramic waste aggregate (CWA) with cement. The testing phase begins by pounding enough CWA aggregate samples, then sifted until the maximum grain size is 0.3 mm. Then mix with enough cement plus water until workability is reached, then cast on the mold of the test specimens (BT-CWA). As a comparison, normal concrete specimens (BT-Normal) are made. Test specimens must be attempted to be in a damp or wet room until the age of 8 weeks. Then tested by the X-ray diffraction method to determine whether there was a reaction between the ceramic waste aggregate (CWA) with cement.

#### D. Compressive Strength of Ceramic Concrete

The method used in this study is True Experimental Research. The CWA aggregate and normal aggregate used consisted of coarse aggregates with a maximum size of 10 mm and a fine aggregate of 5 mm. Cylindrical specimens with a diameter of 150 mm and a height of 300 mm. The variation of normal aggregate partial replacement with the aggregate of CWA is 0%, 25%, 50%, 75%, and 100%. The total number of specimens is 50 cylinders. A universal testing machine (UTM) with 2000 kN capacity was used for a compression test. Test of concrete cylinder compressive strength based on ASTM C 39 [27]. Concrete cylinder testing is carried out after 28 days. Testing of the compressive strength and modulus of elasticity as shown in Fig. 2.



Fig. 2. Testing of the compressive strength and modulus of elasticity

### III. RESULTS AND DISCUSSION

#### A. Chemical Composition

The chemical elements of ceramic waste aggregate (CWA) from the results of chemical laboratory tests show that the aggregate of ceramic waste contains chemical elements that are detrimental and beneficial as shown in Table 1, including (1) Silicate ( $\text{SiO}_2$ ) and Feldspar ( $\text{KAlSi}_3\text{O}_8$ ), these two

compounds are silicate compounds which can cause cracks in concrete and have low tensile strength but have high hardness. Aggregates that contain a lot of silicates will cause the material to become ductile or brittle, but have high compressive strength, this is evident from the results of the abrasion test of ceramic waste aggregates which has a relatively small percentage of destruction which is 17.88%. (2) As for other elements, such as elements  $Al_2O_3$ ,  $CaO$ ,  $Na_2O$ , and  $Fe_2O_3$  are oxide compounds commonly found in cement, so that these elements do not have a bad impact on concrete.

**Table-1: Chemical Composition Data of CWA Aggregate**

Component	Specimens					Average of chemical composition (%)
	I	II	III	IV	V	
SiO <sub>2</sub>	80.13	82.03	83.12	80.12	83.20	81.72
AL <sub>2</sub> O <sub>3</sub>	11.09	9.61	8.04	9.23	9.11	9.42
CaO	0.30	0.41	0.36	0.42	0.35	0.37
Na <sub>2</sub> O	0.21	0.16	0.25	0.23	0.18	0.21
Fe <sub>2</sub> O <sub>3</sub>	0.49	0.41	0.58	0.47	0.51	0.49
KALS <sub>3</sub> O <sub>8</sub>	4.89	4.29	5.33	4.82	4.71	4.80

### B. Mix proportion

From Table 2, the composition of the normal concrete mixture for 1 m<sup>3</sup> of concrete requires 411 kg of cement, 950 kg of fine aggregate, 676 kg of coarse aggregate, and 218 kg of water, or in a ratio of 1:2.3:1.65. While for the composition of the ceramic concrete mixture for 1 m<sup>3</sup> of concrete requires 411 kg of cement, 670 kg of fine aggregate, 664 kg of coarse aggregate, and 218 kg of water, or in the ratio 1:1.63:1.61. From the composition of the mixture of normal concrete and the composition of ceramic concrete mixture, the weight of fine aggregate is greater than the weight of coarse aggregate, this is due to the fineness modulus of fine aggregate < 3 and a maximum coarse aggregate size of 10 mm, so the coarse aggregate composition is 44% per-m<sup>3</sup> concrete. While the weight of normal fresh concrete is heavier than the weight of fresh ceramic concrete, this is due to the density and weight of the normal aggregate volume greater than the CWA aggregate density and the weight of the CWA aggregate volume.

**Table-2: Composition of the Concrete Mixture**

Concrete Type	Cement (PPC)	Fine Aggregate	Coarse Aggregate	Water	Weight of fresh concrete
	Kg/m <sup>3</sup>				
Normal concrete	411	950	676	218	2255
Ceramic concrete	411	670	664	218	1963

### C. X-ray Diffraction

Table 3 shows the results of X-ray Diffraction tests on two samples, namely normal concrete (BT-Normal) and ceramic waste aggregate concrete (BT-CWA).

From Table 3, the results of the X-ray diffractometer identification phase showed that there was a difference in the material between normal concrete (BT-Normal) and ceramic

waste aggregate concrete (BT-CWA). In BT-Normal concrete, there are Portlandite [Ca(OH)<sub>2</sub>] and Anorthite, Sodian, intermediate [(Ca, Na)(Si, Al)<sub>4</sub>O<sub>8</sub>] ingredients. Whereas BT-CWA concrete contains Portlandite [Ca(OH)<sub>2</sub>], Quartz [SiO<sub>2</sub>], Calcium Silicate Hydrate [Ca<sub>1.5</sub>SiO<sub>3.5</sub>!xH<sub>2</sub>O], Dioxolan Hydrate [C<sub>3</sub>H<sub>6</sub>O<sub>2</sub>!17H<sub>2</sub>O], Copper Nitrate Hydrate [Cu(NO<sub>3</sub>)<sub>2</sub>!6H<sub>2</sub>O]. Two types of concrete, there is no material that can react with cement or damage concrete, such as alkali, acid, sulfate and chlorite.

**Table-3: Data Results of the X-ray Diffractometers Test**

Concrete type	Identified Material	Information
Normal concrete (BT-Normal)	a. Portlandite, syn b. Anorthite, Sodian, Intermediate	Testing with powder method
Ceramic concrete (BT-CWA)	a. Portlandite, syn b. Quartz c. Calcium Silicate Hydrate d. Dioxolan Hydrate e. Copper Nitrate Hydrate	Testing with powder method

Sulfate elements are usually found in ingredients such as Barite [BaSO<sub>4</sub>], Anhydrite [CaSO<sub>4</sub>], Alunit [Kal<sub>3</sub>(OH)<sub>6</sub>(SO<sub>4</sub>)], Gypsum [CaSO<sub>4</sub>.2H<sub>2</sub>O]. While the active silica or amorphous silica elements such as Opal [SiO<sub>2</sub>.nH<sub>2</sub>O] or Silicate Acid [Si(OH)<sub>4</sub>] which can react with alkali of cement [Na<sub>2</sub>O and K<sub>2</sub>O], usually found in Phyllite, Metadolerite, Granite, Dacite, and Quarsite. But in BT-CWA concrete there is silica or Quartz [SiO<sub>2</sub>] which is quartz sand which is not reactive to alkali. In BT-CWA concrete there is no pozzolanic silica element that can react with cement Na(OH)<sub>2</sub> produced from the hydration process of C<sub>3</sub>S and C<sub>2</sub>S. While the material contained in BT-CWA concrete is a case of Calcium Silicate Hydrate, Dioxolan Hydrate, and Copper Nitrate Hydrate that have an effect as a filler, meaning that it does not harm concrete. Dioxolan material is a compound found in the surface layer of ceramics that functions as a glossy, and so is Copper which is an element of copper, which is a ceramic coating material (glaze), and these elements are very small.

### D. Compressive Strength


Test results of compressive strength, specific gravity, and porosity are shown in Table 4. From the results of the cylindrical compressive strength test at 5 aggregate variations of CWA, it appears that the greater the CWA aggregate the greater the compressive strength, but at the variation of 100% CWA, the compressive strength occur decrease as shown in Table 4.

Figs. 3-7 And Fig. 10 shows that ceramic concrete has stiffness and the modulus of elasticity is greater than normal concrete, and the more CWA aggregate is added, the greater the stiffness and modulus of elasticity. The graph shows the ceramic concrete is more brittle and stiff than normal concrete. However, ceramic concrete has a higher compressive strength. For example, the comparison of a 0% CWA normal concrete with ceramic concrete 75% CWA, if a horizontal line is taken at 0,4f<sub>c</sub> from Fig. 10, it will be seen that


## Effect of Ceramic Waste Aggregate in Concrete to Reduce Environmental Pollution

the normal concrete beam rigidity of 0% CWA is lower to 40% of ceramic concrete stiffness 75% CWA.


Ceramic concrete 75% CWA	25.017	2.363	5.824
Ceramic concrete 100% CWA	23.060	2.334	6.690




**Fig. 3.** The stress-strain relationship of the ceramic concrete (0% CWA)




**Fig. 6.** The stress-strain relationship of the ceramic concrete (75% CWA)



**Fig. 4.** The stress-strain relationship of the ceramic concrete (25% CWA)



**Fig. 7.** The stress-strain relationship of the ceramic concrete (100% CWA)



**Fig. 5.** The stress-strain relationship of the ceramic concrete (50% CWA)

**Table-4: Data of compressive strength, specific gravity, and porosity**

Concrete type	Compressive strength (MPa)	Specific gravity	Porosity (%)
Normal concrete 0% CWA	22.962	2.332	8.958
Ceramic concrete 25% CWA	23.536	2.471	8.210
Ceramic concrete 50% CWA	24.011	2.458	8.060

The compressive strength of concrete is influenced by several factors including cement water factor, density, aggregate properties, the method of implementation, the age of concrete, and type of cement. All these factors must be achieved as much as possible in order to get the perfect concrete strength. The compressive strength of ceramic concrete is greater than the compressive strength of normal concrete, this is due to the porosity of normal concrete greater than the porosity of ceramic concrete which is between 5.825%-8.21% while the normal porosity of the concrete is 8.958% as shown in Table 4. The presence of air content of 5% can reduce the pressure of the concrete to 35% and the pores as much as 10% can reduce the strength of the concrete press up to 60%. Fig. 8 shows the relationship of compressive strength and porosity of the concrete with a partial variation of the aggregate replacement of CWA. The compressive strength increases with the addition of the aggregate percentage of CWA. The Compressive strength increases with decreasing porosity. Ceramic concrete has a higher compressive strength of up to 8.95% and has a smaller porosity up to 53.81% than normal concrete. This proves that the main factor affecting the compressive strength of brittle

material is porosity, both the aggregate porosity used and the porosity of the hard concrete itself. Shen and Xu [28] conclude moisture content had a significant effect on compressive strength, and this effect increased with increasing porosity. The compressive strength of normal concrete is also strongly influenced by the size of the aggregate. In this research, normal aggregate size is coarser than the CWA aggregate. Kim [29] mentioned that decreasing the maximum aggregate size, i.e. increasing the surface area of the aggregate reduces unit bond stress between cement paste and aggregate for normal strength concrete. Accordingly, the compressive strength of normal strength concrete tends to increase as the maximum aggregate size decreases.




Fig. 8. The model of compressive strength and porosity relations with the CWA variation

Fig. 9 shows that the partial replacement of normal aggregate with the CWA aggregate in optimum normal concrete at a value of 55% CWA aggregate. Siddique [30] in its conclusion revealed that the replacement of fine aggregates with ceramic waste aggregate up to 40% in structural concrete to provide considerable strength and durability characteristics. Rashid [16] concluded that a replacement of 30% aggregate of ceramic waste with conventional aggregates provides the highest compressive strength. The difference of researchers in the optimal percentage of the partial replacement of normal aggregates with the CWA aggregate shows a difference in the ceramic waste studied. In addition to water-content and concrete porosity, the aggregate is an important factor to increase the compressive strength of concrete, the following aggregate properties of CWA that affect ceramic concrete compressive strength: (1) CWA aggregate violence is relatively high. This is because the CWA aggregate contains fairly large silica elements and silica has a hardness rating of 7 according to the Mohs scale. (2) The shape of the granules, the aggregate of CWA contains a lot of flat grains with sharp angles and slightly oval. Whereas normal aggregates, especially fine aggregates, consist of natural sand (rivers) which contain a lot of round oval granules, so that when these aggregates are combined there will be a balance in the compactor, because it will fill each other's gaps, especially on flat aggregates, so that ceramic concrete becomes denser. This is evidenced by the ceramic concrete porosity of 75% CWA smaller than the

ceramic concrete porosity of 100% CWA and 0% CWA, and the ceramic concrete compressive strength of 75% CWA is greater than the ceramic concrete 100% CWA and 0% CWA as shown in Table 4.

From Fig. 9 shows the compressive strength relationship with variations of CWA is strong and positive with a correlation coefficient (R) of 0.906 and terminated coefficient (R<sup>2</sup>) of 0.8217 means that a stress increase of 82% is caused by the addition of variations in CWA, the remaining 18% by other factors.




Fig. 9. The relationship graph of compressive strength with the CWA variation




Fig. 10. The stress-strain relationship of the ceramic concrete (CWA)

Based on the results of testing of ceramic waste aggregate materials and performance tests of ceramic concrete shown compressive strength and elasticity modulus a greater of than normal concrete, while its tensile strength is smaller than normal concrete. Therefore ceramic concrete can be applied to elements that accept compressive forces and require a large elasticity modulus. Some of the elements mentioned above include columns; panels or walls that accept compressive and shear forces, both due to earthquake forces and due to gravitational forces, thin shells that can only accept normal stress or apply membrane theory.

#### IV. CONCLUSIONS

Based on the results of testing



# Effect of Ceramic Waste Aggregate in Concrete to Reduce Environmental Pollution

of ceramic waste aggregate materials and performance tests of ceramic concrete obtained several conclusions:

- X-ray test shows that aggregate CWA is not pozzolanic, so it can be used as a concrete aggregate, while still paying attention to the maximum gradation according to the thickness and slippery surface of the ceramic waste, economic and performance aspects.
- The compressive strength of concrete is strongly influenced by porosity. The smaller the porosity percentage, the higher the compressive strength and vice versa
- The effect of partial replacement of normal aggregate with the CWA aggregate optimum at a value of 55% CWA aggregate. Ceramic concrete has compressive strength and elasticity modulus a greater of than normal concrete, while its tensile strength is smaller than normal concrete. So that ceramic concrete recommended for be applied to elements that accept compressive forces and require a large elasticity modulus, such as a column; panels or walls that accept compressive and sliding forces, thin shells that can only accept normal stress or applied membrane theory.

## ACKNOWLEDGMENT

The research described in this paper and publication costs is fully financially supported by the University of Muhammadiyah Jember through a community service program with the theme of a clean and sustainable environment, located at the University of Muhammadiyah Jember, Jember, Indonesia.

## REFERENCES

1. S. M. Dewi, E. T. Puspitasari, and M. Jannah, "The Use of Lightweight Brick and Bamboo on Lightweight Reinforced Concrete Panel Subject To Horizontal In-Plane Loading," *International Journal of Innovative Technology and Exploring Engineering*, vol. 9, no. 1, pp. 1601–1603, 2019.
2. A. Agarwal, B. Nanda, and D. Maity, "Experimental investigation on chemically treated bamboo reinforced concrete beams and columns," *Construction and Building Materials*, vol. 71, pp. 610–617, Nov. 2014. <https://doi.org/10.1016/j.conbuildmat.2014.09.011>
3. K. Ghavami, "Bamboo as reinforcement in structural concrete elements," *Cement and Concrete Composites*, vol. 27, no. 6, pp. 637–649, 2005.
4. Muhtar, S. M. Dewi, Wisnumurti, and A. Munawir, "Enhancing bamboo reinforcement using a hose-clamp to increase bond- stress and slip resistance," *Journal of Building Engineering*, vol. 26, November, p. 100896, 2019. <https://doi.org/10.1016/j.job.2019.100896>
5. Muhtar, S. M. Dewi, Wisnumurti, and A. Munawir, "The Stiffness and Cracked Pattern of Bamboo Reinforced Concrete Beams Using a Hose Clamp," *International Journal of Civil Engineering and Technology (IJCIET)*, vol. 9, no. 8, pp. 273–284, 2018.
6. Muhtar, "Experimental data from strengthening bamboo reinforcement using adhesives and hose-clamps," *Journal Data in brief*, vol. 27, p. 104827, 2019. <https://doi.org/10.1016/j.dib.2019.104827>
7. A. P. Cocco, "Three-dimensional mapping of crystalline ceramic waste form materials," *Journal American Ceramic Society*, August 2016, pp. 3722–3735, 2017. <https://doi.org/10.1111/jace.14885>
8. M. Cristiano, "The use of ceramic waste aggregates in concrete : a literary review," in *Concrete 2014 Progetto e Tecnologia per il costruito tra xx e xxi secolo*, September 2014.
9. M. Tang, "Nuclear Instruments and Methods in Physics Research B Radiation stability test on multiphase glass ceramic and crystalline ceramic waste forms," *Nuclear Inst. and Methods in Physics Research*, vol. 326, pp. 293–297, 2014. <https://doi.org/10.1016/j.nimb.2013.10.092>
10. A. Turner, "Lead pollution of coastal sediments by ceramic waste," *Marine Pollution Bulletin*, vol. 138, October 2018, pp. 171–176, 2019. <https://doi.org/10.1016/j.marpolbul.2018.11.013>

11. Z. Keshavarz and D. Mostofinejad, "Porcelain and red ceramic wastes used as replacements for coarse aggregate in concrete," *Construction and Building Materials*, vol. 195, pp. 218–230, 2019. <https://doi.org/10.1016/j.conbuildmat.2018.11.033>
12. E. Lasseguette, "Chemical, microstructural and mechanical properties of ceramic waste blended cementitious systems," *Journal of Cleaner Production*, vol. 211, pp. 1228–1238, 2019. <https://doi.org/10.1016/j.jclepro.2018.11.240>
13. A. S. El-Dieb and D. M. Kanaan, "Ceramic waste powder an alternative cement replacement – Characterization and evaluation," *Sustainable Materials and Technologies*, vol. 17, 2018.
14. M. Samadi, M. W. Hussin, and H. Lee, "Properties Of Mortar Containing Ceramic Powder Waste As Cement Replacement," *Jurnal Teknologi*, vol. 77:12, November, pp. 93–97, 2015.
15. S. Siddique, S. Chaudhary, S. Shrivastava, and T. Gupta, "Sustainable utilisation of ceramic waste in concrete: Exposure to adverse conditions," *Journal of Cleaner Production*, vol. 210, pp. 246–255, 2019.
16. K. Rashid, A. Razzaq, M. Ahmad, T. Rashid, and S. Tariq, "Experimental and analytical selection of sustainable recycled concrete with ceramic waste aggregate," *Construction and Building Materials*, vol. 154, pp. 829–840, 2017.
17. C. Medina, M. I. Sánchez De Rojas, C. Thomas, J. A. Polanco, and M. Frias, "Durability of recycled concrete made with recycled ceramic sanitary ware aggregate. Inter-indicator relationships," *Construction and Building Materials*, vol. 105, pp. 480–486, 2016.
18. D. J. Anderson, S. T. Smith, and F. T. K. Au, "Mechanical properties of concrete utilising waste ceramic as coarse aggregate," *Construction and Building Materials*, vol. 117, pp. 20–28, 2016.
19. P. O. Awoyera, J. M. Ndambuki, J. O. Akinmusuru, and D. O. Omole, "Characterization of ceramic waste aggregate concrete," *HBRC Journal*, pp. 1–6, 2016. <https://doi.org/10.1016/j.hbrj.2016.11.003>
20. E. H. Wadie, E. F. Sadek, and M. M. A. Wahab, "The Use of Ceramic Tile Waste as Aggregate in Concrete," *International Journal of Scientific & Engineering Research*, vol. 8, no. 11, pp. 1461–1468, 2017.
21. ASTM C 33-03, Standard Specification for Concrete Aggregates, West Conshohocken, PA, 2010.
22. ASTM C 127, Standard Test Method for Density, Relative Density (Specific Gravity), and Absorption. ASTM International, West Conshohocken, PA, 2001.
23. ASTM C 88-99a, Standard Test Method for Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate. ASTM International, West Conshohocken, PA, 1999.
24. ASTM C 131-01, Standard Test Method for Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine 1. ASTM International, West Conshohocken, PA, 2001.
25. BS 812-105.2-1990, Testing aggregates, no. 105. British Standard, 2000.
26. ACI 211.1-91, Concrete Mix Design ACI 211. 1-91. ACI Committee 1991, Farmington Hills, 1991.
27. ASTM C 39, Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens. West Conshohocken: ASTM International, 2003.
28. J. Shen and Q. Xu, "Effect of moisture content and porosity on compressive strength of concrete during drying at 105 °C," *Construction and Building Materials*, vol. 195, pp. 19–27, 2019.
29. K. M. Kim, S. Lee, and J. Y. Cho, "Effect of maximum coarse aggregate size on dynamic compressive strength of high-strength concrete," *International Journal of Impact Engineering*, vol. 125, pp. 107–116, 2019. <https://doi.org/10.1016/j.ijimpeng.2018.11.003>
30. S. Siddique, S. Shrivastava, and S. Chaudhary, "Durability properties of bone china ceramic fine aggregate concrete," *Construction and Building Materials*, vol. 173, pp. 323–331, 2018.

## AUTHORS PROFILE



**Muhtar**, working as a Lecturer in Civil Engineering at the University of Muhammadiyah Jember, Indonesia. Doctor in Structural Engineering from Brawijaya University, Indonesia. Research works in bamboo construction and concrete technology.