

Dublicat	ion	OPEN (ACCESS Enter Sea	rch Keyword Q Search
Publicat	1011 👱	<u>Online Pa</u>	per Submission 17	646 Articles From 86 Journals
CALL FOR PAPER	March - March	2020 ISSUE	Submit an Article	G Select Language
About IAEME Authors Informatio	n Internationa	al Journals P	rocessing Charges Quality of Journals	Download Journal Subscription
Journal Links	dournal impa	et Factor (JIF)		Nov
Home			OF CIVIL ENGINEERING	
Aim and Scope	2020 : 2019 :	11.3296	TECHNOLOGY	
	2018 :	10.3547	(IJCIET)	International Journal
Journal Description	2017	9.9845		
Subject Area	2015	9.7820	Journal ID : 2120-0203	(IJCIEI)
Editorial Board/Review Board	2014	7.9290	11 Volumes 81 Issues 6189 Arti	cles
Publication Ethics and	2013	3 1861	Google Scholar Profile Li	nk 🛃 😹
Malpractice Statement	2011	: 1.2000		Annual Production
Plagiarism policy	2010	: 0.8515		Construction of the second
Abstracting and indexing	ISSN PRINT	C: IAEME 1:0976 - 6308		
	ISSN ONLIN	E : 0976 - 6316		
Article workflow				
Paper Template	-		Current Issue	
Paper Preparation Guidelines	Volume 11	Issue 3	March 2020	Link NEW
Article Processing Charnes			Previous Issue	
a station of the station of the state of the	Volume 11	Issue 2	February 2020	Link
Copyright	Volume 11	Issue 1	January 2020	Link
Online Paper Submission	Volume 10 Volume 10	Issue 12 Issue 11	November 2019	Link
Subscription	Volume 10	Issue 10	October 2019	Link
te destructe Destructu	Volume 10	Issue 9	September 2019	Link
Invitation to Reviewer	Volume 10	Issue 8	August 2019	Link
FAQ	Volume 10	Issue 6	June 2019	Link
Contact us	Volume 10	Issue 5	May 2019	Link
	Volume 10 Volume 10	Issue 4	April 2019 March 2019	
ALL FOR PAPER	Volume 10	Issue 2	February 2019	Link
CALL FOR PAPER FEBRUARY - FEBRUARY 2020 ISSUE	Volume 10	Issue 1	January 2019	Link
	Volume 9 Volume 9	Issue 13	December 2018	Link
MARCH 2020 ISSUE	Volume 9	Issue 11	November 2018	Link
	Volume 9	Issue 10	October 2018	Link
News	Volume 9 Volume 9	Issue 9	September 2018	Link
	Volume 9	Issue 7	July 2018	Link
October 1 2019 Generic Scholar Citations NEW	Volume 9	Issue 5	June 2018	Link
bogic contrain on the one	Volume 9	Issue 5	May 2018 April 2018	Link
January 16 2016 IAEME Journal Citation	Volume 9	Issue 3	March 2018	Link
December 2015 NEW	Volume 9	Issue 2	February 2018	Link
	Volume 9 Volume 8	Issue 12	January 2018	Link
	Volume 8	Issue 11	November 2017	Link
	Volume 8	Issue 10	October 2017	Link
	Volume 8	Issue 9	September 2017 August 2017	Link
	Volume 8	Issue 7	July 2017	Link
	Volume 8	Issue 6	June 2017	Link
	Volume 8	Issue 5	April 2017	Link
More	Volume 8	Issue 3	March 2017	Link
	Volume 8	Issue 2	February 2017	Link
	Volume 7	Issue 1	November - December 2016	Link
	Volume 7	Issue 5	September October 2016	Link
	Volume 7	Issue 4	July - August 2016	Link
	Volume 7 Volume 7	Issue 3	March - April 2016	Link
	Volume 7	Issue 1	January - February 2016	Link
	Volume 6	Issue 12	December 2015	Link
	Volume 6	Issue 10	October 2015	Link
	Volume 6	Issue 9	September 2015	Link
	Volume 6	Issue 8	August 2015	Link
	Volume 6	Issue 7	July 2015	Link
	Volume 6	Issue 5	May 2015	Link
	Volume 6	Issue 4	April 2015	Link
	Volume 6	Issue 3	March 2015	Link
	Volume 6	Issue 2	January 2015	Link
	Volume 5	Issue 12	December 2014	Link
	Volume 5	Issue 11	November 2014	Link
	Volume 5	Issue 10	September 2014	Link
	Volume 5	Issue 8	August 2014	Link
	Malura 5	Lanua 7	Lub. 2014	Link

Volume 5	Issue 10	October 2014	Link
Volume 5	Issue 9	September 2014	Link
Volume 5	Issue 8	August 2014	Link
Volume 5	Issue 7	July 2014	Link
Volume 5	Issue 6	June 2014	Link
Volume 5	Issue 5	May 2014	Link
Volume 5	Issue 4	April 2014	Link
Volume 5	Issue 3	March 2014	Link
Volume 5	Issue 2	February 2014	Link
Volume 5	Issue 1	January 2014	Link
Volume 4	Issue 6	November - December 2013	Link
Volume 4	Issue 5	September - October 2013	Link
Volume 4	Issue 4	July August 2013	Link
Volume 4	Issue 3	May June 2013	Link
Volume 4	Issue 2	March - April 2013	Link
Volume 4	Issue 1	January - February 2013	Link
Volume 3	Issue 2	July - December 2012	Link
Volume 3	Issue 1	January - June 2012	Link
Volume 2	Issue 2	July - December 2011	Link
Volume 2	Issue 1	January - June 2011	Link
Volume 1	Issue 1	January - December 2010	Link

EDITORIAL BOARD

Chief	Editor	
Dr.	Kadhim Naief Kadhim	College of Engineering, Babylon University, IRAO
Aana	ging Editor	
Dr.	H.T.Basavarajappa	Department of Studies in Earth Science, University of Mysore, India
As so	ciate Editors	
)r.	V.Antony Joe Raja	Sri Muthukumaran Institute of Technology, India
Prof.	B. Arthi Gandhimathi	IAEME Publication, India
Dr.	N. Tamil Selvan	IAEME Publication, India
Ērs	D. S. Chengalvarayam	IAEME Publication, India
Сору	Editors	
Vir.	K.Prasanth	IAEME Publication, India
Vir.	T.Nagarajan	IAEME Publication, India
Edito	rial Board	
Dr.	Mariappan.P	TWAD BOARD, India.
)r.	Saleh Abd El-Aleem Mohammed	El- Fayoum University, Fayoum, Egypt
Dr. S	Yongwei shan	Oklahoma state university, USA.
)r,	Pei tang	JCMS, Inc- Mercerville, USA.
)r,	Najm alghazali	Babylon University, IRAQ.
)r.	Moises diaz-cabrera	University of Las Palmas de Gran Canaria, Spain.
)r.	Cristina T. Coquilla	PIMSAT Colleges Dagupan City, Philippines.
Dr.	Ammar Al-Ojaili	Higher College of Technology / Muscat, Sultanate of Oman.
)r.	Mohsen Sherif	College of Engineering, UAE University, UAE.
Dr.	Alireza bahrami	Islamic Azad University-Ahvaz Branch, Iran.
)r.	Fred Boadu	Duke University Durham, USA.
)r.	Mirko Mazza	Università della Calabria, Italia
Dr.	Taha Ibrahim	Benha University,Egypt
Prof.	Ragab Megahed Abd El-Naby	Benha University,Egypt
Prof.	Fabio Mazza	University of Calabria, Italy
)r.	Ali Akbar Firoozi	Universiti Kebangsaan Malaysia, Malaysia
)r.	Wilson Udo Udofia	University of Uyo, Nigeria
5	Behnaz H. Zaribaf	Georgia Institute of Technology, Atlanta, GA, USA
)r.	Srijit Biswas	Manav Rachna International University, Faridabad, India
)r.	PL Meyyappan	Kalasalingam University, India
Prof.	Anne Mary J	Vel Tech Dr. RR & Dr. SR University, Chennai,
)r.	Vikas Srivastava	Sam Higginbottom University of Agriculture Tech & Sciences, UP-India
Dr.	A.Siva Sankar	KL University, India
Dr.	P. Perumal	Vignan University, India
Prof.	Gloria Terenzi	University of Florence, Italy
Dr.	A. Vijayakumar	GMR Institute of Technology, Rajam, Andhara Pradesh, India
Dr.	Satish kumar Moparthi	Kallam Haranadha Reddy Institute of Technology, Andhra pradesh, India
Dr.	N.Sivakumar	SSN College of Engineering, Tamilhadu, India
)r.	Dr. Babu Rao Gudipudi	Narasaraopeta Engineering College, Andhra Pradesh, India
Dr.	Mattia Rapa	Sapienza University of Rome, Italy
Dr.	Valentine Yato KATTE	Higher Technical Teacher Training College (HTTTC) Bambili, Cameroon
Dr.	Komal P.Mehta	ITM, Universe, Vadodara, Gujarat, India
Prof.	Aamer Najim Abbas	Mustansiriyah University/College of Engineering/Water Resources Engineering Department Irac
Dr.	T. Phani Madhavi	Narasaraopeta Engineering College, Andhra Pradesh, India
Ēr,	Manish Venugopal	Project Manager, Randolph & Son Builders Inc., Pineville, NC, United States
tevie:	wer Board	
Dr.	Ajit Kumar	Indira Gandhi National Open University (IGNOU), New Delhi, India



N.	Pu Pu	Den 🔂 AC	CESS Submission	er Scarch Keyword 17646 Articles	From 86 Jo	Q Searc
	CALL FO	R PAPER March - March 2020 ISSUE	- Submit an Article	G Select L	anguage 🔻	
About N Print ume 9, pyright DownLo DownLo DownLo DownLo	IAENIE Author tional Journal of 1: 0976 - 6308 Issue 8 (2018) (SIAEME, 2019) tetrics pad (3 Weeks) pad (6 Woeks) pad (6 Montha) pad (1 Year)	Information International Journals Processon Civil Engineering and Technology (IJCIET) ISSN Online: 0976-6316 1780 1780 2131	g charges Quality of Journa			n Subscript
S.No	Article ID	Title of the Paper	Authors	Pages	Downloads	How to cite this
1	UCIET_09_08_001	EFFECT OF MICRO-SILICA AND NANO-SILICA ON MECHANICAL PROPERTIES OF CONCRETE Download	NEERAJ KUMAR BHAGAT and JAGDEEP SINGH GAHIR	1-7	117	article <u>View</u>
2	UCIET_09_08_002	PARTIAL REPLACEMENT OF CEMENT BY WASTE PAPER POWDER SLUDGE Download POIL Asstrat: Reference	NITISH THAKUR and NITISH KUMAR SHARMA	8 - 16	95	View
3	IJCIET_09_08_003	ANALYSIS OF NURSING DIAGNOSIS USING AN EXPERT SYSTEM IN PAEDIATRIC PATIENTS Download POIL Addrais Reference	ABDUL AZIZ ALIMUL HIDAYAT & MUSRIFATUL ULIYAH	and 17 - 28	21	View
4	IJCIET_09_08_004	RADAR RAINFALL CALIBRATION FOR IMPROVED GUANITIATIVE PRECEPTATION ESTIMATES IN KELANTAN AND TERENGGANU RIVER BASINS Download	T. WARDAH, R. SUZANA, O. SAZALI, A. HAFIZ, M.S. LARIYA and J. SHARMY	H 27-38	13	View
5	IJCIET_09_08_005	DETERMINATION OF MECHANICAL PROPERTIES NATURAL RUBBER COMPOUNDS USING DOUDLE SHEAR TEST PIECES DOWNDOG POF Austral Reference	R. ISMAIL, A. IBRAHIM, M. RUS and A. ADNAN	OP 37 - 43	22	View
6	UCIET_09_08_006	A STUDY ON THE CIVIL ENGINEERING LOGISTICS GROWTH AND CHALLENGES IN INDIA Download PDF Austract Reference	J. RENGAMANI and A. SHAMEE	EM 44 - 53	43	View
7	JCIET_09_08_007	AN EXPERIMENTAL STUDY OF SLOPE STABILITY WITH GROUP ACTION OF MICROPILE'S Download	HARISH CHAND and JAGDEEP SINGH	54 - 60	21	View
8	UCIET_09_08_008	DYNAMIC ANALYSIS OF OUTRIGGER SYSTEMS IN HIGH RISE BUILDING AGAINST LATERAL LOADING Download PDF Asstract Reference	PANKAJ SHARMA and GURPRE SINGH	ET 61 - 70	17	View
9	IJCIET_09_08_009	DYNAMIC ANALYSIS OF DIAGRID STRUCTURAL SYSTEM IN HIGH RISE STEEL BUILDING'S Download	AKSHAT and GURPREET SING	H 71-79	19	View
10	IJCIET_09_08_010	EVALUATION OF IMPLEMENTATION OF TRANSFER OF DEVILOPMENT RIGHTS MECHANISM DURING LAST TWO DECADES: TWO CASE STUDIES OF NAGPUR (M.SUNDIA Download Port Austral Reference	AMIT M. DESHMUKH and VINA S. ADANE	YAK 80 - 95	12	View
11	UCIET_09_08_011	ASSESSING THE INFORMATION SECURITY CULTURE IN A GOVERNMENT CONTEXT: THE CASE OF A DEVELOPING COUNTRY Download	MOHAMAD NOORMAN MASRE QAMARUL NAZRIN HARUN and NOOR ZAIDI SAHID	К, 1 96 - 112	14	View

SANJAY THAKUR and HARPREET

JUNG SOO PARK, HYONSEUNG DHO

PRIVA S. NATESH, I.V. SARMA and K. BASKAR

CHETAN THAKUR and JAGDEEP SINGH GAHIR

D. KIRUBAKARAN and B. JOSERAVINDRARAJ

VIPIN KUMAR SWAROOP, N.B. SINGH and APOORV VERMA

BARJESH KUMAR and GURPREET SINGH

MOHD SAFRI ALI, MOHD SANI ISMAIL, WAN HISHAMUDIN WAN JUSOH, SYED HADZRULLATHFI

VAN

113 - 119

120 - 129

130 - 138

139 - 146

147 - 154

155 - 165

166 - 174

175 - 180

24

29

11

20

17

14

20

18

View

View

View

View

View

View

View

View

PDF Abstract Reference

PDF Astract Reference

POF Abstract Reference

PUF Abstract Reference

POF Abstract Reference

PDF Abstract Reference

PDF Abstract Reference

PDF Abstract Reference

12

13

14

15

16

17

18

19

IJCIET_09_08_012

IJCIET_09_08_013

IJCIET_09_08_014

IJCIET_09_08_015

IJCIET_09_08_016

IJCIET_09_08_017

UCIET_09_08_018

IJCIET_09_08_019

RESEARCH ON EFFECT OF SILICA FUME AND FLY ASH WITH PARTIAL REPLACEMENT OF CEMENT AND FINE AGGREGATE Download

ANALY SIS OF A2O PROCESS IN WASTE WATER USING STATISTICAL TECHNIQUES Download

EFFECT OF MICRO-SILICA AND MARBLE DUST ON MECHANICAL PROPERTIES OF CONCRETE Download

TENSION FIELD ACTION IN PLATE GIRDER UNDER VARIOUS LOADING CONDITIONS Download

UTILIZATION OF PELLETIZED FLY ASH AGGREGATE TO REPLACE THE NATURAL AGGREGATE: A REVIEW Download

ASSESSMENT OF GROUNDWATER QUALITY USING WATER QUALITY INDEX IN UNNAO DISTRICT, UTTAR PRADESH, INDIA Download

SEISMIC ASSESSMENT OF TALL RC BUILDING INCORPORATED WITH HYBRID OUTER FRAME SYSTEM USING LINEAR DYNAMIC ANALYSIS Download

HEALING STRESS THROUGH SURAH AL-FATIHAH: AN ALTERNATIVE Download

	19	IJCIET_09_08_019	HEALING STRESS THROUGH SURAH AL-FATIHAH: AN ALTERNATIVE Download FDF Abstract Reference	MOHD SAFRI ALI, MOHD SANI ISMAIL, WAN HISHAMUDIN WAN JUSOH, SYED HADZRULLATHFI SYED OMAR and ROSLIDA ABDUL RAZAK	175 - 180	18	View
	20	UCIET_09_08_020	A STUDY ON FACTORS LEADING TO SAFETY MANAGEMENT AMONG THE MARINE ENGINEERS WITH REFERENCE TO MARITIME SECTOR Download PDF Abstract Reference	D. RAJASEKAR and BHOOPATHY BHASKARAN	181 - <mark>1</mark> 86	6	View
	21	IJCIET_09_08_021	A REVIEW ON WIDER APPLICATION OF SUPPLEMENTARY CEMENITIOUS MATERIALS ON THE DEVELOPMENT OF HIGH PERFORMANCE CONCRETE Download PDF ADState Reference	SANJAY KUMAR and BABOD RAI	187 - 204	14	View
	22	IJCIET_09_08_022	DYNAMIC RESPONSE OF BUILDINGS ON DIFFERENT TYPES OF FOUNDATIONS THROUGH SHAKE TABLE TE STS CONSIDERING SSI EFFECT Download PDF ADSURE Reference	MADAN KUMAR and S.S. MISHRA	205 - 216	17	View
	23	IJCIET_09_08_023	SEISMIC VULNERABILITY ASSESSMENT OF RC PRECAST BUILDINGS Download PDF Abstract Riference	B. KRANTHI and J.S.R. PRASAD	217 - 225	21	View
	24	IJCIET_09_08_024	MONO-AND MULTI- LANGMUIR SORPTION ISOTHERM MODELS OF BTEX REMOVAL FROM GROUNDWATER BY GDAS Download PDF Absube: Reference	MUDHAFFER S. AL-ZUHAIRY, ALI H. AL-ABOODI and RISALAH A MOHAMMED	226 - 238	11	View
	25	IJCIET_09_08_025	INFLUENCE OF BOOSTER CHLORINATION ON BALANCE IN QUALITY OF WATER DISTRIBUTION NETWORKS Download	M.S.D. HIMA BINDU, K RAJASEKHARA REDDY and G.V.K.S.V. PRASAD	239 - 246	15	View
	26	IJCIET_09_08_026	ANALYSIS OF SATISFACTION AND LOYALTY OF TOURIST BASED ON THE LOCAL WISDOM IN NORTH SUMATRA (A STUDY AT THE LEADING TOURISTS AREA IN NORTH SUMATRA) Download	WAN SURYANI, ARLINA NURBAITY, ENDANG SULISTY'A RINI and BEBY KARINA SEMBIRING	247 - 259	13	View
	27	IJCIET_09_08_027	TECHNICAL AUDIT OF FACILITIES AND INFRASTRUCTURE OF WATER DAMAGE CONTROL STRUCTURE AT JANGKOK RIVER IN MATARAM CITY Download	ARIANTO, SURYAWAN MURTIADI and SASMITO SUKARNO	260 - 272	16	View
/	28	IJCIET_09_08_028	THE STIFFNESS AND CRACKED PATTERN OF DAMBOO REINFORCED CONCRETE BEAMS USING A HOSE CLAMP Download	MUHTAR, SRI MURNI DEWI, WISNUMURTI and AS'AD MUNAWIR	273 - 284	34	View
	29	IJCIET_09_08_029	OUANTITATIVE METHODS FOR PREDICTING CONCRETE PLASTIC SHRINKAGE CRACKING Download PDF Abstate Reference	S. SANKARAN and VM. SOUNTHARARAJAN	285 - 291	25	View
	30	IJCIET_09_08_030	THE REMOVAL OF COBALT, NICKEL, CADMIUM AND LEAD FROM WASTERWATER USING LANTANA CAMARA AS ADSORBENT Download PDF ADSIZEC Reference	ROHAN JEFFERY ROBERT and C R GIRISH	292 - 303	20	View
	31	IJCIET_09_08_031	BENDING PERFORMANCE OF RC BEAMS STRENGHTENED WITH NEAR SURFACE MOUNTED CARBON FIBER REINFORCED POLYMER (CRPP) PLATE OR ROD UNDER LONG TERM SALTWATER EXPOSURE Download PDI ADDUBE Reforme	AMIRUDDIN MISHAD, MOHD HISBANY MOHD HASHIM, AZMI IBRAHIM and SHAHIRAH BINTI SAIDIN	304 - 317	10	View
	32	IJCIET_09_08_032	THE POSSIBILITY OF USING A DIGITAL CAMERA AND VIDEOGRAMMETRIC TECHNIQUES FOR MONITORING OF OBJECTS MOVING AT DIFFERENT SPEEDS Download PDF ADSUGG RECENCE	FATIN MIZHER RADI and JASIM AHMED ALI AL-BAGHDADI	318 - 331	11	View
	33	UCIET_09_08_033	THE REVERSED ESTIMATION OF VARIABLE STEP SIZE IMPLEMENTATION FOR SOLVING NONSTIFF ORDINARY DIFFERENTIAL EQUATIONS DOWNLOAD PDF ADSIDE REPERTE	J.G. OGHONYON, O.F. IMAGA, P.O. OGUNNIYI	332 - 340	7	View
	34	IJCIET_09_08_034	UTILIZATION OF FLY-A SILAND COR FIBRE IN SOIL REINFORCEMENT Download PDF Austral Reference	ISHFAO AHMAD LONE and ABHISHEK BAWA	341 - 346	26	View
	35	IJCIET_09_08_035	PREDICTION OF COLLAPSED LOAD OF STEEL COLUMNS USING FINITE STEIP METHOD Download PDF ADState Reference	OLATOKUNBO OFUYATAN, SIMON OLAWALE, ANTHONY EDE, SOLOMON OYEBISI, JOHN OLUWAFEMI, TOLULOPE ALAYANDE	347 - 357	17	View
	36	IJCIET_09_08_036	STRUCTURAL ANALYSIS OF A GENETIC ALCORITHM OPTIMIZED STEEL TRUSS STRUCTURE ACCORDING TO BS 5959 Download EDF ADSUAC Reference	A.N. EDE, O. D. OSHOKOYA, J.O. OLUWAFEMI, S.O. OYEBISI, O.M. OLOFINNADE	358 - 364	10	View
	37	IJCIET_09_08_037	OPTIMIZATION OF THERMAL COMFORT IN OFFICE BUILDINGS USING NON-TRADITIONAL OPTIMIZATION TECHNIQUES DOWNload PDF ADSURG RECENCE	S. ELIZABETH AMUDHINI STEPHEN	365 - 377	13	View
	38	IJCIET_09_08_038	OPTIMIZATION OF INDOOR ENVIRONMENTAL QUALITY IN RESIDENTIAL BUILDING USING NON-TRADITIONAL OPTIMIZATION DOWNload PUE ADSUBCE Reference	S. ELIZABETH AMUDHINI STEPHEN	378 - 392	14	View
	39	IJCIET_09_08_039	MODELLING AND ANALYSIS OF FLYOVER DECK SLAB WITH U-BOOT TECHNOLOGY Download PDF ADSUBG RELEVENCE	H. SUDARSANA RAO and M. SURYA PRASANTH	393 - <mark>4</mark> 03	18	View
	40	IJCIET_09_08_040	INCREASING THE COMPETITIVENESS OF CONSTRUCTION COMPANIES IN THE FIELD OF HOUSING CONSTRUCTION BY OPTIMIZING THE FLEET OF CONSTRUCTION EQUIPMENT Download BDI (Jostage Reference	VERONIKA VICTOROVNA ASAUL and ALEXEY OSIPOVICH BEREZIN	404 - 416	14	View
	41	IJCIET_09_08_041	MEANING IN LIFE AND LEVEL OF WELL-BEING AMONG LESDIAN. GAY, DISEXUAL AND TRANSGENDER (LGDT) PERSONS Download PDF Abstrac Reference	SALASIAH HANIN HAMJAH, SUHAYA DERAMAN, AHMAD IRDHA MOKHTAR and NURUL ASMAA ISMAIL	417 - 431	15	View
	42	IJCIET_09_08_042	SURVEY OF TEN NON-TRADITIONAL OPTIMIZATION TECHNIQUES Download PDF Absting Reference	S. ELIZABETH AMUDHINI STEPHEN	432 - 453	18	View

12	IJCIET_09_08_042	PDF Abstar, Reference	S. ELIZABETH AMUDHINI STEPHEN	432 - 453	18	View
43	IJCIET_09_08_043	RETAIL ATTRACTIVENESS THROUGH LEVEL OF URBANIZATION AND IMAGEABILITY OF INTRA-URBAN MODES OF INDAN CITIES: CASE STUDY OF PATNA Download	AJAY KUMAR, B.K. DAS and F. RAJAK	454 - 462	5	Vicw
14	IJCIET_09_08_044	SPATIAL DISTRIBUTION OF GROUNDWATER QUALITY IN THE NORTH EAST COASTAL AQUIFER, TAMIL NADU, INDIA Download FDT ADStract Reference	T. SIVA SUBRAMANIAN and MARYKUTTY ABRAHAM	463 - 476	9	View
15	IJCIET_09_08_045	STRENGTH AND DURABILITY PERFORMANCE OF LATEX MODIFIED FIBER REINFORCED CONCRETE Downbad	GORLE LOKESWARARAO, BIMALENDU DASH, B PR V S PRIYATHAM	477 - 486	28	View
16	IJCIET_09_08_046	STUDENTS'ACCEPTANCE OF THE TITAS MOOCS LEARNING MODULE IN UNIVERSITY MALAYSIA SABAH Download	ROS AIZA MOHD MOKHTAR, ABD HAKIM MOHAD, MASHITAH SULAIMAN and LATIFAH ABDUL LATIFF	487 - 495	11	View
17	IJCIET_09_08_047	SEISMIC ANALYSIS OF RCC STRUCTURE WITH DIFFERENT TYPES OF BRACING SYSTEM Download FDF Abstand Release	KARTIK PRASHAR and JAGDEEP SINGH GAHIR	496 - 503	28	View
8	IJCIET_09_08_048	EVALUATION OF SUBBASE MATERIALS FOR MECHANISTIC PAVEMENT DESIGN Download PDF Abstract Reference	A.K. ARSHAD, E. SHAFFIE, F. ISMAIL, W. HASHIM, Z. ABD RAHMAN	504 - 512	19	View
19	IJCIET_09_08_049	ASPHALTIC CONCRETE EVALUATION FOR MECHANISTIC PAVEMENT DESIGN Download PDF ADSTREE REFERENCE	A.K. ARSHAD, E. SHAFFIE, F. ISMAIL, W. HASHIM, Z. ABD RAHMAN	513 - 521	24	View
50	IJCIET_09_08_050	ANALYSIS OF VERTICAL IRREGULAR BUILDING UNDER BLAST LOADING Download PDF ADSIRG REFERE	PRABHPREET SINGH and ADITYA KUMAR TIWARY	522 - 529	34	View
	1	Pages 1 [2] 3	[4]			

DM | DARET | DCIET | DMET | DECET | DECET | DCIET | DC



0.15				also developed by	CINICIPALITY SCIMAGO INSTITUTIONS RANKINGS
SJR	Seimago Journal & Country Rank	Home Journal Rankings Country Rankin	gs Viz Tools Help /	About Us	Journal Title, ISSN or Publisher Name Q.
	*	Ads by Go	ogle		
			of the and the		
	International Jo	urnal of Civil Engineering a	nd Technology		
	Discontinued in Scopus as of 2	2019			
	COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX	
	India	Computer Science	IAEME Publication	23	
	Universities and research institutions in Indea	Communications		20	
		Building and Construction Civil and Structural Engineering			
		- Control and Systems Engineering			
		Materials Science Ceramics and Composites Matals and Allovs			
		inclusion and another			
	PUBLICATION TYPE	15.5N	COVERAGE		
	Journals	09766308, 09786316	2016-2019		
	+ Ads by Goog	gle			
	Send feedbac Why this ad?	* 0			
	SCOPE				
		Q Join the conversation	about this journal		

+	Ads by Google	
	Send keefback Why this ad? (0)	
	Contract Information (Contract Contract Contract Contract Contract Contract Contract Contract Contract Contract	











Certified Organic at iHerb®

Whole Grain — The Secret of Nature's Super Food Available at iHerb

Metrics based on Scopus® data as of April 2021



Teniola Babalola 10 months ago

Good Day SCImago Team. Lineed corne clarifications from you please. As seen on this page, International Journal of Civil Engineering and Technology has been discontinued by Scopus since 2019.

Question 1

Why did the same journal move from Q3 which it was last year to Q2 now(which should ordinally mean it has a better ranking by 5JR now then before). I have checked and confirmed that it has been truly discontinued.

Question 2 What is the status of a paper published in the Journal in December, 2019? Will it be indexed in Scorus?

Question 3 Does SCImago too index like Scopus , ISI and the others?

Please, Kindly clear my doubts. I am quite confused . Explain these to me please.

Thanks.

mply



SCIImago Team

Thank you for contacting us.

The SJR reflects the data that Scopus sends us annually. The SJR its calculated for the last year, although all the information calculated for previous years can be consulted on our website. Despite the fact that a journal no longer appears in Scopus, as long ea StOlmago continues to receive data from Scopus related to the Chaton Window (necessary to calculate the SJR), the scientometric indicators are still being calculated. Besides, a paper will be considered as Scopus indexed as long as it has been published in the same period in which Scopus has indexed the journal. For this reason, we always recommend to consult the Scopus database directly to see the current status of a journal . You can also context Scopus Support for further information here: https://service.service.org/ap/s.uk/14883/w/scimago/supporthub/scopus/ Finally, ScImago Journal and Csuntry Rank uses Scopus data only.

Best Regards, SCImago Team



Is IJCIET still indexed by Spocus / SJR?

4. GCG SIMULTANET	TY EFFECTS, PROFIL	MANAGEMENT	AND VALUE O	F INDONESIAN RETAIL
COMPANIES				

http://www.iaeme.com/MasterAdmin/UploadFolder/JJCIET_09_07_160/JJCIET_09_07_160.pdf 5. THE INFLUENCE OF INTERNAL CONTROL AND COMPETENCE OF HUMAN RESOURCES ON VILLAGE FUND MANAGEMENT AND THE IMPLICATIONS ON THE QUALITY OF VILLAGE FINANCIAL REPORTS

http://www.laeme.com/MasterAdmin/UploadFolder/JJCIET_09_07_162/JJCIET_09_07_162 pdf 6. ACTOR-NETWORK AND CONFLICT PLACEMENT OF CAPITAL NORTH BUTON: THE CASE OF INDONESIAN CASUAL

http://www.iaeme.com/MasterAdmin/UploadFolder/JJCIET_09_07_166/JJCIET_09_07_166.pdf 7. ABDULLAH THE PRIEST AND HIS ADVICE BASED ON THE AL-QURAN AND HADITH http://www.iaeme.com/MasterAdmin/UploadFolder/LJCIET_09_07_167/LJCIET_09_07_167.pdf 8. AN EFFECT PHENOMENA CIRCLE LIVING FIELD IN SECANGGANG LANGKAT http://www.laeme.com/MasterAdmin/UploadFolder/IJCIET_09_07_168/IJCIET_09_07_168.pdf

this is only example that the articles are not related to engineering nor even related to civil engingeering and technology, how can scopus and scimago team made this journal in quartile 3, you should consider this and stop coverage indexing in this journal to keep your reputable name.

-		

-			
9	Jack Monrow 3 years app		
	This journal money predator, see this URL http://www.iaeme.com/ijciet/issues.asp?VType=9		
	 robly 		
		SCimago T	asm.
1	Elena Corera 3 years ago	Contract of the	
	Thanks for the infol		
	Dr.Karlhim Najef Karlhim 3 years and		
	This journal is a very good journal		
	► roniv		
1	Elena Corera 3 years ago	SChrouge T	LILETT .
	Thanks for your participation!		
Leave a comme	nt		
Name			
Email			
will null be published			
	~		
Fm not a	indot indot		
- Contraction			
Suomit			
The users of Sc	mage Journal & Country Rank have the possibility to	dialogue through comments linked to a	
specific journal, journal, experter	The purpose is to have a forum in which general do ices and other issues derived from the publication o	ibts about the processes of publication in f papers are resolved. For topics on partice	the dar
articles, mainta	n the dialogue through the usual channels with your	editor.	





IAEME Publication

(Publishers of High Quality Peer Reviewed Refereed Scientific, Engineering & Technology, Medicine and Management International Journals)

www.iaeme.com editor@iaeme.com iaemedu@gmail.com

INTERNATIONAL JOURNAL OF CIVIL ENGINEERING & TECHNOLOGY (IJCIET) **Scopus Indexed Journal**

www.iaeme.com/ijciet/index.asp

Paper ID: IJCIET_09_08_028

Date: 16-August-2018



This is to certify that the research paper entitled "THE STIFFNESS AND CRACKED PATTERN OF BAMBOO REINFORCED CONCRETE BEAMS USING A HOSE CLAMP" Authored by "Muhtar, Sri Murni Dewi, Wisnumurti and As'ad Munawir" had been reviewed by the Editorial Board and published in "International Journal of Civil Engineering & Technology (IJCIET), Volume 9, Issue 8, August 2018, pp. 273–284, ISSN Print: 0976-6308 and ISSN Online: 0976-6316; Journal Impact Factor (2016): 9.7820 Calculated by GISI (www.jifactor.com); InfoBase Index IBI Factor for the year 2015-16 is 4.19; Thomson Reuters' Researcher ID: B-7378-2016".



Chief Editor

Plot: 03, Flat- S 1, PoomalaiSantosh Pearls Apartment, Plot No. 10, VaikoSalai 6th Street, Jai Shankar Nagar, Palavakkam, Chennai - 600 041, Tamilnadu, India. E-mail: editor@iaeme.com

International Journal of Civil Engineering and Technology (IJCIET)

Volume 9, Issue 8, August 2018, pp. 273–284, Article ID: IJCIET_09_08_028 Available online at http://www.iaeme.com/ijciet/issues.asp?JType=IJCIET&VType=9&IType=8 ISSN Print: 0976-6308 and ISSN Online: 0976-6316

© IAEME Publication



Scopus Indexed

THE STIFFNESS AND CRACKED PATTERN OF BAMBOO REINFORCED CONCRETE BEAMS USING A HOSE CLAMP

Muhtar

Department of Civil Engineering, Faculty of Engineering, University of Muhammadiyah Jember, Jember, 68121, Indonesia Department of Civil Engineering, Faculty of Engineering, University of Brawijaya, Malang, 65145, Indonesia

Sri Murni Dewi

Department of Civil Engineering, Faculty of Engineering, University of Brawijaya, Malang, 65145, Indonesia

Wisnumurti

Department of Civil Engineering, Faculty of Engineering, University of Brawijaya, Malang, 65145, Indonesia

As'ad Munawir

Department of Civil Engineering, Faculty of Engineering, University of Brawijaya, Malang, 65145, Indonesia

ABSTRACT

Bamboo has high tensile strength, so it can use for concrete construction, especially for simple construction. Bamboo has the slippery surface causes the cracks on Bamboo Reinforced Concrete (BRC) beam not to spread and yield slip failure between a bamboo bar and concrete. Load test of BRC beam yield a little crack and humble load capacity. This research aimed to increase the BRC capacity by giving waterproof coating, sand, and hose clamp installation. The capacity of the BRC element indicates by the parameter of cracked pattern and ultimate load. A beam test specimen with the size of 75 mm x 150 mm x 1100 mm made as many as 26 pieces with the variety of reinforcement. The testing using a simple beam with two-point loading. The test results show that installation of a hose clamp on a bamboo bar with waterproof and sand coating can increase the ultimate load of BRC beams, increase the crack line number, and spread more cracks. There is a difference of stiffness between BRC beams and SRC beams.

273

Key words: technical audit, operation and maintenance, priority handling.

Cite this Article: Muhtar, Sri Murni Dewi, Wisnumurti and As'ad Munawir, The Stiffness and Cracked Pattern of Bamboo Reinforced Concrete Beams Using a Hose Clamp. *International Journal of Civil Engineering and Technology*, 9(8), 2018, pp. 273-284.

http://www.iaeme.com/IJCIET/issues.asp?JType=IJCIET&VType=9&IType=8

1. INTRODUCTION

Bamboo can be used as a substitute for steel reinforcement in concrete construction, especially for simple construction. The tensile strength of bamboo can reach 370 MPa [1]. Bamboo is much cheaper than reinforcing steel for the same level of strength. Bamboo is easy to obtain, easily planted, can grow quickly, and as a renewable natural resource [2]. Bamboo for building materials is at least 3-5 years old from planting [3] and can be harvested for some time without needing to be planted again. The flexural strength of bamboo laminates is stronger than other natural composite materials [4]. Slippery surface is a weakness of bamboo stems. Modification of roughness such as giving a notch and wire coil has been done but has not been able to maximize results.

Some researchers have done roughness modifications such as giving notch and wire coil, but has not been able to maximize the result, even raises new problems in the form of reinforcement defects, long process, rust emergence, and so forth. Installation of hose clamp pegs increases the bond slip parameter from 1 MPa to 1,6 MPa [5]. Bamboo must be immersed in water, dried in free air for approximately 30 days [3], or over 30 days in free air [6], or they were sun-dried for almost 30 days [7], and coated with a waterproof coating such as wood paint, epoxy, melamine, varnish, and others. This is to prevent water absorption between bamboo and concrete. The use of bamboo without treatment was done by many rural societies such as for pillars, bridge framework, soil retaining wall, and others. Research has also been done for reinforcement of peat soil under embankment [8].

The results of pull out test of Javadian [9] showed that the base layer of epoxy and sand particles could provide extra protection on bamboo-composite reinforcement with concrete matrix without loss of bond strength. However, adhesive and slip failures still occur. Agarwal [3] conducted bamboo reinforcement research treated with Araldite adhesives, Tepecrete P-151, Anti Corr RC, and Sikadur 32 Gel. The treated bamboo reinforcement and the highest adhesive strength are applied as column and beam reinforcement. From the results of the study concluded that: (1) Sikadur 32 Gel shows the best adhesion strength; (2) from beam test with two-point load, showed that load capacity increased up to 29,41% with 1,49% bamboo reinforcement area, but the crack pattern and the slip failure still occur. Muhtar [10] tested pull-out on the bamboo reinforcement using the Sikadur[®]-752 and the hose clamp embedded in concrete cylinders. The result showed a 389% to 439% increase in adhesive stress from bamboo without treatment with a hose clamp spacing of 10 cm and 5 cm respectively. While the pattern of collapse indicates the bonding collapse pattern and concrete cone failure and Bamboo failure of a node. This shows the effect of mounting a hose clamp on the bamboo reinforcement [10].

From the description above, obtained facts that the capacity increase and the cracks pattern that occur in bamboo reinforced concrete beams is highly dependent on the bond treatment between bamboo reinforcement and concrete. Treatment by waterproof coating, and resurfacing, and the use of bamboo hose clamp is similar to the concept of deformed steel bars in concrete [11], namely the interaction of friction force and the support style between reinforcement and concrete. The sand resurfacing and the hose clamp installation on bamboo reinforcement will add a sliding resistance to the bamboo reinforcement. This is due to the

frictional force and the pavement force of the bamboo reinforcement surface will distribute through the hose clamp to the concrete. When the bending load occurs on the reinforced concrete beam, the concrete will withstand the compressive forces on concrete and the reinforcement will withstand the tensile forces. Thus, the flexural strength of the reinforced concrete beam will be determined by the cross-sectional dimension, the compressive strength of the concrete and the tensile strength of the reinforcement.

The stiffness of the beam (*EI*) is one of the main parameters of structural resistance to bending deformation. The stiffness of the concrete beam is a function of the modulus of material elasticity (*E*) and cross-sectional geometry or moment of inertia (*I*). The moment of inertia before cracking is used I_g , after cracking is used I_{cr} . The moment of effective inertia I_e is the value between I_g and I_{cr} . This understanding can be seen from the behavior of the load-deflection relationship in Figure 1.



Figure 1 The load-deflection correlation of concrete beam

The OABC trajectory is the trajectory of the initial cyclic load, the slope of the OA is the elastic modulus (E), and the initial crack occurs at point A. In the BC trajectory, the stiffness decreases compared to the rigidity of OA, with an increase in load almost absent, but resulting in a large deflection. The CDE trajectory is a load reversal that decreases slope, deflection and cracks closure.

Determination of beam stiffness is generally based on measuring beam bending. While the calculation of elastic modulus (E) of bamboo reinforced concrete beams for testing beams with two-point loads can follow Equation (1) [12]:

$$E = \frac{23PL^3}{648\Delta I} \left(N/mm^2 \right) \tag{1}$$

$$\Delta = \frac{23PL^3}{648EI} \quad (mm) \tag{2}$$

where E is the elastic modulus, Δ is the initial crack of the beam, P is the initial crack load, L is the beam span, and I is the moment of inertia of the cross-section.

2. MATERIAL AND METHODS

2.1. Bamboo

This research using bamboo petung (Dendrocalamus asper) aged between 3-5 years [3] along 6 meters from the base of bamboo stems. Bamboo immersed in water to remove starch content for approximately 30 days [13]. Then bamboo is dried in free air for approximately 30 days [3]. Bamboo reinforcement size is 7 x 10 mm², 10 x 10 mm², and 15 x 15 mm². The waterproof coating is given to reduce the water absorption of bamboo and as a sand adhesive.

Sand coating aims to make the surface of bamboo reinforcement rougher. This is done after the completion of the second stage waterproof coating [9]. Bamboo tension test conduct to determine the tensile strength and the elasticity modulus of bamboo. The bamboo specimen size 15 mm thick with a length of 300 mm. The bamboo pullout test procedure is the same as steel pullout test. The test performs on Universal Testing Machine (UTM) with a capacity of 500 kN.

2.2. Hose clamp and Sikadur[®]-752

This research using the stainless-steel hose clamp with diameter ³/₄" as shown in Figure 2. Hose clamp mounting distance varies between 0 cm, 15 cm, 20 cm, and 25 cm. Installation of a hose clamp on the bamboo reinforcement done after the first layer of waterproof coating is dry. This study using waterproof coating Sikadur[®]-752 which consists of 2 components namely component A and component B as shown in Figure 4. A second waterproof coating performs with the aim of closing first stage waterproof defects and for hose clamp to adhere more closely to the bamboo reinforcement. The bamboo reinforcement surface is sprinkled with sand to become rough after a second stage waterproof coating is completed [9]. Waterproof coating, hose clamp mounting, and sand coating shown in Figure 3 and Figure 5.



Figure 2 Hose-clamp ring



Figure 4 Sikadur[®]-752 and sand



Figure 3 Bamboo bars with waterproof and sand coating, and the hose clamp.



Figure 5 The process of waterproof and sand coating

2.3. Test Method

The material used is portland pozzolana cement, sand, coarse aggregate, and water with the proportion of 1: 1.81: 2.82: 0.52. The concrete compressive strength test carried out using a concrete cylinder with a diameter of 150 mm and a height of 300 mm. The compressive test using Universal Testing Machine (UTM) with 2000 kN capacity. A pull-out test of bamboo reinforcement using a Universal Testing Machine (UTM) with a capacity of 500 kN. The bamboo reinforcement dimension, preparation of a cylindrical test specimen, and the pullout test sets are shown in Figure 6 to Figure 8.

The beam test specimen was made as many as 26 pieces with the size of 75 mm x 150 mm x 1100 mm as shown in Figure 9, consisting of 24 pieces of the bamboo reinforced concrete beam (BRC), 1 steel reinforced concrete beam (SRC), and 1 concrete beam without reinforcement (PC). Bamboo reinforcement is installed as tensile reinforcement with a variation of reinforcement area 140 mm², 200 mm², and 450 mm². The steel rods used are 8 mm in diameter with an $A_s = 100.48 \text{ mm}^2$ reinforcement area.







Figure 6 The bamboo reinforcement dimension

Figure 7 Preparation of a cylindrical test specimen

Figure 8 Bamboo reinforcement pullout test setting



Information:

- *SRC* = Steel reinforced concrete
- PC = Plain concrete
- BRC = Bamboo reinforced concrete
- SG = Strain gauge
- s = Distance of hose-clamp (Variation of s = 0 cm, 15 cm, 20 cm, and 25 cm)
- A_s = Area of steel reinforced ($A_s = 100.48 \text{ mm}^2$)
- A_b = Area of bamboo reinforced (Variation of $A_b = 140 \text{ mm}^2$, 200 mm², and 450 mm²)

Figure 9 Detail and geometry of the bamboo reinforced concrete beam

The beam flexural test is carried out using a simple beam with a two-point loading method [14]. The *P* load is divided into two points spaced $\frac{1}{3}$ L from the beam support with a WF load spreader. The strain gauge is mounted on the bamboo reinforcement at a distance of $\frac{1}{2}$ L from the beam support to determine the strain that occurs. The strain gauge is connected to a six-digit digital strain meter. The deflection in the beam specimen was detected using LVDT (Linear Variable Displacement Transducers) at a $\frac{1}{2}$ L distance from the beam support. Beam

load provides using hydraulic jack and 200 kN load cell connected to the load indicator. Load control use as a hydraulic jack controller, deflection readings, and strain readings. After specimen reaches its ultimate load, deflection control becomes the controller of the strain and load. The settings of the test equipment and load scheme applied shown in Figure 10.



Figure 10 The flexural test of bamboo reinforced concrete

3. RESULTS AND DISCUSSION

3.1. Pull out tests results

From the pull-out test results, shows that the bond stress of bamboo reinforcement increases up to 240% compared to bamboo reinforcement without hose clamps. Whereas the collapse pattern shows a concrete cone failure and the bamboo node failure as shown in Figure 12a and Figure 12b. This shows the Sikadur[®]-752 adhesive effect and the hose clamp installation work well and the concrete still attach to the bamboo reinforcement. The specimen with sand and Sikadur[®]-752 coating shows bond-slip failure but still has a fair high adhesive strength. While the specimen with only hose clamp shows bond-slip failure almost the same as bamboo reinforcement without treatment as shown in Figure 12c. The test results show that waterproof and sand coating is absolutely necessary before hose clamp installation.





Figure 11 Variation of the bamboo bond stress



3.2. Flexural beam test

3.2.1. The capacity of the bamboo reinforced concrete beam

Figure 13 shows that the average ultimate load of BRC beams with hose clamps reaches 90% of theoretical calculations. This shows one solution to the problem of the low capacity of bamboo reinforced concrete beams as written by several researchers. Previous researchers concluded that the flexural capacity of bamboo reinforced concrete beams only reached 56%

of its capacity if the tensile strength of full bamboo [15], reaching only 29% to 39% of the steel reinforced concrete beam capacity with the same dimensions and breadth area [16], and only reached 35% from steel reinforced concrete beams at the same level of strength [17,18]. Installation of optimal hose clamps occurs at BRC beams with a distance of 20 cm with the ultimate load of 33.25 kN.

Figure 14 shows that the greater the bamboo reinforcement ratio, the greater the ultimate load that occurs. The highest ultimate load capacity is achieved by the BRC beam with a reinforcement ratio (ρ) 4% with a hose clamp range of 20 cm. BRC beam load capacity used the bamboo reinforcement ratio (ρ) 4% with a hose clamp range of 0 cm, 15 cm, 20 cm, and 25 cm respectively increased by 26.04%, 33.33%, 38.54%, and 23.96%, and has exceeded the ultimate load of the SRC beam with a steel reinforcement ratio of 0.89%.



Figure 13 Comparison of BRC beam ultimate loads



3.2.2. The load-deflection relationship

Figure 15 and Figure 16 show the load-deflection relationship pattern and the stress-strain relationship pattern of the BRC beam and SRC beam. At SRC beams can directly determine the elastic limit (I), elastoplastic (II), and the plastic region (III). While the load-deflection relationship diagram of the BRC beam only shows pre-cracked or elastic areas. From the graph of load-deflection relationships shows that the BRC beam has a much higher deflection compared to the SRC beam before failure, this indicates a higher energy absorption. But the large deflection shows a lower stiffness than the SRC beam.



Figure 15 The behavior of load-deflection BRC beam and SRC beam



The relationship pattern of load-deflection of BRC beams and SRC beams is influenced by the mechanical properties of bamboo reinforcement and steel reinforcement. The stressstrain characteristics of bamboo do not have a yielding point that long. This causes the service load limit point to be difficult to determine. Service load limits are determined based on ASTM E2126 [19] i.e. by drawing a vertical line through the encounter of $0.4P_{ultimate}$ line with a horizontal line of $0.8P_{ultimate}$. The BRC beam load-deflection diagram analysis shows that the $P_{service}$ load is an average of 18.79 kN or about 60% of $P_{ultimate}$. While the elastic limit point value is calculated using the following equation (3):

$$P_{cr}/P_{ultimate} = R_u - 2,3 \ (\sigma)$$

$$P_{cr}/P_{ultimate} = R_u - 2,3 \ (\sigma) = 18,43\% \ \approx 20\%$$
(3)

		Theoretical calculations		Flexural test results			
Specimens / Code	No	First crack load (kN)	Ultimate load (kN)	First crack load, P _{cr} (kN)	Failure load, P _{ultimate} (kN)	Deflection at failure (mm)	$P_{cr}/P_{ultimate}$ (%)
(a) BRC-s0 /	1	6 97	22.10	8.50	31.5	10.92	26.98
A3B1	2	0.07	52.19	8.00	29	11.9	27.59
(b) BRC-s1 /	1	6 07	22.10	7.00	31	13.02	22.58
A3B2	2	0.07	52.19	7.50	33	12.18	22.73
(c) BRC-s2 /	1	6 97	22 10	8.00	33.25	14.69	23.88
A3B3	2	0.07	52.19	7.50	33	9.32	22.73
(d) BRC-s3 /	1	6 07	22.10	7.50	29.5	7.61	25.42
A3B4	2	0.87	52.19	7.50	30	10.69	25.00
Mean values (Ru)			7.69	31.31	11.29	24.61
Standard deviat	tion			0.46	1.73		1.97

 Table 1 Load-displacement relationship calculation data

Table 1 shows that the lowest elastic point value is 22.58% and the highest is 27.59%. While the average value of the elastic limit point is 24.61%. From the calculation using the formula (3), the BRC beam elastic limit value is 20% of the ultimate load. The elastic point value on the SRC beam is 41.67% of the ultimate load. It can be concluded that Pcr is 20% of the ultimate load, and service load limit (Pservice) is 60% of the ultimate load. The BRC beam load-deflection relationship model is shown in Figure 17.









The Stiffness and Cracked Pattern of Bamboo Reinforced Concrete Beams Using a Hose Clamp

Figure 18 shows a comparison of the differences in stiffness between BRC beams and SRC beams. For comparison, if the horizontal line is taken at 0.4Pultimate from the SRC beam, it will be seen that the BRC beam stiffness is lower up to 75% of the SRC beam stiffness. Large deflection and low rigidity needed a solution to address it. From the analysis above shows that the use of bamboo as a reinforcing concrete on bending elements is not suitable for use. Figure 19 shows the BRC beam elasticity modulus is lower than the SRC beam elasticity modulus. It indicates that the stiffness of the BRC beam is lower. But the advantage of BRC beams is that they have a higher ductility than SRC beams because bamboo has good flexural properties.





Figure 20 Ductility of BRC beam

Ductility factor (μ) of BRC beam calculate based on ASTM E2126 [19]. The first yield deflection, Δ_y search by drawing a vertical line through a line encounter of $0.4P_{ultimate}$ with a horizontal line of $0.8P_{ultimate}$. While the maximum value of deflection, $\Delta_u = \Delta_{max}$, takes at the time of ultimate load. Figure 20 shows that BRC beams with reinforcement area 140 mm², 200 mm², and 450 mm² have larger ductility respectively 5%, 36%, 38% compare to SRC ductility with steel reinforcement ratio 0,89%.

3.2.3. The crack pattern of bamboo reinforced concrete beam

The observation of crack pattern aims to know the correlation between crack pattern with the ultimate load. Crack patterns observed on all specimens. Groupings of crack patterns carried out according to the reinforcement ratio and the distance of hose clamp. Crack pattern analysis performed on specimens having the ultimate load on each treatment, i.e. BRC-s0 beam, BRC-s1 beam, BRC-s2 beam, and BRC-s3 beam with 450 mm² bamboo reinforcement area. Then the pattern of BRC beam cracking analyzed and compared with the SRC beam crack pattern.





Figure 21 Failure on bamboo reinforcement BRC beam



Initial cracks that occur during loading are flexible cracks in the middle of the beam span. The initial fracture of the BRC beam occurs mostly in the position of hose clamp because the concrete cover reduces from 25 mm. The BRC beam fracture early because the bamboo reinforcement expands after absorbing water from wet concrete during curing. The low modulus of elasticity of the bamboo reinforcement makes it difficult to control the crack

width. Figure 23 to Figure 26 shows the failure of the reinforcement due to slip failure and failure at the bamboo nodal point. However, slip failures not find between hose clamp and reinforcement, indicating that hose clamp works well as shown in Figure 21. Figure 22 shows the crack pattern of BRC beam from previous research.



Figure 23 Fracture variability and pattern of BRC-s0 beam cracking

A382	
Shear compression	slip
failure	R C P P P P P P P

Figure 24 Fracture variability and pattern of BRC-s1 beam cracking

Diagonal A	Bz	A	and and a second second				
pull collapse	.1	C.	43		1.1.1		slip
2 6	P	1	利	30	24.2	T	

Figure 25 Fracture variability and pattern of BRC-s2 beam crack

-				
A		K	and and	Diagonal pull
13	244 4	at y	2 4	collapse
10-1		X4 to t	12 1	

Figure 26 Fracture variability and pattern of BRC-s3 beam cracking



Figure 27Fracture variability and pattern of SRC beam crack

Table 1 shows the initial crack of the BRC beam occurs in the range of 20% - 27% of the ultimate load. While initial cracked of the SRC beam about 41.16% of the ultimate load. Figure 27 shows the crack pattern of the SRC beam with 5 crack lines and the flexural failure pattern. No bond or slip failures found and fewer crack splitting compares to BRC beams. The initial crack of the BRC beam correlates with the variation of hose clamp distance. The smaller the distance of the hose clamp, the earlier the crack will occur. This is due to the reduced thickness of the protective concrete due to the bulge of the hose clamp. As the load increases, cracks continue to grow. When the load reaches 60% of the ultimate load, the crack will split in a vertical direction and a horizontal direction parallels to the direction of the longitudinal reinforcement. As the vertical crack propagates across the neutral line toward the concrete press block, the sliding crack near the beam support begins to occur and leads to the load position.

4. CONCLUSIONS

Based on the analysis and observation of the experimental on bamboo reinforced concrete beams using stainless steel hose-clamp can be drawn the following conclusions:

(1). Installation of a hose clamp on bamboo reinforced concrete with waterproof and sand coating can increase the ultimate load up to 90% of the ultimate load of theoretical results.

(2). Installation of a hose clamp on a bamboo bar with waterproof and sand coating can increase the ultimate load of BRC beams, increase the crack line number, and spread more cracks when compared to steel reinforced concrete beams with steel reinforcement ratios 0.89%.

(3). In the load-deflection diagram of the SRC beam and BRC beam, shows that the bamboo reinforced concrete beam (BRC) has a lower stiffness than steel reinforced concrete beam (SRC).

ACKNOWLEDGMENTS

The research described in this paper financially supported by Domestic Postgraduate Education Scholarship (BPP-DN), located in University of Brawijaya, Malang, Indonesia.

REFERENCES

- [1] Ghavami, K. Bamboo as reinforcement in structural concrete elements. Cem. Concr. Compos., 6, 2005, pp. 637–649.
- [2] C. Sabnani, M. V Latkar, and U. Sharma. Bamboo an alternative building material for modest houses, to increase the stock of affordable housing, for the urban poor living close to bamboo producing regions in India. Int. J. Civil, Environ. Struct. Constr. Archit. Eng. 11, 2012, pp. 140–151.
- [3] A. Agarwal, B. Nanda, and D. Maity. Experimental investigation on chemically treated bamboo reinforced concrete beams and columns. Constr. Build. Mater. 71, 2014, pp. 610–617.
- [4] B. Sharma, A. Gatóo, M. Bock, and M. Ramage. Engineered bamboo for structural applications. Constr. Build. Mater. 81, 2015, pp. 66–73.
- [5] Dewi, S. M., Nuralinah, D., Munawir, A., Wijaya, M. N. Crack Behavior Study Of Bamboo Reinforced Concrete Beam With Additional Pegs In Reinforcing. International Journal of Civil Engineering and Technology (IJCIET). 7, 2018, pp. 1632–1640.
- [6] E. Ikponmwosa, C. Fapohunda, O. Kolajo, and O. Eyo. Structural behaviour of bambooreinforced foamed concrete slab containing polyvinyl wastes (PW) as partial replacement of fine aggregate. J. King Saud Univ. - Eng. Sci. 4, 2017, pp. 348–355.
- [7] S. Karthik, P. R. M. Rao, and P. O. Awoyera. Strength properties of bamboo and steel reinforced concrete containing manufactured sand and mineral admixtures. J. King Saud Univ. - Eng. Sci. 29, 2017, pp. 400-406.
- [8] Maulana, Azwar, R. D. Susanti, and A. Waruwu. Potential Of Bamboo Pile As Reinforcement Of Peat Soil Under Embankment. ARPN J. Eng. Appl. Sci. 1, 2018, pp. 52–56.
- [9] A. Javadian, M. Wielopolski, I. F. C. Smith, and D. E. Hebel. Bond-behavior study of newly developed bamboo-composite reinforcement in concrete. Constr. Build. Mater. 122, 2016, pp. 110–117.
- [10] Muhtar, S. M. Dewi, Wisnumurti, and A. Munawir. Bond-slip improvement of bamboo reinforcement in concrete beam using hose clamps. Proc. 2nd Int. Multidiscip. Conf, Jakarta, Indonesia. 2016 pp. 385–393.

- [11] S. Islam, H. M. Afefy, K. Sennah, and H. Azimi. Bond characteristics of straight- and headed-end, ribbed-surface, GFRP bars embedded in high-strength concrete. Constr. Build. Mater. 83, 2015, pp. 283–298.
- [12] J. K. Sevalia, N. B. Siddhpura, C. S. Agrawal, D. B. Shah, and J. V Kapadia. Study on Bamboo as Reinforcement in Cement Concrete. International Journal of Engineering Research and Applications (IJERA). 2, 2013, pp. 1181–1190.
- [13] H. Frick. Ilmu Bahan Bangunan, 7th ed. Semarang, Indonesia: Kanisius & Soegipranata University Press, 1999, pp. 47.
- [14] ASTM C78/C78M. Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading). ASTM Int., pp. 1–3, 2002.
- [15] S. M. Dewi and D. Nuralinah. The Recent Research on Bamboo Reinforced Concrete. MATEC Web of Conferences. 103, 2017 pp. 2001.
- [16] S. Nathan. Application of Bamboo for Flexural and Shear Reinforcement in Concrete Beams. Thesis, Clemson University, 2014.
- [17] L. Khare. Performance Evaluation of Bamboo Reinforced Concrete Beams. Thesis, The University Of Texas At Arlington, 2005.
- [18] K. Terai, Masakazu & Minami. Research and Development on Bamboo Reinforced Concrete Structure. World Conf. Earthq. Eng. 2012 pp. 1–10.
- [19] ASTM E2126. Standard Test Methods for Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings. ASTM Int., 1, 2015 pp. 15.