

LAMPIRAN

1. Hasil Perhitungan Konfigurasi Wenner

a. Lintasan 2

NO	a	V	I	R	K	Rho
				(vxl)	(2X3.14Xa)	(rxk)
1	10	6.20	72.67	0.085	62.8	5.36
2	20	7.10	85.54	0.083	125.6	10.43
3	30	4.70	95.12	0.049	188.4	9.31
4	10	11.20	62.70	0.179	62.8	11.22
5	20	9.34	198.54	0.047	125.6	5.91
6	30	9.30	167.23	0.056	188.4	10.48
7	10	27.00	245.60	0.110	62.8	6.90
8	20	13.54	202.58	0.067	125.6	8.39
9	30	18.45	287.54	0.064	188.4	12.09
10	10	9.40	64.57	0.146	62.8	9.14
11	20	7.20	105.30	0.068	125.6	8.59
12	30	2.40	67.90	0.035	188.4	6.66
13	10	9.40	72.29	0.130	62.8	8.17
14	20	5.30	73.56	0.072	125.6	9.05
15	30	4.20	103.40	0.041	188.4	7.65
16	10	9.60	89.11	0.108	62.8	6.77
17	20	12.50	145.73	0.086	125.6	10.77
18	10	11.81	79.32	0.149	62.8	9.35
19	20	21.30	241.08	0.088	125.6	11.10
20	10	12.04	94.70	0.127	62.8	7.98
21	20	4.04	67.30	0.060	125.6	7.54
22	10	24.84	130.45	0.190	62.8	11.96
23	10	21.50	202.34	0.106	62.8	6.67
24	10	13.00	134.72	0.096	62.8	6.06

b. Lintasan 3

NO	A	V	I	R	K	Rho
				(vxl)	(2X3.14Xa)	(rxk)
1	10	7.82	77.21	0.101	62.8	6.36
2	20	7.20	86.72	0.083	125.6	10.43
3	30	2.62	67.51	0.039	188.4	7.31
4	10	8.94	60.87	0.147	62.8	9.22
5	20	12.46	143.47	0.087	125.6	10.91
6	30	8.16	181.34	0.045	188.4	8.48
7	10	11.23	102.23	0.110	62.8	6.90
8	20	22.04	223.46	0.099	125.6	12.39
9	30	16.93	287.54	0.059	188.4	11.09
10	10	19.62	121.56	0.161	62.8	10.14
11	20	8.23	124.53	0.066	125.6	8.30
12	30	2.94	57.38	0.051	188.4	9.65
13	10	16.84	129.45	0.130	62.8	8.17
14	20	6.47	73.56	0.088	125.6	11.05
15	30	5.40	105.38	0.051	188.4	9.65
16	10	13.61	87.47	0.156	62.8	9.77
17	20	7.35	94.52	0.078	125.6	9.77
18	10	13.73	135.75	0.101	62.8	6.35
19	20	9.65	237.54	0.041	125.6	5.10
20	10	22.18	174.65	0.127	62.8	7.98
21	20	10.39	187.61	0.055	125.6	6.96
22	10	18.06	126.56	0.143	62.8	8.96
23	10	25.90	187.70	0.138	62.8	8.67
24	10	16.56	114.76	0.144	62.8	9.06

2. Dokumentasi

a. Lintasan 1



b. Lintasan 2



c. Lintasan 3



d. Genangan air lindi



e. Tim Geolistrik

