

LAMPIRAN-LAMPIRAN





LAMPIRAN 1
KUISIONER

KUESIONER PENELITIAN



Analisis Pengaruh Budaya Organisasi Dan Gaya Kepemimpinan Terhadap Kinerja Karyawan

(Study Kasus Bank Bukopin Cabang Jember)

Kepada Yth.

Karyawan Bank Bukopin Cabang Jember

Berkaitan dengan kegiatan penelitian yang saya lakukan dengan judul **“Analisis Pengaruh Budaya Organisasi Dan Gaya Kepemimpinan Terhadap Kinerja Karyawan”** sebagai salah satu syarat untuk memperoleh gelar Sarjana Ekonomi pada Universitas Muhammadiyah Jember, maka dengan ini saya mengharapkan bantuan saudara untuk mengisi daftar pertanyaan yang saya sertakan di bawah ini.

Agar memperoleh masukan yang berarti, saya berharap kuesioner ini diisi dengan keadaan yang sebenarnya. Semua sumber dan data yang diperoleh dijamin kerahasiaannya.

Hormat saya,

DINY VESILIA SARI

14.10.411.092

I. DATA RESPONDEN


1. Nama :
2. JenisKelamin : Laki – Laki Perempuan
3. Masa Kerja : th/bln
4. Tingkat Pendidikan :

II. PETUNJUK PENGISIAN

Mohon pernyataan dibawah ini di isi dengan cara memberikan tanda () pada kotak / kolom yang tersedia sesuai dengan kondisi Bapak / Ibu / Saudara / i.

Penilaian :

- 1 = Bila pendapat anda sangat setuju (SS)
- 2 = Bila pendapat anda setuju (S)
- 3 = Bila kurang setuju (KS)
- 4 = Bila tidak setuju (TS)
- 5 = Bila sangat tidak setuju(STS)




III. PERNYATAAN

No	Pernyataan	Pilihan Jawaban				
		SS	S	KS	STS	TS
BUDAYA ORGANISASI (X1)						
1.	Karyawan harus profesional dalam menjalankan tugas					
2.	Karyawan Saling memberikan dorongan dan motivasi baik dari atasan dan teman kerja					
3.	Karyawan harus memiliki integritas yang kuat					
4.	Karyawan ramah ketika bertemu dengan rekan kerja dan nasabah					
5.	Karyawan harus selalu berinovatif dan berkreatif					
GAYA KEPEMIMPINAN (X2)						
1.	Sifat yang dimiliki pemimpin anda berpengaruh besar terhadap kinerja					
2.	Kebiasaan atau tingkah laku pemimpin dan memberikan semangat kerja					
3.	Gaya perilaku pemimpin anda bertempramen aktif dalam memberikan tanggapan					
4.	Watak pemimpin yang lebih subjektif dapat mempengaruhi keyakinan, ketekunan, daya tahan dan keberanian anda					
5.	Kebribadian yang dimiliki pemimpin anda dapat memberikan keberhasilan kerja					

KINERJA KARYAWAN (Y)

1.	Karyawan harus bertanggungjawab terhadap pekerjaan					
2.	Karyawan harus teliti, terampil dan rapi dalam bekerja					
3.	Karyawan bekerja sesuai dengan keahliannya					
4.	Karyawan mampu bekerja sama dalam menyelesaikan pekerjaan					
5	Karyawan harus memiliki kreativitas guna menciptakan perubahan dan kemajuan organisasi					



LAMPIRAN 2

REKAPITULASI RESPONDEN



NO	BUDAYA ORGANISASI					GAYA KEPEMIMPINAN					KINERJA KARYAWAN					X1	X2	Y
	X1.1	X1.2	X1.3	X1.4	X1.5	X2.1	X2.2	X2.3	X2.4	X2.5	Y1	Y2	Y3	Y4	Y5			
1	4	4	4	4	4	4	4	5	4	4	5	4	4	4	4	20	21	21
2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	20	20	20
3	4	4	4	4	4	4	5	3	4	4	4	4	4	5	5	20	20	22
4	4	4	4	4	4	4	4	4	4	5	4	4	4	4	4	20	21	20
5	4	4	5	4	4	4	4	5	4	5	5	5	5	4	4	21	22	23
6	4	4	4	5	5	4	4	4	4	5	5	4	4	4	5	22	21	22
7	4	5	5	5	5	4	4	4	3	4	4	4	4	4	3	24	19	19
8	5	4	4	5	5	5	5	5	5	5	5	5	5	5	4	23	25	24
9	5	4	4	5	5	4	3	4	4	4	5	4	4	5	5	23	19	23
10	4	5	5	5	5	4	4	3	4	4	4	4	4	4	4	24	19	20
11	4	5	5	5	5	4	4	5	4	4	4	4	4	4	4	24	21	20
12	4	5	5	5	5	4	4	5	5	5	5	5	5	4	5	24	23	24
13	5	4	5	4	5	3	3	4	4	4	4	4	4	3	4	23	18	19
14	5	5	5	5	5	4	4	4	4	5	4	5	5	4	4	25	21	22
15	5	5	5	5	5	5	5	5	5	5	5	5	5	5	4	25	25	24
16	4	3	5	5	5	4	4	3	5	4	5	4	4	4	5	22	20	22
17	4	5	5	4	4	4	4	5	5	4	2	5	5	4	4	22	22	20
18	5	5	4	5	5	5	5	3	4	5	4	5	4	5	4	24	22	22
19	4	5	4	4	5	4	4	5	4	4	5	4	4	4	4	22	21	21
20	5	5	5	4	4	4	5	5	5	5	5	4	4	5	4	23	24	22
21	4	5	5	5	4	4	4	5	5	4	5	5	4	4	4	23	22	22

22	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	20	20	20	
23	4	5	5	5	5	4	4	2	3	3	4	4	4	4	4	24	16	20	
24	5	4	5	5	5	5	5	4	5	5	5	5	5	5	4	24	24	24	
25	4	5	5	5	5	4	4	5	4	4	3	4	4	4	5	24	21	20	
26	4	5	5	5	5	4	4	4	4	4	4	4	5	4	4	24	20	21	
27	5	4	5	5	4	5	5	4	5	5	4	5	5	5	5	23	24	24	
28	4	5	5	5	5	4	4	4	4	4	4	3	4	4	5	24	20	20	
29	5	5	4	5	4	4	5	5	4	4	5	4	5	5	4	23	22	23	
30	5	5	5	5	5	5	5	5	5	5	5	5	5	5	4	25	25	24	
31	5	5	5	4	4	4	4	4	4	4	4	4	4	4	4	23	20	20	
32	4	5	5	5	4	4	4	4	4	5	5	4	5	4	5	23	21	23	
33	4	5	5	5	4	4	4	5	5	5	5	5	5	4	4	23	23	23	
34	4	5	5	5	5	5	4	5	5	4	5	4	4	4	5	24	23	22	
35	5	5	5	5	4	4	4	4	4	4	4	4	4	4	5	24	20	21	
36	4	3	3	4	4	4	3	4	4	4	4	4	4	3	3	4	18	19	18
37	4	5	4	4	4	4	4	5	4	5	5	5	5	4	4	21	22	23	
38	5	4	3	3	5	5	5	4	3	4	4	4	4	5	5	20	21	22	
39	5	5	5	5	5	4	4	4	3	4	4	4	4	4	4	25	19	20	
40	5	4	5	5	5	3	4	4	4	4	4	4	4	4	4	24	19	20	
41	4	5	4	4	4	4	4	5	4	4	5	4	4	4	4	21	21	21	
42	4	5	5	5	5	3	3	5	5	5	5	5	5	3	4	24	21	22	
43	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	25	25	25	
44	5	5	5	5	4	3	3	4	4	4	4	4	4	5	4	24	18	21	

45	4	4	4	5	4	4	4	4	4	4	4	4	4	4	5	21	20	21
46	5	5	5	4	5	4	5	4	4	4	5	4	4	5	4	24	21	22
47	4	5	5	5	5	4	4	5	4	4	4	4	4	4	4	24	21	20
48	3	4	5	5	5	4	3	4	5	4	4	4	4	3	5	22	20	20
49	5	5	5	5	5	4	4	3	3	5	4	4	4	4	5	25	19	21
50	5	5	5	5	5	5	5	5	5	5	5	5	5	5	4	25	25	24
51	4	5	5	4	5	5	4	5	5	4	4	4	4	4	4	23	23	20
52	5	5	5	5	4	4	4	3	3	4	4	4	4	4	4	24	18	20
53	4	5	5	4	4	4	4	5	5	4	4	4	4	4	5	22	22	21
54	4	4	5	5	5	4	4	4	5	4	5	4	4	4	5	23	21	22
55	4	5	5	5	5	4	4	5	5	4	5	4	4	4	4	24	22	21
56	4	4	4	4	4	4	4	4	5	4	4	4	4	4	4	20	21	20
57	4	4	3	4	4	4	4	5	5	4	4	4	4	4	4	19	22	20
58	4	4	4	4	4	4	4	4	5	5	4	4	5	4	3	20	22	20
59	4	5	4	4	3	5	4	5	5	4	5	4	4	4	4	20	23	21
60	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	20	20	21
61	5	3	4	4	4	4	4	3	3	3	4	4	4	4	4	20	17	20
62	5	4	4	4	3	5	5	4	5	5	5	4	5	5	4	20	24	23
63	4	4	4	4	4	4	2	4	4	4	4	4	4	3	4	20	18	18



LAMPIRAN 3
HASIL PERHITUNGAN
FREKUENSI

FREQUENCIES VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5
 /ORDER=ANALYSIS.

Frequencities

Statistics

		X1.1	X1.2	X1.3	X1.4	X1.5
N	Valid	63	63	63	63	63
	Missing	0	0	0	0	0

Frequency Table

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1,6	1,6	1,6
	4	38	60,3	60,3	61,9
	5	24	38,1	38,1	100,0
	Total	63	100,0	100,0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4,8	4,8	4,8
	4	23	36,5	36,5	41,3
	5	37	58,7	58,7	100,0
	Total	63	100,0	100,0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4,8	4,8	4,8
	4	21	33,3	33,3	38,1
	5	39	61,9	61,9	100,0
	Total	63	100,0	100,0	

X1.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1,6	1,6	1,6
	4	25	39,7	39,7	41,3
	5	37	58,7	58,7	100,0
Total		63	100,0	100,0	

X1.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	3,2	3,2	3,2
	4	28	44,4	44,4	47,6
	5	33	52,4	52,4	100,0
Total		63	100,0	100,0	

FREQUENCIES VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5
/ORDER=ANALYSIS.

Frequencies**Statistics**

		X2.1	X2.2	X2.3	X2.4	X2.5
N	Valid	63	63	63	63	63
	Missing	0	0	0	0	0

Frequency Table**X2.1**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	6,3	6,3	6,3
	4	46	73,0	73,0	79,4
	5	13	20,6	20,6	100,0
Total		63	100,0	100,0	

X2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1,6	1,6	1,6
	3	6	9,5	9,5	11,1
	4	42	66,7	66,7	77,8
	5	14	22,2	22,2	100,0
	Total	63	100,0	100,0	

X2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1,6	1,6	1,6
	3	7	11,1	11,1	12,7
	4	29	46,0	46,0	58,7
	5	26	41,3	41,3	100,0
	Total	63	100,0	100,0	

X2.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	11,1	11,1	11,1
	4	31	49,2	49,2	60,3
	5	25	39,7	39,7	100,0
	Total	63	100,0	100,0	

X2.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	3,2	3,2	3,2
	4	40	63,5	63,5	66,7
	5	21	33,3	33,3	100,0
	Total	63	100,0	100,0	

FREQUENCIES VARIABLES=Y1 Y2 Y3 Y4 Y5
 /ORDER=ANALYSIS.

Frequencies

		Y1	Y2	Y3	Y4	Y5
N	Valid	63	63	63	63	63
	Missing	0	0	0	0	0

Frequency Table

		Y1			Cumulative Percent
		Frequency	Percent	Valid Percent	
Valid	2	1	1,6	1,6	1,6
	3	1	1,6	1,6	3,2
	4	34	54,0	54,0	57,1
	5	27	42,9	42,9	100,0
	Total	63	100,0	100,0	

		Y2			Cumulative Percent
		Frequency	Percent	Valid Percent	
Valid	3	1	1,6	1,6	1,6
	4	46	73,0	73,0	74,6
	5	16	25,4	25,4	100,0
	Total	63	100,0	100,0	


		Y3			Cumulative Percent
		Frequency	Percent	Valid Percent	
Valid	3	2	3,2	3,2	3,2
	4	42	66,7	66,7	69,8
	5	19	30,2	30,2	100,0
	Total	63	100,0	100,0	

Y4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	6,3	6,3	6,3
	4	43	68,3	68,3	74,6
	5	16	25,4	25,4	100,0
	Total	63	100,0	100,0	

Y5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	3,2	3,2	3,2
	4	42	66,7	66,7	69,8
	5	19	30,2	30,2	100,0
	Total	63	100,0	100,0	





LAMPIRAN 4
HASIL PERHITUNGAN
VALIDITAS

CORRELATIONS

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

Correlations

		Correlations					
		X1.1	X1.2	X1.3	X1.4	X1.5	X1
X1.1	Pearson Correlation	1	,084	,098	,109	,093	,596**
	Sig. (2-tailed)		,514	,443	,394	,469	,001
	N	63	63	63	63	63	63
X1.2	Pearson Correlation	,084	1	,537**	,338**	,207	,671**
	Sig. (2-tailed)	,514		,000	,007	,104	,000
	N	63	63	63	63	63	63
X1.3	Pearson Correlation	,098	,537**	1	,591**	,403**	,807**
	Sig. (2-tailed)	,443	,000		,000	,001	,000
	N	63	63	63	63	63	63
X1.4	Pearson Correlation	,109	,338**	,591**	1	,501**	,763**
	Sig. (2-tailed)	,394	,007	,000		,000	,000
	N	63	63	63	63	63	63
X1.5	Pearson Correlation	,093	,207	,403**	,501**	1	,666**
	Sig. (2-tailed)	,469	,104	,001	,000		,000
	N	63	63	63	63	63	63
X1	Pearson Correlation	,396**	,671**	,807**	,763**	,666**	1
	Sig. (2-tailed)	,001	,000	,000	,000	,000	
	N	63	63	63	63	63	63

** . Correlation is significant at the 0.01 level (2-tailed).

CORRELATIONS

/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

Correlations

		Correlations					
		X2.1	X2.2	X2.3	X2.4	X2.5	X2
X2.1	Pearson Correlation	1	,633**	,158	,313*	,321*	,673**
	Sig. (2-tailed)		,000	,215	,013	,010	,000
	N	63	63	63	63	63	63
X2.2	Pearson Correlation	,633**	1	,086	,171	,357**	,632**
	Sig. (2-tailed)	,000		,501	,181	,004	,000
	N	63	63	63	63	63	63
X2.3	Pearson Correlation	,158	,086	1	,547**	,290*	,667**
	Sig. (2-tailed)	,215	,501		,000	,021	,000
	N	63	63	63	63	63	63
X2.4	Pearson Correlation	,313*	,171	,547**	1	,398**	,743**
	Sig. (2-tailed)	,013	,181	,000		,001	,000
	N	63	63	63	63	63	63
X2.5	Pearson Correlation	,321*	,357**	,290*	,398**	1	,673**
	Sig. (2-tailed)	,010	,004	,021	,001		,000
	N	63	63	63	63	63	63
X2	Pearson Correlation	,673**	,632**	,667**	,743**	,673**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	
	N	63	63	63	63	63	63

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

CORRELATIONS

/VARIABLES=Y1 Y2 Y3 Y4 Y5 Y

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

Correlations

		Y1	Y2	Y3	Y4	Y5	Y
Y1	Pearson Correlation	1	,245	,285 [*]	,270 [*]	,027	,649 ^{**}
	Sig. (2-tailed)		,053	,023	,032	,833	,000
	N	63	63	63	63	63	63
Y2	Pearson Correlation	,245	1	,670 ^{**}	,269 [*]	-,138	,651 ^{**}
	Sig. (2-tailed)	,053		,000	,033	,281	,000
	N	63	63	63	63	63	63
Y3	Pearson Correlation	,285 [*]	,670 ^{**}	1	,338 ^{**}	-,097	,733 ^{**}
	Sig. (2-tailed)	,023	,000		,007	,451	,000
	N	63	63	63	63	63	63
Y4	Pearson Correlation	,270 [*]	,269 [*]	,338 ^{**}	1	,045	,643 ^{**}
	Sig. (2-tailed)	,032	,033	,007		,728	,000
	N	63	63	63	63	63	63
Y5	Pearson Correlation	,027	-,138	-,097	,045	1	,581 [*]
	Sig. (2-tailed)	,833	,281	,451	,728		,025
	N	63	63	63	63	63	63
Y	Pearson Correlation	,649 ^{**}	,651 ^{**}	,733 ^{**}	,643 ^{**}	,281 [*]	1
	Sig. (2-tailed)	,000	,000	,000	,000	,025	
	N	63	63	63	63	63	63

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).



LAMPIRAN 5

HASIL PERHITUNGAN

RELIABILITAS

RELIABILITY

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/STATISTICS=DESCRIPTIVE SCALE CORR COV

/SUMMARY=TOTAL.

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	63	100,0
	Excluded ^a	0	,0
	Total	63	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,683	,688	5

Item Statistics

	Mean	Std. Deviation	N
X1.1	4,37	,517	63
X1.2	4,54	,591	63
X1.3	4,57	,588	63
X1.4	4,57	,530	63
X1.5	4,49	,564	63

Inter-Item Correlation Matrix

	X1.1	X1.2	X1.3	X1.4	X1.5
X1.1	1,000	,084	,098	,109	,093
X1.2	,084	1,000	,537	,338	,207
X1.3	,098	,537	1,000	,591	,403
X1.4	,109	,338	,591	1,000	,501
X1.5	,093	,207	,403	,501	1,000

Inter-Item Covariance Matrix

	X1.1	X1.2	X1.3	X1.4	X1.5
X1.1	,268	,026	,030	,030	,027
X1.2	,026	,349	,187	,106	,069
X1.3	,030	,187	,346	,184	,134
X1.4	,030	,106	,184	,281	,150
X1.5	,027	,069	,134	,150	,318

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X1.1	18,17	2,953	,127	,016	,749
X1.2	18,00	2,323	,430	,291	,637
X1.3	17,97	2,031	,638	,490	,535
X1.4	17,97	2,225	,594	,434	,566
X1.5	18,05	2,369	,437	,270	,633

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
22,54	3,446	1,856	5

RELIABILITY

/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/STATISTICS=DESCRIPTIVE SCALE CORR COV

/SUMMARY=TOTAL.

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	63	100,0
	Excluded ^a	0	,0
	Total	63	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,697	,709	5

Item Statistics

	Mean	Std. Deviation	N
X2.1	4,14	,503	63
X2.2	4,10	,615	63
X2.3	4,27	,723	63
X2.4	4,29	,658	63
X2.5	4,30	,528	63

Inter-Item Correlation Matrix

	X2.1	X2.2	X2.3	X2.4	X2.5
X2.1	1,000	,633	,158	,313	,321
X2.2	,633	1,000	,086	,171	,357
X2.3	,158	,086	1,000	,547	,290
X2.4	,313	,171	,547	1,000	,398
X2.5	,321	,357	,290	,398	1,000

Inter-Item Covariance Matrix

	X2.1	X2.2	X2.3	X2.4	X2.5
X2.1	,253	,196	,058	,104	,085
X2.2	,196	,378	,038	,069	,116
X2.3	,058	,038	,523	,260	,111
X2.4	,104	,069	,260	,433	,138
X2.5	,085	,116	,111	,138	,279

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X2.1	16,95	3,078	,501	,445	,635
X2.2	17,00	3,000	,394	,435	,672
X2.3	16,83	2,759	,389	,307	,684
X2.4	16,81	2,641	,534	,394	,610
X2.5	16,79	3,037	,490	,254	,637

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
21,10	4,217	2,053	5

RELIABILITY

/VARIABLES=Y1 Y2 Y3 Y4 Y5

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/STATISTICS=DESCRIPTIVE SCALE CORR COV

/SUMMARY=TOTAL.

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	63	100,0
	Excluded ^a	0	,0
	Total	63	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,537	,542	5

Item Statistics

	Mean	Std. Deviation	N
Y1	4,38	,607	63
Y2	4,24	,465	63
Y3	4,27	,515	63
Y4	4,19	,535	63
Y5	4,27	,515	63

Inter-Item Correlation Matrix

	Y1	Y2	Y3	Y4	Y5
Y1	1,000	,245	,285	,270	,027
Y2	,245	1,000	,670	,269	-,138
Y3	,285	,670	1,000	,338	-,097
Y4	,270	,269	,338	1,000	,045
Y5	,027	-,138	-,097	,045	1,000

Inter-Item Covariance Matrix

	Y1	Y2	Y3	Y4	Y5
Y1	,369	,069	,089	,088	,008
Y2	,069	,217	,161	,067	-,033
Y3	,089	,161	,265	,093	-,026
Y4	,088	,067	,093	,286	,012
Y5	,008	-,033	-,026	,012	,265

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
Y1	16,97	1,580	,333	,121	,462
Y2	17,11	1,713	,432	,460	,412
Y3	17,08	1,558	,494	,485	,361
Y4	17,16	1,652	,378	,154	,434
Y5	17,08	2,268	-,049	,029	,666

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
21,35	2,457	1,567	5



LAMPIRAN 6
HASIL PERHITUNGAN ANALISIS
REGRESI LINIER BERGANDA

REGRESSION

/MISSING LISTWISE /STATISTICS COEFF OUTS CI(95) BCOV R ANOVA COLLIN TOL CHANGE ZPP
 /CRITERIA=PIN(.05) POUT(.10) /NOORIGI /DEPENDENT Y /METHOD=ENTER X1 X2
 /SCATTERPLOT=(*ZPRED,*SRESID) /RESIDUALS NORMPROB(ZRESID).

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X2, X1 ^b	.	Enter

- a. Dependent Variable: Y
- b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	,755 ^a	,570	,556	1,064	,570	39,786	2	60	,000

- a. Predictors: (Constant), X2, X1
- b. Dependent Variable: Y

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	90,078	2	45,039	39,786	,000 ^b
	Residual	67,922	60	1,132		
	Total	158,000	62			

- a. Dependent Variable: Y
- b. Predictors: (Constant), X2, X1

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B		Correlations			Collinearity Statistics	
	B	Std. Error				Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	VIF
	1 (Constant)	5,563	2,013				2,763	,008	1,536	9,591		
X1	,202	,074	,235	2,747	,008	,055	,349	,336	,334	,233	,978	1,022
X2	,532	,067	,684	7,991	,000	,399	,665	,718	,718	,676	,978	1,022

- a. Dependent Variable: Y

Coefficient Correlations^a

Model			X2	X1
1	Correlations	X2	1,000	-,147
		X1	-,147	1,000
	Covariances	X2	,004	-,001
		X1	-,001	,005

a. Dependent Variable: Y

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	X1	X2
1	1	2,990	1,000	,00	,00	,00
	2	,007	20,771	,02	,36	,78
	3	,003	32,155	,98	,64	,22

a. Dependent Variable: Y


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	18,64	23,91	21,33	1,205	63
Std. Predicted Value	-2,232	2,135	,000	1,000	63
Standard Error of Predicted Value	,139	,394	,224	,062	63
Adjusted Predicted Value	18,49	23,90	21,33	1,205	63
Residual	-2,439	2,687	,000	1,047	63
Std. Residual	-2,292	2,526	,000	,984	63
Stud. Residual	-2,327	2,572	,001	1,006	63
Deleted Residual	-2,514	2,786	,002	1,096	63
Stud. Deleted Residual	-2,420	2,703	,001	1,020	63
Mahal. Distance	,069	7,513	1,968	1,674	63
Cook's Distance	,000	,081	,016	,019	63
Centered Leverage Value	,001	,121	,032	,027	63

a. Dependent Variable: Y


Charts

Normal P-P Plot of Regression Standardized Residual



Scatterplot

Dependent Variable: Y





LAMPIRAN 7

r TABEL

UJI r

Tabel r (Sign 0,05)

df	R	df	r	df	r	df	r
1	0,9969	26	0,3739	51	0,2706	76	0,2227
2	0,9500	27	0,3673	52	0,2681	77	0,2213
3	0,8783	28	0,3610	53	0,2656	78	0,2199
4	0,8114	29	0,3550	54	0,2632	79	0,2185
5	0,7545	30	0,3494	55	0,2609	80	0,2172
6	0,7067	31	0,3440	56	0,2586	81	0,2159
7	0,6664	32	0,3388	57	0,2564	82	0,2146
8	0,6319	33	0,3338	58	0,2542	83	0,2133
9	0,6021	34	0,3291	59	0,2521	84	0,2120
10	0,5760	35	0,3246	60	0,2500	85	0,2108
11	0,5529	36	0,3202	61	0,2480	86	0,2096
12	0,5324	37	0,3160	62	0,2461	87	0,2084
13	0,5140	38	0,3120	63	0,2441	88	0,2072
14	0,4973	39	0,3081	64	0,2423	89	0,2061
15	0,4821	40	0,3044	65	0,2404	90	0,2050
16	0,4683	41	0,3008	66	0,2387	91	0,2039
17	0,4555	42	0,2973	67	0,2369	92	0,2028
18	0,4438	43	0,2940	68	0,2352	93	0,2017
19	0,4329	44	0,2907	69	0,2335	94	0,2006
20	0,4227	45	0,2876	70	0,2319	95	0,1996
21	0,4132	46	0,2845	71	0,2303	96	0,1986
22	0,4044	47	0,2816	72	0,2287	97	0,1975
23	0,3961	48	0,2787	73	0,2272	98	0,1966
24	0,3882	49	0,2759	74	0,2257	99	0,1956
25	0,3809	50	0,2732	75	0,2242	100	0,1946

LAMPIRAN 8

† TABEL



Uji t

Tabel Distribusi t			
df	0,1	0,05	0,025
60	1,2960	1,6706	2,0003
61	1,2960	1,6702	1,9996
62	1,2950	1,6698	1,9990
63	1,2950	1,6694	1,9983
64	1,2950	1,6690	1,9977
65	1,2950	1,6686	1,9971
66	1,2950	1,6683	1,9966
67	1,2940	1,6679	1,9960
68	1,2940	1,6676	1,9955
69	1,2940	1,6672	1,9949
70	1,2940	1,6669	1,9944
71	1,2940	1,6666	1,9939
72	1,2930	1,6663	1,9935
73	1,2930	1,6660	1,9930
74	1,2930	1,6657	1,9925
75	1,2929	1,6654	1,9921
76	1,2928	1,6651	1,9917
77	1,2926	1,6649	1,9912
78	1,2925	1,6646	1,9908
79	1,2924	1,6644	1,9904
80	1,2922	1,6641	1,9901
81	1,2921	1,6639	1,9897
82	1,2919	1,6636	1,9893
83	1,2918	1,6634	1,9889
84	1,2917	1,6632	1,9886
85	1,2916	1,6629	1,9883
86	1,2915	1,6628	1,9879
87	1,2914	1,6626	1,9876
88	1,2912	1,6623	1,9873
89	1,2911	1,6622	1,9869
90	1,2910	1,6619	1,9867

LAMPIRAN 9

DOKUMENTASI







