

LAMPIRAN-LAMPIRAN

LAMPIRAN 1

KUISIONER

Lampiran 1

Kuesioner penelitian

PENGARUH *WORD OF MOUTH* TERHADAP KEPUTUSAN PEMBELIAN

(Studi Pada Kober Mie Setan Jalan Karimata No. 67 Kota Jember)

Kepada Yth:

Bapak / Ibu / Sdr / Sdri

Di tempat

Dengan Hormat,

Saya adalah mahasiswa S1 Universitas Muhammadiyah Jember, Fakultas Ekonomi, Jurusan Manajemen, sedang melakukan penelitian untuk kepentingan akademis penyusunan skripsi sebagai syarat penyelesaian studi S1 di Universitas Muhammadiyah Jember. Saya bermaksud mengumpulkan data melalui penyebaran kuesioner terkait topik Penelitian yang berjudul "**Pengaruh *Word of mouth* Terhadap Keputusan Pembelian Pada Konsumen Kober Mie Setan Jalan Karimata No. 67 Kota Jember**". Sehubungan dengan hal tersebut, saya mohon kesediaan dan partisipasi Bapak/Ibu/Saudara/Saudari agar berkenan menjawab kuesioner ini dengan lengkap, jujur, dan tanpa pengaruh dari pihak manapun.

Kuisisioner ini semata-mata digunakan untuk kepentingan penelitian. Pendapat Bapak/Ibu/Saudara/Saudari dalam menjawab kuesioner ini memberikan kontribusi berharga bagi saya. Atas kerjasama dan partisipasinya, saya ucapkan terima kasih.

Hormat Saya,

Rodiyatul Hasanah
Nim : 1410411027

No. Responden....

Berilah tanda silang terhadap jawaban yang bapak/ibu/saudara pilih.

I. Screening Responden

Apakah anda pernah melakukan pembelian di Kober Mie Setan Jalan Karimata Kota Jember karena pengaruh dari orang lain?

Ya Tidak

Jika jawaban Anda “Ya” maka silakan lanjutkan ke pertanyaan yang berikutnya, jika jawaban anda “Tidak” maka Anda berhenti disini dan Terima kasih atas partisipasi Anda :)

II. Profil Responden

1. Jenis kelamin

Laki-laki Perempuan

2. Status

Belum menikah Menikah

3. Pekerja

Pelajar / Mahasiswa Wiraswasta
 Pegawai Swasta Profesional (dokter, arsitek, dosen,dll)
 Pegawai Negeri Lain-lain...

III. Daftar Pertanyaan

Berikan jawaban dari pertanyaan di bawah ini dengan memberikan tanda pada lima pilihan jawaban yang tersedia, dimana keterangan dari 5 pilihan jawaban yaitu:

STS : Sangat tidak setuju = skor 1

TS : Tidak Setuju = skor 2

N : Netral = skor 3

S : Setuju = skor 4

SS : Sangat Setuju = skor 5

NO	PERTANYAAN	STS	TS	KS	S	SS
TALKERS(X1)						
1	Saya mendapatkan informasi tentang Kober Mie Setan dari orang terdekat saya					
2	Saya mempercayai informasi tentang Kober Mie Setan yang diberikan pembicara					
3	Pembicara mempunyai pengaruh yang kuat dalam keputusan pembelian saya dalam membeli di Kober Mie Setan					
TOPICS (X2)						
1	Harga makanan di Kober Mie Setan sangat terjangkau					
2	Kober Mie Setan terletak di pinggir jalan raya					
3	Kober Mie Setan pelayanannya cepat					
TOOLS (X3)						
1	Saya mendapatkan informasi dan membicarakan tentang Kober Mie Setan melalui whatsApp					
2	Saya mendapatkan informasi dan membicarakan tentang Kober Mie Setan melalui BBM					
3	Saya mendapatkan informasi dan membicarakan tentang Kober Mie Setan melalui Line					

TAKING PART (X4)					
1	Kober Mie Setan cepat tanggap merespon pertanyaan dari pembeli				
2	Kober Mie Setan cepat tanggap menjelaskan makanan apa saja yang ditawarkan				
3	Kober Mie Setan cekatan dan ramah dalam melayani pembeli				
TRACKING (X5)					
1	Dengan adanya contact person dari Kober Mie Setan saya dapat mengajukan kritik maupun saran saya				
2	Dengan adanya media sosial saya dapat mengungkapkan pendapat saya tentang Kober Mie Setan				
3	Dengan adanya ragam menu saya dapat dengan mudah memilih menu yang diinginkan				
KEPUTUSAN PEMBELIAN (Y)					
1	Saya yakin dan tertarik untuk membeli di Kober Mie Setan				
2	Saya akan merekomendasikan Kober Mie Setan ke orang lain				
3	Saya akan membeli produk Kober Mie Setan lagi				

LAMPIRAN 2
REKAPITULASI RESPONDEN

REKAPITULASI RESPONDEN

NO	X1.1	X1.2	X1.3	X2.1	X2.2	X2.3	X3.1	X3.2	X3.3	X4.1	X4.2	X4.3	X5.1	X5.2	X5.3	Y1	Y2	Y3	X1	X2	X3	X4	X5	Y
1	5	4	4	4	4	4	5	4	4	4	4	4	5	4	4	5	4	4	13	12	13	12	13	13
2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	12	12	12	12	12	12
3	4	4	4	4	4	5	3	4	4	4	4	5	3	4	4	4	4	4	12	13	11	13	11	12
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	4	4	4	12	12	12	12	13	12
5	5	4	4	4	4	4	5	4	4	4	4	4	5	4	5	5	5	5	13	12	13	12	14	15
6	5	4	5	5	4	4	4	4	5	5	4	4	4	4	5	5	4	4	14	13	13	13	13	13
7	4	4	4	4	4	4	4	3	3	4	4	4	4	3	4	4	4	4	12	12	10	12	11	12
8	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	15	15	15	15	15	15
9	5	4	4	5	4	3	4	4	3	5	4	3	4	4	4	5	4	4	13	12	11	12	12	13
10	5	4	4	4	4	4	3	4	4	4	4	4	3	4	4	4	4	4	13	12	11	12	11	12
11	4	4	4	4	4	4	5	4	4	4	4	4	5	4	4	4	4	4	12	12	13	12	13	12
12	5	5	5	4	4	4	5	5	5	4	4	4	5	5	5	5	5	5	15	12	15	12	15	15
13	5	4	4	3	3	3	4	4	4	3	3	3	4	4	4	4	4	4	13	14	12	14	12	12
14	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	4	5	5	12	12	12	12	13	14
15	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	15	15	15	15	15	15
16	4	4	4	5	4	4	3	5	5	5	4	4	3	5	4	5	4	4	12	13	13	13	12	13
17	4	4	4	4	4	4	5	5	4	4	4	4	5	5	4	2	5	5	12	12	14	12	14	12
18	5	5	4	4	5	5	3	4	5	4	5	5	3	4	5	4	5	4	14	14	12	14	12	13
19	5	5	4	5	4	4	5	4	4	5	4	4	5	4	4	5	4	4	14	13	13	13	13	13
20	5	5	4	4	4	5	5	5	4	4	4	5	5	5	5	5	4	4	14	13	14	13	15	13
21	5	5	5	4	4	4	5	5	5	4	4	4	5	5	4	5	5	4	15	12	15	12	14	14
22	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	12	12	12	12	12	12
23	2	3	4	3	4	4	2	3	4	3	4	4	2	3	3	4	4	4	9	11	14	15	8	12

24	4	5	5	5	5	5	4	5	5	5	5	5	4	5	5	5	5	14	15	14	15	14	15	
25	4	4	4	4	4	4	5	4	4	4	4	4	5	4	4	3	4	4	12	15	13	12	13	11
26	4	4	4	4	4	4	4	4	5	4	4	4	4	4	4	4	5	12	12	13	12	12	13	
27	4	5	5	4	5	5	4	5	5	4	5	5	4	5	5	4	5	14	14	14	14	14	14	
28	5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	4	13	12	12	12	12	11
29	3	4	5	4	4	5	5	4	5	4	4	5	5	4	4	5	4	5	12	13	14	13	13	14
30	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	15	15	15	15	15	15	
31	5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	13	12	12	12	12	12	
32	5	4	4	4	4	4	4	4	4	4	4	4	4	4	5	3	4	4	13	12	12	12	13	11
33	5	5	5	4	4	4	5	5	5	4	4	4	5	5	5	5	5	15	12	15	12	15	15	
34	4	4	4	5	5	4	5	5	5	5	5	4	5	5	4	5	4	4	12	14	15	14	14	13
35	5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	13	12	12	12	12	12	
36	5	4	4	4	4	3	4	4	4	4	4	3	4	4	4	4	4	3	13	11	12	11	12	11
37	5	5	5	4	4	4	5	4	4	4	4	4	5	4	5	5	5	15	12	13	12	14	15	
38	4	3	3	5	5	5	4	3	3	5	5	5	4	3	4	4	4	10	15	10	15	11	12	
39	4	4	3	3	4	4	4	3	3	3	4	4	4	3	4	4	4	11	11	10	11	11	12	
40	4	4	4	3	3	4	4	4	4	3	3	4	4	4	4	4	4	12	10	12	10	12	12	
41	5	4	4	4	4	4	5	4	4	4	4	4	5	4	4	5	4	13	12	13	12	13	13	
42	4	4	4	3	3	3	5	5	5	3	3	3	5	5	5	5	5	12	13	15	15	15	15	
43	5	4	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	13	15	15	15	15	15	
44	4	5	4	4	3	3	4	4	4	4	3	3	4	4	4	4	4	13	10	12	10	12	12	
45	5	5	5	4	4	4	4	4	5	4	4	4	4	4	4	4	4	15	12	13	12	12	12	
46	4	5	4	3	4	5	4	4	4	3	4	5	4	4	4	5	4	13	12	12	12	12	13	
47	5	5	4	5	4	4	5	4	4	5	4	4	5	4	4	4	4	14	13	13	13	13	15	
48	5	4	4	5	4	3	4	5	5	5	4	3	4	5	4	4	4	13	12	14	12	13	15	
49	5	4	4	4	4	4	3	3	4	4	4	4	3	3	5	4	4	13	12	13	12	11	15	

50	4	5	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	13	15	15	15	15	15	
51	4	4	4	5	5	4	5	5	4	5	5	4	5	5	4	4	4	4	12	14	14	14	14	12
52	3	5	3	4	4	4	3	3	4	4	4	4	3	3	4	4	4	4	11	12	10	12	10	12
53	4	4	4	4	4	4	5	5	4	4	4	4	5	5	4	4	4	4	12	12	14	12	14	12
54	5	4	5	5	4	4	4	5	5	5	4	4	4	5	4	5	4	4	14	13	14	13	13	13
55	4	5	4	5	4	4	5	5	5	5	4	4	5	5	4	5	4	4	13	13	15	13	14	13
56	5	4	4	4	4	4	4	5	4	4	4	4	4	5	4	4	4	4	13	12	13	12	13	12
57	4	4	4	4	4	4	5	5	5	4	4	4	5	5	4	4	4	4	12	12	15	12	14	12
58	4	5	5	5	4	4	4	5	5	5	4	4	4	5	5	4	4	5	14	13	14	13	14	13
59	5	4	4	5	5	4	5	5	4	5	5	4	5	5	4	5	4	4	13	14	14	14	14	13
60	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	12	12	12	12	12	12
61	4	4	3	4	4	4	3	3	3	4	4	4	3	3	3	4	4	4	11	12	15	12	9	12
62	5	5	5	5	5	5	4	5	4	5	5	5	4	5	5	5	4	5	15	15	13	15	14	14
63	5	5	2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	12	12	12	12	12	13
64	5	5	5	4	4	4	4	5	5	4	4	4	4	5	4	5	4	4	15	12	14	12	13	13
65	4	4	4	4	4	4	5	5	4	4	4	4	5	5	4	4	4	4	12	12	14	12	14	12
66	4	4	5	4	5	4	4	4	5	4	5	4	4	4	5	4	5	4	13	13	13	13	13	13
67	5	5	4	5	4	4	5	4	4	5	4	4	5	4	4	5	4	4	14	13	13	13	13	13
68	5	4	4	4	5	5	5	5	4	4	5	5	5	5	5	5	4	4	13	14	14	14	15	13
69	5	4	4	5	4	4	5	5	5	5	4	4	5	5	4	5	5	4	13	13	15	13	14	14
70	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	12	12	12	12	12	14
71	4	4	4	4	4	4	4	3	3	4	4	4	4	3	3	4	4	4	12	12	14	12	10	12
72	5	5	5	5	5	5	4	5	5	5	5	5	4	5	5	5	5	5	15	15	14	15	14	15
73	5	4	4	5	4	4	5	4	4	5	4	4	5	4	4	4	4	4	13	13	13	13	13	13
74	4	4	4	4	4	4	5	5	4	4	4	4	5	5	4	4	4	4	12	12	14	12	14	13
75	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	4	4	4	12	12	12	12	13	12

76	5	5	5	4	4	5	4	4	5	4	4	5	4	4	5	4	5	4	15	13	13	13	13	13
77	5	5	4	5	5	4	5	5	4	5	5	4	5	5	4	5	4	4	14	14	14	14	14	13
78	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	15	15	15	15	15	15
79	4	5	4	4	5	4	5	4	4	4	5	4	5	4	5	5	4	4	13	13	13	13	14	13
80	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	12	12	14	12	12	14
81	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	15	15	15	15	15	15
82	5	4	4	5	4	4	5	4	4	5	4	4	5	4	4	5	4	4	13	13	13	13	13	13
83	3	4	4	5	4	4	4	4	4	5	4	4	4	4	3	4	4	4	11	13	12	13	11	12
84	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	12	12	12	12	12	12
85	5	5	5	4	4	4	5	5	5	4	4	4	5	5	5	5	5	5	15	12	15	12	15	15
86	5	4	4	4	4	4	5	4	4	4	4	4	5	4	4	5	4	4	13	12	13	12	13	13
87	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	12	12	12	12	12	12
88	4	4	4	4	4	5	3	4	4	4	4	5	3	4	4	4	4	4	12	13	11	13	11	12
89	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	4	4	4	12	12	12	12	13	12
90	5	4	4	4	4	4	5	4	4	4	4	4	5	4	5	5	5	5	13	12	13	12	14	15
91	5	4	5	5	4	4	4	4	5	5	4	4	4	4	5	5	4	4	14	13	13	13	13	13
92	4	4	4	4	4	4	4	3	3	4	4	4	4	3	4	4	4	4	12	12	15	12	11	12
93	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	15	15	15	15	15	15
94	5	4	4	5	4	3	4	4	3	5	4	3	4	4	4	5	4	4	13	12	14	12	12	13
95	5	4	4	4	4	4	3	4	4	4	4	4	3	4	4	4	4	4	13	12	11	12	11	12
96	4	4	4	4	4	4	5	4	4	4	4	4	5	4	4	4	4	4	12	12	13	12	13	12
97	5	5	5	4	4	4	5	5	5	4	4	4	5	5	5	5	5	5	15	12	15	12	15	15
98	5	4	4	3	3	3	4	4	4	3	3	3	4	4	4	4	4	4	13	9	13	9	12	14
99	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	4	5	5	12	12	12	12	13	14
100	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	15	15	15	15	15	15
101	4	4	4	5	4	4	3	5	5	5	4	4	3	5	4	5	4	4	12	13	13	13	12	13

102	4	4	4	4	4	4	5	5	4	4	4	4	5	5	4	2	5	5	12	12	14	12	14	12
103	5	5	4	4	5	5	3	4	5	4	5	5	3	4	5	4	5	4	14	14	12	14	12	13
104	5	5	4	5	4	4	5	4	4	5	4	4	5	4	4	5	4	4	14	13	13	13	13	13
105	5	5	4	4	4	5	5	5	4	4	4	5	5	5	5	5	4	4	14	13	14	13	15	13
106	5	5	5	4	4	4	5	5	5	4	4	4	5	5	4	5	5	4	15	12	15	12	14	14
107	5	5	5	4	4	4	5	5	5	4	4	4	5	5	4	5	5	4	15	12	13	12	14	14
108	5	5	5	5	5	5	5	5	5	5	4	4	4	4	5	5	4	5	15	15	15	13	13	14

LAMPIRAN 3
FREKUENSI

Frequencies

Statistics

		X1.1	X1.2	X1.3
N	Valid	108	108	108
	Missing	0	0	0

Frequency Table

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	,9	,9	,9
	3	3	2,8	2,8	3,7
	4	45	41,7	41,7	45,4
	5	59	54,6	54,6	100,0
	Total	108	100,0	100,0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	1,9	1,9	1,9
	4	66	61,1	61,1	63,0
	5	40	37,0	37,0	100,0
	Total	108	100,0	100,0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	,9	,9	,9
	3	4	3,7	3,7	4,6
	4	74	68,5	68,5	73,1
	5	29	26,9	26,9	100,0
	Total	108	100,0	100,0	

Frequencies

Statistics

		X2.1	X2.2	X2.3
N	Valid	108	108	108
	Missing	0	0	0

Frequency Table

X2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	6,5	6,5	6,5
	4	65	60,2	60,2	66,7
	5	36	33,3	33,3	100,0
	Total	108	100,0	100,0	

X2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	5	4,6	4,6	4,6
	4	79	73,1	73,1	77,8
	5	24	22,2	22,2	100,0
	Total	108	100,0	100,0	

X2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	8	7,4	7,4	7,4
	4	75	69,4	69,4	76,9
	5	25	23,1	23,1	100,0
	Total	108	100,0	100,0	

Frequencies

Statistics

		X3.1	X3.2	X3.3
N	Valid	108	108	108
	Missing	0	0	0

Frequency Table

X3.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	,9	,9	,9
	3	11	10,2	10,2	11,1
	4	46	42,6	42,6	53,7
	5	50	46,3	46,3	100,0
	Total	108	100,0	100,0	

X3.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	9	8,3	8,3	8,3
	4	55	50,9	50,9	59,3
	5	44	40,7	40,7	100,0
	Total	108	100,0	100,0	

X3.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	8	7,4	7,4	7,4
	4	60	55,6	55,6	63,0
	5	40	37,0	37,0	100,0
	Total	108	100,0	100,0	

Frequencies

Statistics

		X4.1	X4.2	X4.3
N	Valid	108	108	108
	Missing	0	0	0

Frequency Table

X4.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	6,5	6,5	6,5
	4	65	60,2	60,2	66,7
	5	36	33,3	33,3	100,0
	Total	108	100,0	100,0	

X4.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	5	4,6	4,6	4,6
	4	80	74,1	74,1	78,7
	5	23	21,3	21,3	100,0
	Total	108	100,0	100,0	

X4.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	8	7,4	7,4	7,4
	4	76	70,4	70,4	77,8
	5	24	22,2	22,2	100,0
	Total	108	100,0	100,0	

Frequencies

Statistics

		X5.1	X5.2	X5.3
N	Valid	108	108	108
	Missing	0	0	0

Frequency Table

X5.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	,9	,9	,9
	3	11	10,2	10,2	11,1
	4	47	43,5	43,5	54,6
	5	49	45,4	45,4	100,0
	Total	108	100,0	100,0	

X5.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	9	8,3	8,3	8,3
	4	56	51,9	51,9	60,2
	5	43	39,8	39,8	100,0
	Total	108	100,0	100,0	

X5.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	3,7	3,7	3,7
	4	64	59,3	59,3	63,0
	5	40	37,0	37,0	100,0
	Total	108	100,0	100,0	

Frequencies

Statistics

		Y1	Y2	Y3
N	Valid	108	108	108
	Missing	0	0	0

Frequency Table

Y1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	1,9	1,9	1,9
	3	2	1,9	1,9	3,7
	4	54	50,0	50,0	53,7
	5	50	46,3	46,3	100,0
	Total	108	100,0	100,0	

Y2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	,9	,9	,9
	4	75	69,4	69,4	70,4
	5	32	29,6	29,6	100,0
	Total	108	100,0	100,0	

Y3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	,9	,9	,9
	4	77	71,3	71,3	72,2
	5	30	27,8	27,8	100,0
	Total	108	100,0	100,0	

LAMPIRAN 4
VALIDITAS

Correlations

		X1.1	X1.2	X1.3	X1
X1.1	Pearson Correlation	1	,389**	,297**	,758**
	Sig. (2-tailed)		,000	,002	,000
	N	108	108	108	108
X1.2	Pearson Correlation	,389**	1	,459**	,786**
	Sig. (2-tailed)	,000		,000	,000
	N	108	108	108	108
X1.3	Pearson Correlation	,297**	,459**	1	,755**
	Sig. (2-tailed)	,002	,000		,000
	N	108	108	108	108
X1	Pearson Correlation	,758**	,786**	,755**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	108	108	108	108

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X2.1	X2.2	X2.3	X2
X2.1	Pearson Correlation	1	,562**	,258**	,761**
	Sig. (2-tailed)		,000	,007	,000
	N	108	108	108	108
X2.2	Pearson Correlation	,562**	1	,681**	,906**
	Sig. (2-tailed)	,000		,000	,000
	N	108	108	108	108
X2.3	Pearson Correlation	,258**	,681**	1	,782**
	Sig. (2-tailed)	,007	,000		,000
	N	108	108	108	108
X2	Pearson Correlation	,761**	,906**	,782**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	108	108	108	108

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

Correlations

		X3.1	X3.2	X3.3	X3
X3.1	Pearson Correlation	1	,514**	,201*	,744**
	Sig. (2-tailed)		,000	,037	,000
	N	108	108	108	108
X3.2	Pearson Correlation	,514**	1	,665**	,901**
	Sig. (2-tailed)	,000		,000	,000
	N	108	108	108	108
X3.3	Pearson Correlation	,201*	,665**	1	,753**
	Sig. (2-tailed)	,037	,000		,000
	N	108	108	108	108
X3	Pearson Correlation	,744**	,901**	,753**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	108	108	108	108

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

Correlations

		X4.1	X4.2	X4.3	X4
X4.1	Pearson Correlation	1	,545**	,238*	,754**
	Sig. (2-tailed)		,000	,013	,000
	N	108	108	108	108
X4.2	Pearson Correlation	,545**	1	,674**	,901**
	Sig. (2-tailed)	,000		,000	,000
	N	108	108	108	108
X4.3	Pearson Correlation	,238*	,674**	1	,775**
	Sig. (2-tailed)	,013	,000		,000
	N	108	108	108	108
X4	Pearson Correlation	,754**	,901**	,775**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	108	108	108	108

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

Correlations

		X5.1	X5.2	X5.3	X5
X5.1	Pearson Correlation	1	,511**	,221*	,799**
	Sig. (2-tailed)		,000	,022	,000
	N	108	108	108	108
X5.2	Pearson Correlation	,511**	1	,348**	,822**
	Sig. (2-tailed)	,000		,000	,000
	N	108	108	108	108
X5.3	Pearson Correlation	,221*	,348**	1	,646**
	Sig. (2-tailed)	,022	,000		,000
	N	108	108	108	108
X5	Pearson Correlation	,799**	,822**	,646**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	108	108	108	108

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

Correlations

		Y1	Y2	Y3	Y
Y1	Pearson Correlation	1	,200*	,198*	,697**
	Sig. (2-tailed)		,038	,040	,000
	N	108	108	108	108
Y2	Pearson Correlation	,200*	1	,663**	,778**
	Sig. (2-tailed)	,038		,000	,000
	N	108	108	108	108
Y3	Pearson Correlation	,198*	,663**	1	,775**
	Sig. (2-tailed)	,040	,000		,000
	N	108	108	108	108
Y	Pearson Correlation	,697**	,778**	,775**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	108	108	108	108

* . Correlation is significant at the 0.05 level (2-tailed).

** . Correlation is significant at the 0.01 level (2-tailed).

LAMPIRAN 5
REABILITAS

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	108	100,0
	Excluded ^a	0	,0
	Total	108	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,643	,649	3

Item Statistics

	Mean	Std. Deviation	N
X1.1	4,50	,604	108
X1.2	4,35	,517	108
X1.3	4,21	,548	108

Inter-Item Correlation Matrix

	X1.1	X1.2	X1.3
X1.1	1,000	,389	,297
X1.2	,389	1,000	,459
X1.3	,297	,459	1,000

Inter-Item Covariance Matrix

	X1.1	X1.2	X1.3
X1.1	,364	,121	,098
X1.2	,121	,268	,130
X1.3	,098	,130	,300

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X1.1	8,56	,828	,400	,169	,628
X1.2	8,71	,861	,524	,281	,456
X1.3	8,85	,875	,445	,227	,555

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
13,06	1,631	1,277	3

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	108	100,0
	Excluded ^a	0	,0
	Total	108	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,740	,750	3

Item Statistics

	Mean	Std. Deviation	N
X2.1	4,27	,574	108
X2.2	4,18	,490	108
X2.3	4,16	,532	108

Inter-Item Correlation Matrix

	X2.1	X2.2	X2.3
X2.1	1,000	,562	,258
X2.2	,562	1,000	,681
X2.3	,258	,681	1,000

Inter-Item Covariance Matrix

	X2.1	X2.2	X2.3
X2.1	,329	,158	,079
X2.2	,158	,240	,178
X2.3	,079	,178	,283

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X2.1	8,33	,879	,440	,345	,809
X2.2	8,43	,770	,781	,624	,409
X2.3	8,44	,885	,512	,487	,714

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
12,60	1,681	1,297	3

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	108	100,0
	Excluded ^a	0	,0
	Total	108	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,711	,719	3

Item Statistics

	Mean	Std. Deviation	N
X3.1	4,34	,699	108
X3.2	4,32	,624	108
X3.3	4,30	,600	108

Inter-Item Correlation Matrix

	X3.1	X3.2	X3.3
X3.1	1,000	,514	,201
X3.2	,514	1,000	,665
X3.3	,201	,665	1,000

Inter-Item Covariance Matrix

	X3.1	X3.2	X3.3
X3.1	,489	,224	,084
X3.2	,224	,389	,249
X3.3	,084	,249	,360

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X3.1	8,62	1,247	,395	,300	,798
X3.2	8,64	1,018	,752	,593	,332
X3.3	8,67	1,327	,482	,469	,676

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
12,96	2,354	1,534	3

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	108	100,0
	Excluded ^a	0	,0
	Total	108	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,727	,739	3

Item Statistics

	Mean	Std. Deviation	N
X4.1	4,27	,574	108
X4.2	4,17	,483	108
X4.3	4,15	,526	108

Inter-Item Correlation Matrix

	X4.1	X4.2	X4.3
X4.1	1,000	,545	,238
X4.2	,545	1,000	,674
X4.3	,238	,674	1,000

Inter-Item Covariance Matrix

	X4.1	X4.2	X4.3
X4.1	,329	,151	,072
X4.2	,151	,234	,171
X4.3	,072	,171	,277

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X4.1	8,31	,853	,421	,327	,803
X4.2	8,42	,750	,770	,610	,384
X4.3	8,44	,865	,497	,477	,699

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
12,58	1,629	1,276	3

Reliability**Scale: ALL VARIABLES****Case Processing Summary**

		N	%
Cases	Valid	108	100,0
	Excluded ^a	0	,0
	Total	108	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,630	,638	3

Item Statistics

	Mean	Std. Deviation	N
X5.1	4,33	,697	108
X5.2	4,31	,621	108
X5.3	4,33	,547	108

Inter-Item Correlation Matrix

	X5.1	X5.2	X5.3
X5.1	1,000	,511	,221
X5.2	,511	1,000	,348
X5.3	,221	,348	1,000

Inter-Item Covariance Matrix

	X5.1	X5.2	X5.3
X5.1	,486	,221	,084
X5.2	,221	,386	,118
X5.3	,084	,118	,299

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X5.1	8,65	,922	,456	,263	,514
X5.2	8,67	,953	,560	,319	,353
X5.3	8,65	1,314	,323	,124	,673

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
12,98	2,018	1,421	3

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	108	100,0
	Excluded ^a	0	,0
	Total	108	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,581	,621	3

Item Statistics

	Mean	Std. Deviation	N
Y1	4,41	,627	108
Y2	4,29	,475	108
Y3	4,27	,466	108

Inter-Item Correlation Matrix

	Y1	Y2	Y3
Y1	1,000	,200	,198
Y2	,200	1,000	,663
Y3	,198	,663	1,000

Inter-Item Covariance Matrix

	Y1	Y2	Y3
Y1	,393	,060	,058
Y2	,060	,225	,147
Y3	,058	,147	,217

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
Y1	8,56	,735	,218	,048	,797
Y2	8,68	,726	,510	,444	,319
Y3	8,69	,738	,511	,444	,323

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
12,96	1,363	1,168	3

LAMPIRAN 6
REGRESI LINIER BERGANDA

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X5, X4, X1, X3, X2 ^b		Enter

a. Dependent Variable: Y

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	,721 ^a	,520	,496	,844	,520	22,084	5	102	,000

a. Predictors: (Constant), X5, X4, X1, X3, X2

b. Dependent Variable: Y

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	78,720	5	15,744	22,084	,000 ^b
	Residual	72,716	102	,713		
	Total	151,435	107			

a. Dependent Variable: Y

b. Predictors: (Constant), X5, X4, X1, X3, X2

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B		Correlations			Collinearity Statistics	
	B	Std. Error				Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	VIF
	1 (Constant)	2,300	1,111		2,071	,041	,097	4,503				
X1	,348	,084	,373	4,135	,000	,181	,514	,591	,379	,284	,578	1,729
X2	,329	,163	,338	2,014	,047	-,653	-,005	,384	-,196	-,138	,167	5,998
X3	,172	,083	,193	2,085	,040	,008	,336	,555	,202	,143	,549	1,820
X4	,456	,160	,465	2,858	,005	,139	,772	,412	,272	,196	,178	5,627
X5	,184	,088	,220	2,088	,039	,009	,359	,593	,203	,143	,425	2,351

a. Dependent Variable: Y

Coefficient Correlations^a

Model		X5	X4	X1	X3	X2	
1	Correlations	X5	1,000	,119	-,418	-,485	-,207
		X4	,119	1,000	,178	-,259	-,887
		X1	-,418	,178	1,000	-,117	-,213
		X3	-,485	-,259	-,117	1,000	,190
		X2	-,207	-,887	-,213	,190	1,000
Covariances	X5	,008	,002	-,003	-,004	-,003	
	X4	,002	,025	,002	-,003	-,023	
	X1	-,003	,002	,007	-,001	-,003	
	X3	-,004	-,003	-,001	,007	,003	
	X2	-,003	-,023	-,003	,003	,027	

a. Dependent Variable: Y

Collinearity Diagnostics^a

Mo del	Dimension	Eigenvalue	Condition Index	Variance Proportions					
				(Constant)	X1	X2	X3	X4	X5
1	1	5,975	1,000	,00	,00	,00	,00	,00	,00
	2	,011	23,560	,00	,07	,04	,05	,05	,09
	3	,006	32,704	,23	,33	,00	,31	,01	,08
	4	,005	34,082	,41	,11	,02	,25	,00	,18
	5	,003	44,486	,35	,44	,00	,31	,00	,62
	6	,001	86,271	,01	,05	,94	,08	,94	,04

a. Dependent Variable: Y


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	11,21	14,76	13,12	,858	108
Std. Predicted Value	-2,232	1,909	,000	1,000	108
Standard Error of Predicted Value	,087	,652	,181	,083	108
Adjusted Predicted Value	11,14	14,74	13,13	,853	108
Residual	-1,798	2,398	,000	,824	108
Std. Residual	-2,129	2,840	,000	,976	108
Stud. Residual	-2,157	2,908	-,002	1,002	108
Deleted Residual	-1,845	2,513	-,005	,873	108
Stud. Deleted Residual	-2,197	3,021	,001	1,013	108
Mahal. Distance	,140	62,859	4,954	7,773	108
Cook's Distance	,000	,240	,011	,027	108
Centered Leverage Value	,001	,587	,046	,073	108


a. Dependent Variable: Y

Charts

Normal P-P Plot of Regression Standardized Residual



Scatterplot



LAMPIRAN 7
r Tabel

r Tabel

Tabel r (Sign 0,05)

df	R	df	R	df	r	df	r
1	0,9969	31	0,3440	61	0,2480	91	0,2039
2	0,9500	32	0,3388	62	0,2461	92	0,2028
3	0,8783	33	0,3338	63	0,2441	93	0,2017
4	0,8114	34	0,3291	64	0,2423	94	0,2006
5	0,7545	35	0,3246	65	0,2404	95	0,1996
6	0,7067	36	0,3202	66	0,2387	96	0,1986
7	0,6664	37	0,3160	67	0,2369	97	0,1975
8	0,6319	38	0,3120	68	0,2352	98	0,1966
9	0,6021	39	0,3081	69	0,2335	99	0,1956
10	0,5760	40	0,3044	70	0,2319	100	0,1946
11	0,5529	41	0,3008	71	0,2303	101	0,1937
12	0,5324	42	0,2973	72	0,2287	102	0,1927
13	0,5140	43	0,2940	73	0,2272	103	0,1918
14	0,4973	44	0,2907	74	0,2257	104	0,1909
15	0,4821	45	0,2876	75	0,2242	105	0,1900
16	0,4683	46	0,2845	76	0,2227	106	0,1891
17	0,4555	47	0,2816	77	0,2213	107	0,1882
18	0,4438	48	0,2787	78	0,2199	108	0,1874
19	0,4329	49	0,2759	79	0,2185	109	0,1865
20	0,4227	50	0,2732	80	0,2172	110	0,1857
21	0,4132	51	0,2706	81	0,2159	111	0,1848
22	0,4044	52	0,2681	82	0,2146	112	0,1840
23	0,3961	53	0,2656	83	0,2133	113	0,1832
24	0,3882	54	0,2632	84	0,2120	114	0,1824
25	0,3809	55	0,2609	85	0,2108	115	0,1816
26	0,3739	56	0,2586	86	0,2096	116	0,1809
27	0,3673	57	0,2564	87	0,2084	117	0,1801
28	0,3610	58	0,2542	88	0,2072	118	0,1793
29	0,3550	59	0,2521	89	0,2061	119	0,1786
30	0,3494	60	0,2500	90	0,2050	120	0,1779

LAMPIRAN 8

t Tabel

t tabel

Tabel Distribusi t			
df	0,1	0,05	0,025
1	25,4517	6,3138	12,7062
2	6,2053	2,9200	4,3027
3	4,1765	2,3534	3,1824
4	3,4954	2,1318	2,7764
5	3,1634	2,0150	2,5706
6	2,9687	1,9432	2,4469
7	1,4150	1,8946	2,3646
8	1,3970	1,8595	2,3060
9	1,3830	1,8331	2,2622
10	1,3720	1,8125	2,2281
11	1,3630	1,7959	2,2010
12	1,3560	1,7823	2,1788
13	1,3500	1,7709	2,1604
14	1,3450	1,7613	2,1448
15	1,3410	1,7531	2,1314
16	1,3370	1,7459	2,1199
17	1,3330	1,7396	2,1098
18	1,3300	1,7341	2,1009
19	1,3280	1,7291	2,0930
20	1,3250	1,7247	2,0860
21	1,3230	1,7207	2,0796
22	1,3210	1,7171	2,0739
23	1,3190	1,7139	2,0687
24	1,3180	1,7109	2,0639
25	1,3160	1,7081	2,0595
26	1,3150	1,7056	2,0555
27	1,3140	1,7033	2,0518
28	1,3130	1,7011	2,0484
29	1,3110	1,6991	2,0452
30	1,3100	1,6973	2,0423
31	1,3090	1,6955	2,0395
32	2,3518	1,6939	2,0369

df	0,1	0,05	0,25
33	1,3080	1,6924	2,0345
34	1,3070	1,6909	2,0322
35	1,3060	1,6896	2,0301
36	1,3060	1,6883	2,0281
37	1,3050	1,6871	2,0262
38	1,3040	1,6860	2,0244
39	1,3040	1,6849	2,0227
40	1,3030	1,6839	2,0211
41	1,3030	1,6829	2,0195
42	1,3020	1,6820	2,0181
43	1,3020	1,6811	2,0167
44	1,3010	1,6802	2,0154
45	1,3010	1,6794	2,0141
46	1,3000	1,6787	2,0129
47	1,3000	1,6779	2,0117
48	1,2990	1,6772	2,0106
49	1,2990	1,6766	2,0096
50	1,2990	1,6759	2,0086
51	1,2980	1,6753	2,0076
52	1,2980	1,6747	2,0066
53	1,2980	1,6741	2,0057
54	1,2970	1,6736	2,0049
55	1,2970	1,6730	2,0040
56	1,2970	1,6725	2,0032
57	1,2970	1,6720	2,0025
58	1,2960	1,6716	2,0017
59	1,2960	1,6711	2,0010
60	1,2960	1,6706	2,0003
61	1,2960	1,6702	1,9996
62	1,2950	1,6698	1,9990
63	1,2950	1,6694	1,9983
64	1,2950	1,6690	1,9977
65	1,2950	1,6686	1,9971
66	1,2950	1,6683	1,9966
67	1,2940	1,6679	1,9960
68	1,2940	1,6676	1,9955
69	1,2940	1,6672	1,9949

51	1,2980	1,6753	2,0076
52	1,2980	1,6747	2,0066
53	1,2980	1,6741	2,0057
54	1,2970	1,6736	2,0049
55	1,2970	1,6730	2,0040
56	1,2970	1,6725	2,0032
57	1,2970	1,6720	2,0025
58	1,2960	1,6716	2,0017
59	1,2960	1,6711	2,0010
60	1,2960	1,6706	2,0003
61	1,2960	1,6702	1,9996
62	1,2950	1,6698	1,9990
63	1,2950	1,6694	1,9983
64	1,2950	1,6690	1,9977
65	1,2950	1,6686	1,9971
66	1,2950	1,6683	1,9966
67	1,2940	1,6679	1,9960
68	1,2940	1,6676	1,9955
69	1,2940	1,6672	1,9949
70	1,2940	1,6669	1,9944
71	1,2940	1,6666	1,9939
72	1,2930	1,6663	1,9935
73	1,2930	1,6660	1,9930
74	1,2930	1,6657	1,9925
75	1,2929	1,6654	1,9921
76	1,2928	1,6651	1,9917
77	1,2926	1,6649	1,9912
78	1,2925	1,6646	1,9908
79	1,2924	1,6644	1,9904
80	1,2922	1,6641	1,9901
81	1,2921	1,6639	1,9897
82	1,2919	1,6636	1,9893
83	1,2918	1,6634	1,9889
84	1,2917	1,6632	1,9886
85	1,2916	1,6629	1,9883
86	1,2915	1,6628	1,9879
87	1,2914	1,6626	1,9876
88	1,2912	1,6623	1,9873

89	1.2911	1.6622	1.9869
90	1.2910	1.6619	1.9867
91	1.2909	1.6618	1.9864
92	1.2908	1.6616	1.9860
93	1.2907	1.6614	1.9858
94	1.2906	1.6612	1.9855
95	1.2905	1.6610	1.9852
96	1.2904	1.6609	1.9849
97	1.2903	1.6607	1.9847
98	1.2902	1.6605	1.9845
99	1.2902	1.6604	1.9842
100	1.2901	1.6602	1.9839
101	1.2899	1.6600	1.9837
102	1.2899	1.6599	1.9835
103	1.2898	1.6597	1.9832
104	1.2897	1.6596	1.9830
105	1.2896	1.6595	1.9828
106	1.2895	1.6593	1.9826
107	1.2895	1.6592	1.9823
108	1.2894	1.6590	1.9821
109	1.2893	1.6589	1.9819
110	1.2893	1.6588	1.9817