

Lampiran 2

Rekapitulasi Data Jawaban Responden

No.	X1.1	X1.2	X1.3	X1.4	X1.5	X1	X2.1	X2.2	X2.3	X2.4	X2.5	X2
1	4	4	4	3	4	19	3	3	3	4	4	17
2	3	3	3	3	4	16	3	3	3	3	3	15
3	4	4	3	3	3	17	3	4	4	4	4	19
4	4	3	4	4	4	19	5	3	4	4	3	19
5	4	3	5	3	4	19	4	3	4	4	3	18
6	4	3	4	3	4	18	3	4	4	4	3	18
7	4	4	5	3	3	19	4	3	4	3	4	18
8	3	3	4	4	4	18	3	3	3	3	3	15
9	4	4	4	3	3	18	4	3	4	3	4	18
10	3	3	4	4	4	18	4	3	4	4	4	19
11	4	4	5	5	5	23	4	4	4	5	4	21
12	2	2	3	3	4	14	3	2	3	4	3	15
13	4	4	4	3	3	18	3	3	5	3	4	18
14	4	5	4	4	4	21	4	4	4	4	3	19
15	5	3	4	3	3	18	4	3	3	3	3	16
16	4	4	4	4	4	20	4	4	4	4	4	20
17	3	3	3	3	3	15	2	3	3	3	2	13
18	2	3	2	3	2	12	2	2	4	2	2	12
19	3	3	4	4	3	17	4	3	3	3	3	16
20	4	4	5	5	4	22	4	4	5	5	5	23
21	5	4	4	4	3	20	4	4	4	4	5	21
22	4	3	4	3	4	18	3	4	3	3	3	16
23	4	4	4	4	4	20	4	4	4	4	4	20
24	4	5	4	4	4	21	4	4	5	5	5	23
25	3	3	4	3	5	18	3	3	3	4	4	17
26	5	4	5	5	5	24	5	5	4	5	5	24
27	4	4	4	4	4	20	5	4	4	5	4	22
28	3	4	4	4	5	20	5	5	4	4	4	22
29	4	5	4	4	4	21	4	4	5	4	4	21
30	4	4	4	4	5	21	3	4	3	4	4	18
31	5	4	5	5	4	23	3	3	3	3	3	15
32	5	4	4	5	5	23	5	5	5	4	4	23
33	2	3	2	3	2	12	2	3	2	3	2	12
34	4	3	4	3	3	17	3	4	3	2	3	15
35	4	4	4	4	3	19	4	4	4	5	3	20
36	4	4	4	4	3	19	4	4	4	3	3	18

37	4	4	4	4	3	19	5	5	4	4	5	23
38	4	4	4	4	3	19	4	5	3	3	3	18
39	4	4	4	4	3	19	5	4	5	4	4	22
40	3	4	3	3	3	16	4	5	4	4	3	20
41	4	4	4	3	3	18	3	4	3	4	3	17
42	5	5	5	4	4	23	4	5	4	4	4	21
43	3	4	4	3	3	17	3	4	3	3	3	16
44	3	3	3	4	4	17	4	3	4	4	3	18
45	4	4	4	3	3	18	3	4	4	3	3	17
46	3	3	4	4	4	18	4	3	4	3	3	17
47	4	4	4	4	4	20	5	4	5	5	5	24
48	4	3	4	3	3	17	3	4	5	3	4	19
49	3	3	3	3	3	15	4	3	4	3	4	18
50	4	3	3	4	3	17	3	4	4	3	3	17
51	4	4	3	3	4	18	4	3	4	3	3	17
52	4	4	4	3	4	19	3	4	4	4	3	18
53	3	4	3	3	3	16	4	3	3	4	4	18
54	4	3	4	4	3	18	3	4	4	4	3	18
55	2	3	3	3	3	14	3	3	3	3	3	15
56	4	3	4	4	4	19	4	4	5	4	4	21
57	4	4	4	5	4	21	4	5	5	5	5	24
58	4	3	3	3	3	16	3	4	4	4	4	19
59	4	4	4	3	3	18	4	3	4	3	3	17
60	5	3	4	3	2	17	4	4	3	4	4	19

No.	X3.1	X3.2	X3.3	X3.4	X3.5	X3	X4.1	X4.2	X4.3	X4.4	X4.5	X4
1	4	4	5	3	4	20	4	4	4	5	4	21
2	3	2	3	2	2	12	3	4	3	4	3	17
3	4	4	4	3	3	18	3	3	4	4	4	18
4	3	4	4	4	3	18	4	5	5	4	4	22
5	3	3	3	3	3	15	4	3	3	3	4	17
6	2	3	4	3	2	14	4	4	3	4	3	18
7	3	3	4	4	3	17	3	3	4	4	3	17
8	4	4	5	3	4	20	4	4	3	3	3	17
9	3	3	4	4	4	18	4	4	4	4	4	20
10	4	4	4	3	4	19	3	3	4	3	3	16
11	5	4	5	5	4	23	4	4	5	4	4	21
12	4	4	4	4	3	19	3	3	3	3	3	15
13	3	3	3	3	3	15	3	4	3	4	3	17
14	4	4	4	4	4	20	3	3	4	4	4	18
15	3	3	2	2	3	13	4	4	3	3	3	17

16	4	4	5	4	3	20	3	3	4	4	3	17
17	3	3	4	3	3	16	4	4	3	4	3	18
18	2	2	2	2	1	9	3	3	2	2	2	12
19	3	3	3	5	3	17	4	4	3	4	3	18
20	4	4	4	4	4	20	5	5	5	4	5	24
21	3	3	4	3	4	17	4	4	4	3	3	18
22	4	3	3	3	3	16	3	3	4	3	4	17
23	4	4	4	4	4	20	4	4	5	4	5	22
24	4	4	4	5	5	22	4	5	4	4	5	22
25	2	3	3	3	3	14	3	3	3	3	3	15
26	5	5	5	5	4	24	4	4	5	5	5	23
27	4	4	4	4	5	21	4	3	3	3	3	16
28	4	4	4	4	4	20	4	4	4	3	3	18
29	5	5	5	5	5	25	4	4	4	4	3	19
30	3	2	3	3	3	14	5	4	3	3	4	19
31	4	4	4	3	5	20	3	3	3	3	3	15
32	5	5	5	4	4	23	5	5	4	4	4	22
33	2	3	2	3	3	13	2	2	2	3	2	11
34	5	5	5	3	4	22	3	4	4	3	4	18
35	4	4	4	4	4	20	4	4	4	4	4	20
36	5	5	5	4	3	22	5	5	4	5	5	24
37	5	4	5	5	4	23	5	4	4	3	4	20
38	5	4	4	4	3	20	4	3	4	4	3	18
39	5	4	4	4	3	20	4	4	5	4	4	21
40	4	5	5	5	4	23	3	3	4	3	3	16
41	4	4	5	3	4	20	3	3	4	3	4	17
42	3	3	4	4	4	18	4	4	3	4	3	18
43	4	4	4	3	4	19	3	3	4	4	4	18
44	5	5	4	4	5	23	4	4	5	5	4	22
45	3	3	2	3	3	14	3	3	4	4	3	17
46	3	3	3	3	3	15	4	4	3	4	3	18
47	4	4	4	4	4	20	5	5	4	5	5	24
48	3	4	3	4	3	17	4	4	3	4	4	19
49	3	4	4	3	3	17	3	3	4	4	4	18
50	3	3	3	3	3	15	4	4	3	3	3	17
51	3	4	4	3	3	17	3	3	4	4	3	17
52	2	3	3	3	2	13	4	4	3	4	3	18
53	3	3	3	3	3	15	3	3	4	4	3	17
54	4	3	5	3	3	18	3	3	3	4	3	16
55	3	3	3	2	3	14	4	3	3	3	4	17
56	3	3	3	3	3	15	3	4	3	4	3	17

57	3	5	4	5	5	22	4	3	4	4	4	19
58	4	4	5	4	3	20	3	4	3	4	3	17
59	3	3	3	3	4	16	3	4	4	3	4	18
60	3	3	4	4	3	17	3	3	4	4	3	17

No.	X5.1	X5.2	X5.3	X5.4	X5	Y1	Y2	Y3	Y4	Y
1	4	5	3	4	16	4	4	5	4	17
2	3	4	4	4	15	3	4	4	3	14
3	4	5	5	5	19	4	4	5	4	17
4	4	4	5	5	18	4	4	5	4	17
5	4	4	4	3	15	5	4	4	3	16
6	3	2	3	3	11	3	3	4	3	13
7	3	4	4	3	14	4	3	5	2	14
8	3	4	4	4	15	3	3	4	3	13
9	3	4	3	3	13	4	3	4	5	16
10	4	3	4	3	14	4	3	4	4	15
11	4	4	3	3	14	4	5	5	3	17
12	3	3	3	3	12	3	3	3	4	13
13	4	4	3	3	14	4	3	5	3	15
14	5	5	4	5	19	4	5	4	5	18
15	3	4	4	4	15	4	4	3	3	14
16	3	3	3	3	12	5	5	5	3	18
17	2	4	4	4	14	4	4	4	3	15
18	3	2	2	2	9	2	1	2	3	8
19	3	4	4	4	15	4	4	4	4	16
20	5	4	4	5	18	5	5	4	5	19
21	3	3	3	3	12	4	4	5	4	17
22	4	4	4	4	16	4	3	4	3	14
23	5	4	5	5	19	5	4	4	4	17
24	4	4	4	5	17	5	5	5	4	19
25	3	4	3	4	14	3	3	3	3	12
26	3	4	5	4	16	5	5	5	5	20
27	3	5	2	4	14	5	4	4	4	17
28	4	5	3	4	16	5	4	4	4	17
29	4	5	4	5	18	4	5	5	4	18
30	3	5	4	5	17	4	4	4	4	16
31	5	5	5	5	20	4	5	4	5	18
32	4	3	4	5	16	5	4	4	5	18
33	2	2	3	3	10	2	3	2	3	10
34	4	3	4	4	15	4	4	4	4	16
35	4	3	4	4	15	5	4	4	4	17

36	4	5	4	4	17	4	5	4	4	17
37	5	4	4	4	17	5	4	4	4	17
38	4	4	3	4	15	4	4	4	4	16
39	5	4	4	5	18	4	4	4	5	17
40	4	4	5	5	18	4	4	3	4	15
41	3	4	5	3	15	4	4	3	4	15
42	3	3	4	3	13	5	4	3	5	17
43	4	4	3	3	14	4	5	3	5	17
44	3	5	4	4	16	4	4	5	5	18
45	3	4	5	3	15	4	4	4	3	15
46	3	3	4	3	13	4	5	4	3	16
47	4	4	4	3	15	5	5	5	5	20
48	4	4	4	4	16	5	4	5	2	16
49	3	5	3	3	14	4	4	5	3	16
50	3	4	4	4	15	4	4	5	3	16
51	3	3	3	3	12	4	4	5	3	16
52	2	4	4	4	14	4	4	4	3	15
53	3	5	4	3	15	5	4	4	3	16
54	3	4	5	3	15	4	5	5	4	18
55	4	4	4	3	15	3	3	4	3	13
56	3	3	3	3	12	4	5	4	3	16
57	4	5	5	5	19	4	5	5	5	19
58	3	4	5	5	17	5	5	3	4	17
59	3	3	4	3	13	5	4	3	3	15
60	4	4	4	4	16	5	4	5	3	17

Lampiran 3

Hasil Uji Validitas

Correlations

		X1.1	X1.2	X1.3	X1.4	X1.5	X1
X1.1	Pearson Correlation	1	.460**	.652**	.363**	.181	.740**
	Sig. (2-tailed)		.000	.000	.004	.166	.000
	N	60	60	60	60	60	60
X1.2	Pearson Correlation	.460**	1	.391**	.342**	.195	.646**
	Sig. (2-tailed)	.000		.002	.007	.135	.000
	N	60	60	60	60	60	60
X1.3	Pearson Correlation	.652**	.391**	1	.484**	.452**	.824**
	Sig. (2-tailed)	.000	.002		.000	.000	.000
	N	60	60	60	60	60	60
X1.4	Pearson Correlation	.363**	.342**	.484**	1	.514**	.745**
	Sig. (2-tailed)	.004	.007	.000		.000	.000
	N	60	60	60	60	60	60
X1.5	Pearson Correlation	.181	.195	.452**	.514**	1	.660**
	Sig. (2-tailed)	.166	.135	.000	.000		.000
	N	60	60	60	60	60	60
X1	Pearson Correlation	.740**	.646**	.824**	.745**	.660**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	60	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X2.1	X2.2	X2.3	X2.4	X2.5	X2
X2.1	Pearson Correlation	1	.423**	.486**	.512**	.567**	.784**
	Sig. (2-tailed)		.001	.000	.000	.000	.000
	N	60	60	60	60	60	60
X2.2	Pearson Correlation	.423**	1	.350**	.448**	.452**	.697**
	Sig. (2-tailed)	.001		.006	.000	.000	.000
	N	60	60	60	60	60	60
X2.3	Pearson Correlation	.486**	.350**	1	.413**	.544**	.724**
	Sig. (2-tailed)	.000	.006		.001	.000	.000
	N	60	60	60	60	60	60
X2.4	Pearson Correlation	.512**	.448**	.413**	1	.630**	.785**
	Sig. (2-tailed)	.000	.000	.001		.000	.000
	N	60	60	60	60	60	60
X2.5	Pearson Correlation	.567**	.452**	.544**	.630**	1	.836**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	60	60	60	60	60	60
X2	Pearson Correlation	.784**	.697**	.724**	.785**	.836**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	60	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X3.1	X3.2	X3.3	X3.4	X3.5	X3
X3.1	Pearson Correlation	1	.744**	.713**	.510**	.558**	.858**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	60	60	60	60	60	60
X3.2	Pearson Correlation	.744**	1	.706**	.606**	.639**	.892**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	60	60	60	60	60	60
X3.3	Pearson Correlation	.713**	.706**	1	.533**	.490**	.838**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	60	60	60	60	60	60
X3.4	Pearson Correlation	.510**	.606**	.533**	1	.530**	.767**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	60	60	60	60	60	60
X3.5	Pearson Correlation	.558**	.639**	.490**	.530**	1	.775**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	60	60	60	60	60	60
X3	Pearson Correlation	.858**	.892**	.838**	.767**	.775**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	60	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X4.1	X4.2	X4.3	X4.4	X4.5	X4
X4.1	Pearson Correlation	1	.728**	.251	.273*	.520**	.737**
	Sig. (2-tailed)		.000	.053	.035	.000	.000
	N	60	60	60	60	60	60
X4.2	Pearson Correlation	.728**	1	.298*	.402**	.504**	.777**
	Sig. (2-tailed)	.000		.021	.001	.000	.000
	N	60	60	60	60	60	60
X4.3	Pearson Correlation	.251	.298*	1	.461**	.650**	.719**
	Sig. (2-tailed)	.053	.021		.000	.000	.000
	N	60	60	60	60	60	60
X4.4	Pearson Correlation	.273*	.402**	.461**	1	.441**	.676**
	Sig. (2-tailed)	.035	.001	.000		.000	.000
	N	60	60	60	60	60	60
X4.5	Pearson Correlation	.520**	.504**	.650**	.441**	1	.839**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	60	60	60	60	60	60
X4	Pearson Correlation	.737**	.777**	.719**	.676**	.839**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	60	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		X5.1	X5.2	X5.3	X5.4	X5
X5.1	Pearson Correlation	1	.307*	.234	.482**	.682**
	Sig. (2-tailed)		.017	.072	.000	.000
	N	60	60	60	60	60
X5.2	Pearson Correlation	.307*	1	.292*	.499**	.719**
	Sig. (2-tailed)	.017		.024	.000	.000
	N	60	60	60	60	60
X5.3	Pearson Correlation	.234	.292*	1	.499**	.685**
	Sig. (2-tailed)	.072	.024		.000	.000
	N	60	60	60	60	60
X5.4	Pearson Correlation	.482**	.499**	.499**	1	.851**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	60	60	60	60	60
X5	Pearson Correlation	.682**	.719**	.685**	.851**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	60	60	60	60	60

* . Correlation is significant at the 0.05 level (2-tailed).

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		Y1	Y2	Y3	Y4	Y
Y1	Pearson Correlation	1	.562**	.361**	.261*	.763**
	Sig. (2-tailed)		.000	.005	.044	.000
	N	60	60	60	60	60
Y2	Pearson Correlation	.562**	1	.382**	.385**	.829**
	Sig. (2-tailed)	.000		.003	.002	.000
	N	60	60	60	60	60
Y3	Pearson Correlation	.361**	.382**	1	-.004	.616**
	Sig. (2-tailed)	.005	.003		.979	.000
	N	60	60	60	60	60
Y4	Pearson Correlation	.261*	.385**	-.004	1	.601**
	Sig. (2-tailed)	.044	.002	.979		.000
	N	60	60	60	60	60
Y	Pearson Correlation	.763**	.829**	.616**	.601**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).



Lampiran 4

Hasil Uji Reliabilitas

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.769	5

Item Statistics

	Mean	Std. Deviation	N
X1.1	3.7667	.74485	60
X1.2	3.6333	.63691	60
X1.3	3.8500	.65935	60
X1.4	3.6167	.66617	60
X1.5	3.5667	.74485	60

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.4333	6.216	2.49315	5

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.824	5

Item Statistics

	Mean	Std. Deviation	N
X2.1	3.6833	.77002	60
X2.2	3.7000	.74333	60
X2.3	3.8333	.71702	60
X2.4	3.7000	.74333	60
X2.5	3.5667	.76727	60

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.4833	8.220	2.86706	5

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.883	5

Item Statistics

	Mean	Std. Deviation	N
X3.1	3.6000	.86749	60
X3.2	3.6500	.77733	60
X3.3	3.8500	.86013	60
X3.4	3.5500	.81146	60
X3.5	3.4667	.81233	60

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.1167	11.630	3.41031	5

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.806	5

Item Statistics

	Mean	Std. Deviation	N
X4.1	3.6500	.68458	60
X4.2	3.6667	.68064	60
X4.3	3.6833	.72467	60
X4.4	3.7167	.64022	60
X4.5	3.5333	.72408	60

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.2500	6.733	2.59481	5

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.718	4

Item Statistics

	Mean	Std. Deviation	N
X5.1	3.5333	.74712	60
X5.2	3.9167	.78744	60
X5.3	3.8500	.75521	60
X5.4	3.8000	.81926	60

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
15.1000	5.244	2.28999	4

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.651	4

Item Statistics

	Mean	Std. Deviation	N
Y1	4.1333	.72408	60
Y2	4.0333	.78041	60
Y3	4.1167	.78312	60
Y4	3.7333	.82064	60

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
16.0167	4.729	2.17452	4

Lampiran 5

Distribusi Frekuensi Jawaban Responden

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	6.7	6.7	6.7
	3.00	13	21.7	21.7	28.3
	4.00	36	60.0	60.0	88.3
	5.00	7	11.7	11.7	100.0
	Total	60	100.0	100.0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	1.7	1.7	1.7
	3.00	24	40.0	40.0	41.7
	4.00	31	51.7	51.7	93.3
	5.00	4	6.7	6.7	100.0
	Total	60	100.0	100.0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	12	20.0	20.0	23.3
	4.00	39	65.0	65.0	88.3
	5.00	7	11.7	11.7	100.0
	Total	60	100.0	100.0	

X1.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3.00	29	48.3	48.3	48.3
	4.00	25	41.7	41.7	90.0
	5.00	6	10.0	10.0	100.0
	Total	60	100.0	100.0	

X1.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	5.0	5.0	5.0
	3.00	26	43.3	43.3	48.3
	4.00	25	41.7	41.7	90.0
	5.00	6	10.0	10.0	100.0
	Total	60	100.0	100.0	

X2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	5.0	5.0	5.0
	3.00	21	35.0	35.0	40.0
	4.00	28	46.7	46.7	86.7
	5.00	8	13.3	13.3	100.0
	Total	60	100.0	100.0	

X2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	22	36.7	36.7	40.0
	4.00	28	46.7	46.7	86.7
	5.00	8	13.3	13.3	100.0
	Total	60	100.0	100.0	

X2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	1.7	1.7	1.7
	3.00	18	30.0	30.0	31.7
	4.00	31	51.7	51.7	83.3
	5.00	10	16.7	16.7	100.0
	Total	60	100.0	100.0	

X2.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	22	36.7	36.7	40.0
	4.00	28	46.7	46.7	86.7
	5.00	8	13.3	13.3	100.0
	Total	60	100.0	100.0	

X2.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	5.0	5.0	5.0
	3.00	27	45.0	45.0	50.0
	4.00	23	38.3	38.3	88.3
	5.00	7	11.7	11.7	100.0
	Total	60	100.0	100.0	

X3.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	5	8.3	8.3	8.3
	3.00	24	40.0	40.0	48.3
	4.00	21	35.0	35.0	83.3
	5.00	10	16.7	16.7	100.0
	Total	60	100.0	100.0	

X3.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	5.0	5.0	5.0
	3.00	23	38.3	38.3	43.3
	4.00	26	43.3	43.3	86.7
	5.00	8	13.3	13.3	100.0
	Total	60	100.0	100.0	

X3.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	6.7	6.7	6.7
	3.00	15	25.0	25.0	31.7
	4.00	27	45.0	45.0	76.7
	5.00	14	23.3	23.3	100.0
	Total	60	100.0	100.0	

X3.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	6.7	6.7	6.7
	3.00	27	45.0	45.0	51.7
	4.00	21	35.0	35.0	86.7
	5.00	8	13.3	13.3	100.0
	Total	60	100.0	100.0	

X3.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	1.7	1.7	1.7
	2.00	3	5.0	5.0	6.7
	3.00	29	48.3	48.3	55.0
	4.00	21	35.0	35.0	90.0
	5.00	6	10.0	10.0	100.0
	Total	60	100.0	100.0	

X4.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	1.7	1.7	1.7
	3.00	25	41.7	41.7	43.3
	4.00	28	46.7	46.7	90.0
	5.00	6	10.0	10.0	100.0
	Total	60	100.0	100.0	

X4.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	1.7	1.7	1.7
	3.00	24	40.0	40.0	41.7
	4.00	29	48.3	48.3	90.0
	5.00	6	10.0	10.0	100.0
	Total	60	100.0	100.0	

X4.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	22	36.7	36.7	40.0
	4.00	29	48.3	48.3	88.3
	5.00	7	11.7	11.7	100.0
	Total	60	100.0	100.0	

X4.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	1.7	1.7	1.7
	3.00	20	33.3	33.3	35.0
	4.00	34	56.7	56.7	91.7
	5.00	5	8.3	8.3	100.0
	Total	60	100.0	100.0	

X4.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	30	50.0	50.0	53.3
	4.00	22	36.7	36.7	90.0
	5.00	6	10.0	10.0	100.0
	Total	60	100.0	100.0	

X5.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	5.0	5.0	5.0
	3.00	28	46.7	46.7	51.7
	4.00	23	38.3	38.3	90.0
	5.00	6	10.0	10.0	100.0
	Total	60	100.0	100.0	

X5.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	5.0	5.0	5.0
	3.00	12	20.0	20.0	25.0
	4.00	32	53.3	53.3	78.3
	5.00	13	21.7	21.7	100.0
	Total	60	100.0	100.0	

X5.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	16	26.7	26.7	30.0
	4.00	31	51.7	51.7	81.7
	5.00	11	18.3	18.3	100.0
	Total	60	100.0	100.0	

X5.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	1.7	1.7	1.7
	3.00	24	40.0	40.0	41.7
	4.00	21	35.0	35.0	76.7
	5.00	14	23.3	23.3	100.0
	Total	60	100.0	100.0	

Y1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	6	10.0	10.0	13.3
	4.00	34	56.7	56.7	70.0
	5.00	18	30.0	30.0	100.0
	Total	60	100.0	100.0	

Y2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1	1.7	1.7	1.7
	3.00	11	18.3	18.3	20.0
	4.00	32	53.3	53.3	73.3
	5.00	16	26.7	26.7	100.0
	Total	60	100.0	100.0	

Y3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	9	15.0	15.0	18.3
	4.00	29	48.3	48.3	66.7
	5.00	20	33.3	33.3	100.0
	Total	60	100.0	100.0	

Y4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	3.3	3.3	3.3
	3.00	24	40.0	40.0	43.3
	4.00	22	36.7	36.7	80.0
	5.00	12	20.0	20.0	100.0
	Total	60	100.0	100.0	

Lampiran 6

Hasil Analisis Regresi Linier Berganda

Regression

Descriptive Statistics

	Mean	Std. Deviation	N
Y	16.0167	2.17452	60
X1	18.4333	2.49315	60
X2	18.4833	2.86706	60
X3	18.1167	3.41031	60
X4	18.2500	2.59481	60
X5	15.1000	2.28999	60

Correlations

		Y	X1	X2	X3	X4	X5
Pearson Correlation	Y	1.000	.715	.752	.697	.714	.592
	X1	.715	1.000	.712	.538	.578	.432
	X2	.752	.712	1.000	.606	.633	.400
	X3	.697	.538	.606	1.000	.560	.530
	X4	.714	.578	.633	.560	1.000	.483
	X5	.592	.432	.400	.530	.483	1.000
Sig. (1-tailed)	Y	.	.000	.000	.000	.000	.000
	X1	.000	.	.000	.000	.000	.000
	X2	.000	.000	.	.000	.000	.001
	X3	.000	.000	.000	.	.000	.000
	X4	.000	.000	.000	.000	.	.000
	X5	.000	.000	.001	.000	.000	.
N	Y	60	60	60	60	60	60
	X1	60	60	60	60	60	60
	X2	60	60	60	60	60	60
	X3	60	60	60	60	60	60
	X4	60	60	60	60	60	60
	X5	60	60	60	60	60	60

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	X5, X2 ^a , X4, X3, X1	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df 1	df 2	Sig. F Change
1	.870 ^a	.757	.735	1.12032	.757	33.655	5	54	.000

a. Predictors: (Constant), X5, X2, X4, X3, X1

b. Dependent Variable: Y

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	211.207	5	42.241	33.655	.000 ^a
	Residual	67.777	54	1.255		
	Total	278.983	59			

a. Predictors: (Constant), X5, X2, X4, X3, X1

b. Dependent Variable: Y

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations			Collinearity Statistics	
		B	Std. Error	Beta			Zero-order	Partial	Part	Tolerance	VIF
1	(Constant)	.580	1.269		.457	.650					
	X1	.182	.087	.209	2.085	.042	.715	.273	.140	.450	2.223
	X2	.202	.082	.266	2.466	.017	.752	.318	.165	.386	2.593
	X3	.129	.060	.202	2.157	.036	.697	.282	.145	.513	1.950
	X4	.189	.079	.225	2.391	.020	.714	.309	.160	.506	1.976
	X5	.170	.079	.179	2.165	.035	.592	.283	.145	.657	1.522

a. Dependent Variable: Y

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions					
				(Constant)	X1	X2	X3	X4	X5
1	1	5.945	1.000	.00	.00	.00	.00	.00	.00
	2	.018	18.343	.24	.01	.01	.61	.00	.01
	3	.015	19.855	.01	.06	.16	.04	.01	.53
	4	.009	25.784	.66	.00	.05	.33	.15	.30
	5	.008	27.125	.02	.20	.08	.01	.79	.12
	6	.005	33.113	.07	.73	.71	.02	.04	.03

a. Dependent Variable: Y


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	10.1440	19.9520	16.0167	1.89203	60
Std. Predicted Value	-3.104	2.080	.000	1.000	60
Standard Error of Predicted Value	.197	.754	.340	.100	60
Adjusted Predicted Value	10.6684	19.9448	16.0154	1.87549	60
Residual	-2.30682	2.61697	.00000	1.07180	60
Std. Residual	-2.059	2.336	.000	.957	60
Stud. Residual	-2.135	2.381	.000	1.016	60
Deleted Residual	-2.66844	2.71791	.00127	1.21859	60
Stud. Deleted Residual	-2.211	2.493	-.001	1.033	60
Mahal. Distance	.842	25.764	4.917	3.871	60
Cook's Distance	.000	.392	.025	.057	60
Centered Leverage Value	.014	.437	.083	.066	60

a. Dependent Variable: Y

Normal P-P Plot of Regression Standardized Residual


Dependent Variable: Y



Observed Cum Prob

Scatterplot

Dependent Variable: Y



Lampiran 7

Hasil Uji Normalitas

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		60
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	1.07180072
Most Extreme Differences	Absolute	.061
	Positive	.052
	Negative	-.061
Kolmogorov-Smirnov Z		.472
Asymp. Sig. (2-tailed)		.979

a. Test distribution is Normal.

b. Calculated from data.

