

LAMPIRAN 1
KUESIONER PENELITIAN




KUESIONER PENELITIAN
PENGARUH STORE ATMOSFERE TERHADAP KEPUTUSAN PEMBELIAN DI
TOKO MURAH JENGGAWAH

Responden yang terhormat,

Penelitian memohon kesediaan anda untuk meluangkan waktu sejenak guna mengisi kuesioner ini . Peneliti berharap anda menjawab dengan leluasa, sesuai dengan apa yang anda rasakan, lakukan dan alami, bukan apa yang seharusnya atau yang ideal. Anda diharapkan menjawab dengan jujur dan terbuka, tidak ada jawaban yang benar atau salah. Sesuai dengan kode etik penelitian, penelitian menjamin kerahasiaan seua data. Kesediaan anda mengisi angket ini adalah bantuan yang tak ternilai bagi peneliti

Atas kesediaan dan kerja samanya saya uapkan terima kasih



Hormat Saya

Siti Aisyah


Identitas Responden

1. Usia :
2. Jenis Kelamin : P L
3. Pekerjaan :

Petunjuk Pengisian

Jawablah masing-masing pernyataan di bawah ini sesuai dengan penilaian Saudara mengenai “Pengaruh Elemen-Element Store Atmosfere Terhadap Keputusan Pebelian Di Toko Murah Jenggawah”.

1. Pilihlah salah satu jawaban dari kelima alternatif jawaban yang sesuai dengan cara memberikan tanda centang (√) pada kolom jawaban yang tersedia.
2. Keterangan jawaban sebagai berikut :
 1. Sangat Tidak Setuju (STS)
 2. Tidak Setuju (TS)
 3. Netral (N)
 4. Setuju (S)
 5. Sangat Setuju (SS)



KUESIONER

Tabel Kuesioner

EXTERIOR TAMPILAN LUAR (X1)

No	Pernyataan	Pilihan Jawaban				
		STS	TS	N	S	SS
1	Penampilan bangunan Toko Murah dari luar sudah terlihat menarik					
2	Pintu masuk Toko Murah memudahkan keluar masuknya konsumen					
3	Papan nama Toko memudahkan konsumen mengetahui letak atau lokasi Toko					
4	Fasilitas parker yang di sediakan luas dan aman					

STORE LAYOUT TATA LETAK (X2)

No	Pernyataan	Pilihan Jawaban				
		STS	TS	N	S	SS
1	Alokasi ruang Toko Murah sudah memadai					
2	Penataan barang-barang dalam ruangan Toko Murah sudah tertata rapi					
3	Lokasi penempatan fasilitas umum tidak mengganggu kenyamanan pelanggan					
4	Pengaturan pengelompokan produk memudahkan konsumen memilih produk					

INTERIOR TAMPILAN DALAM (X3)

No	Pernyataan	Pilihan Jawaban				
		STS	TS	N	S	SS
1	Pajangan rak mudah untuk di lihat					
2	Penataan pajangan Toko Murah sudah menarik					
3	Pajangan dekorasi dalam ruangan sesuai tema					
4	Kejelasan informasi petunjuk penempatan barang sudah jelas.					
5	Kebersihan ruangan Toko Murah terjaga					

KEPUTUSAN PEMBELIAN (Y)

No	Pernyataan	Pilihan Jawaban				
		STS	TS	N	S	SS
1	Konsumen melakukan pembelian sesuai dengan kebutuhan					
2	Konsumen melakukan pembelian di Toko Murah karena adanya informasi					
3	Konsumen melakukan pembelian karena produk dan layanan jasa di Toko Murah berkualitas					
4	Kemantapan pada sebuah produk					
5	Konsumen kembali membeli produk di toko murah					

LAMPIRAN 2
TABULASI DATA



NO	X1.1	X1.2	X1.3	X1.4	X1	X2.1	X2.2	X2.3	X2.4	X2	X3.1	X3.2	X3.3	X3.4	X3	Y1	Y2	Y3	Y4	Y
1	5	5	5	5	20	5	5	5	5	20	5	5	5	5	20	5	5	5	5	20
2	4	4	4	4	16	4	4	4	4	16	4	4	4	5	17	4	4	4	4	16
3	5	5	4	4	18	4	4	5	5	18	4	5	4	5	18	4	5	4	5	18
4	4	3	3	3	13	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16
5	5	4	4	4	16	4	3	3	3	13	5	4	4	4	17	4	4	4	4	16
6	4	3	3	3	13	4	4	4	4	16	5	5	5	5	20	4	4	4	4	16
7	4	3	3	3	13	5	4	4	4	17	3	4	4	5	16	4	4	4	4	16
8	4	4	4	4	16	5	5	5	5	20	4	4	4	4	16	4	4	4	4	16
9	5	2	5	5	17	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16
10	4	4	4	4	16	4	4	4	4	16	5	5	5	5	20	5	5	5	5	20
11	4	4	4	5	17	5	5	5	5	20	4	4	4	3	15	4	4	4	5	17
12	4	4	4	4	16	5	5	5	5	20	4	4	4	4	16	4	4	4	4	16
13	5	5	4	4	18	4	4	5	5	18	5	5	5	5	20	5	3	5	5	18
14	5	5	5	5	20	5	5	5	5	20	5	5	5	5	20	5	5	5	5	20
15	4	3	3	3	13	5	5	5	5	20	4	3	3	3	13	4	4	4	4	16
16	4	4	4	4	16	4	4	4	4	16	4	4	4	3	15	4	4	4	4	16
17	5	5	5	5	20	4	4	4	4	16	3	4	5	5	17	5	4	4	4	17
18	4	4	4	4	16	5	5	3	3	15	5	4	4	4	17	4	4	4	4	16
19	4	4	4	3	15	5	4	4	4	17	5	4	3	4	16	4	4	4	4	16
20	5	4	4	4	17	5	4	4	4	17	4	4	4	5	17	4	4	4	5	17
21	5	5	5	5	20	4	4	4	4	16	5	5	5	5	20	5	5	5	5	20
22	4	4	4	4	16	4	4	4	5	17	5	5	4	2	16	4	4	4	4	16
23	4	3	3	3	13	5	5	5	5	20	4	4	4	4	16	4	4	4	4	16
24	4	4	4	4	16	4	4	4	4	16	4	4	4	3	15	4	4	4	4	16
25	5	4	4	4	17	4	4	4	4	16	5	4	4	4	17	5	4	4	4	17
26	5	4	4	4	17	4	4	4	3	15	5	4	4	4	17	5	4	4	4	17
27	4	4	4	4	16	5	4	4	4	17	4	4	4	3	15	4	4	4	4	16
28	4	4	4	5	17	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16
29	5	4	4	5	18	4	5	5	4	18	5	4	4	5	18	4	4	5	5	18
30	5	4	4	4	17	5	4	4	4	17	5	5	4	4	18	5	4	4	4	17
31	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16
32	4	4	4	3	15	4	4	4	5	17	4	4	4	3	15	4	4	4	3	15
33	5	5	5	4	18	5	5	5	5	20	5	5	5	5	20	5	4	5	5	19
34	5	4	4	4	17	5	5	2	5	17	4	4	4	4	16	4	4	5	4	17
35	4	4	4	3	15	5	5	4	4	18	4	4	4	4	16	5	4	4	4	17
36	4	4	4	4	16	4	4	4	4	16	4	4	4	5	17	4	4	4	4	16
37	5	5	4	4	18	4	4	5	5	18	4	5	4	5	18	4	5	4	5	18
38	5	5	4	4	18	5	5	4	4	18	5	4	4	4	17	5	4	4	4	17
39	5	5	5	5	20	5	5	5	5	20	5	5	5	5	20	5	5	5	5	20
40	4	5	4	5	18	4	5	4	5	18	5	4	4	5	18	5	4	4	5	18
41	5	5	5	5	20	4	4	4	4	16	4	4	4	4	16	4	4	4	5	17
42	5	5	5	4	19	5	5	4	4	18	5	5	5	5	20	5	4	4	5	18
43	2	5	5	5	17	5	4	4	4	17	5	4	4	4	17	5	4	4	4	17
44	4	5	5	4	18	5	4	4	4	17	4	4	4	3	15	4	4	4	4	16
45	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16
46	5	5	4	4	18	4	4	4	3	15	5	5	5	5	20	5	5	5	5	20
47	5	4	4	4	17	4	4	4	4	16	5	5	5	5	20	5	5	4	4	18
48	4	4	4	4	16	5	5	5	5	20	4	5	5	5	19	4	5	5	5	19
49	4	4	5	5	18	5	5	4	4	18	4	4	5	5	18	4	4	5	5	18
50	5	4	4	4	17	4	4	4	4	16	5	4	4	4	17	5	4	4	4	17
51	4	5	4	5	18	4	5	4	5	18	5	4	4	5	18	5	4	4	5	18
52	5	5	5	5	20	4	4	4	4	16	4	4	4	4	16	4	4	4	5	17
53	5	5	5	4	19	5	5	4	4	18	5	5	5	5	20	5	4	4	5	18
54	2	5	5	5	17	5	4	4	4	17	5	4	4	4	17	5	4	4	4	17
55	4	5	5	4	18	5	4	4	4	17	4	4	4	3	15	4	4	4	4	16
56	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16
57	5	5	4	4	18	4	4	4	3	15	5	5	5	5	20	5	5	5	5	20
58	5	4	4	4	17	4	4	4	4	16	5	5	5	5	20	5	5	4	4	18
59	4	4	4	4	16	5	5	5	5	20	4	5	5	5	19	4	5	5	5	19
60	4	4	5	5	18	5	5	4	4	18	4	4	5	5	18	4	4	5	5	18

LAMPIRAN 3
FREKUENSI PERNYATAAN RESPONDEN



a. Exterior Tampilan Luar (X1)

FREQUENCIES VARIABLES=X1.1 X1.2 X1.3 X1.4 X1
 /STATISTICS=MEAN MEDIAN MODE SUM
 /ORDER=ANALYSIS.

Statistics

		X1.1	X1.2	X1.3	X1.4	X1
N	Valid	60	60	60	60	60
	Missing	0	0	0	0	0
Mean		4.38	4.25	4.20	4.15	16.95
Median		4.00	4.00	4.00	4.00	17.00
Mode		4	4	4	4	16
Sum		263	255	252	249	1017

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	3.3	3.3	3.3
	4	31	51.7	51.7	55.0
	5	27	45.0	45.0	100.0
	Total	60	100.0	100.0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1.7	1.7	1.7
	3	5	8.3	8.3	10.0
	4	32	53.3	53.3	63.3
	5	22	36.7	36.7	100.0
	Total	60	100.0	100.0	

X1.3

	Frequency	Percent	Valid Percent	Cumulative Percent
3	5	8.3	8.3	8.3
4	38	63.3	63.3	71.7
5	17	28.3	28.3	100.0
Total	60	100.0	100.0	

X1.4

	Frequency	Percent	Valid Percent	Cumulative Percent
3	8	13.3	13.3	13.3
4	35	58.3	58.3	71.7
5	17	28.3	28.3	100.0
Total	60	100.0	100.0	

X1

	Frequency	Percent	Valid Percent	Cumulative Percent
13	5	8.3	8.3	8.3
15	3	5.0	5.0	13.3
16	16	26.7	26.7	40.0
17	13	21.7	21.7	61.7
18	14	23.3	23.3	85.0
19	2	3.3	3.3	88.3
20	7	11.7	11.7	100.0
Total	60	100.0	100.0	

b. Store Layout Tata Letak (X2)

FREQUENCIES VARIABLES=X2.1 X2.2 X2.3 X2.4 X2
 /STATISTICS=MEAN MEDIAN MODE SUM
 /ORDER=ANALYSIS.

Statistics

		X2.1	X2.2	X2.3	X2.4	X2
N	Valid	60	60	60	60	60
	Missing	0	0	0	0	0
Mean		4.47	4.35	4.17	4.23	17.22
Median		4.00	4.00	4.00	4.00	17.00
Mode		4	4	4	4	16
Sum		268	261	250	254	1033

X2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	32	53.3	53.3	53.3
	5	28	46.7	46.7	100.0
	Total	60	100.0	100.0	

X2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.7	1.7	1.7
	4	37	61.7	61.7	63.3
	5	22	36.7	36.7	100.0
	Total	60	100.0	100.0	

X2.3

	Frequency	Percent	Valid Percent	Cumulative Percent
2	2	3.3	3.3	3.3
3	1	1.7	1.7	5.0
Valid 4	42	70.0	70.0	75.0
5	15	25.0	25.0	100.0
Total	60	100.0	100.0	

X2.4

	Frequency	Percent	Valid Percent	Cumulative Percent
3	5	8.3	8.3	8.3
Valid 4	36	60.0	60.0	68.3
5	19	31.7	31.7	100.0
Total	60	100.0	100.0	

X2

	Frequency	Percent	Valid Percent	Cumulative Percent
13	1	1.7	1.7	1.7
15	4	6.7	6.7	8.3
Valid 16	20	33.3	33.3	41.7
17	12	20.0	20.0	61.7
18	12	20.0	20.0	81.7
20	11	18.3	18.3	100.0
Total	60	100.0	100.0	

c. Interior Tampilan Dalam (X3)

FREQUENCIES VARIABLES=X3.1 X3.2 X3.3 X3.4 X3
 /STATISTICS=MEAN MEDIAN MODE SUM
 /ORDER=ANALYSIS.

Statistics

		X3.1	X3.2	X3.3	X3.4	X3
N	Valid	60	60	60	60	60
	Missing	0	0	0	0	0
Mean		4.43	4.32	4.28	4.30	17.33
Median		4.00	4.00	4.00	4.00	17.00
Mode		4	4	4	5	16
Sum		266	259	257	258	1040

X3.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	3.3	3.3	3.3
	4	30	50.0	50.0	53.3
	5	28	46.7	46.7	100.0
	Total	60	100.0	100.0	

X3.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.7	1.7	1.7
	4	39	65.0	65.0	66.7
	5	20	33.3	33.3	100.0
	Total	60	100.0	100.0	

X3.3

	Frequency	Percent	Valid Percent	Cumulative Percent
3	2	3.3	3.3	3.3
4	39	65.0	65.0	68.3
5	19	31.7	31.7	100.0
Total	60	100.0	100.0	

X3.4

	Frequency	Percent	Valid Percent	Cumulative Percent
2	1	1.7	1.7	1.7
3	8	13.3	13.3	15.0
4	23	38.3	38.3	53.3
5	28	46.7	46.7	100.0
Total	60	100.0	100.0	

X3

	Frequency	Percent	Valid Percent	Cumulative Percent
13	1	1.7	1.7	1.7
15	7	11.7	11.7	13.3
16	16	26.7	26.7	40.0
17	12	20.0	20.0	60.0
18	8	13.3	13.3	73.3
19	2	3.3	3.3	76.7
20	14	23.3	23.3	100.0
Total	60	100.0	100.0	

d. Keputusan Pembelian (Y)

```
FREQUENCIES VARIABLES=Y1 Y2 Y3 Y4 Y
/STATISTICS=MEAN MEDIAN MODE SUM
/ORDER=ANALYSIS.
```

Statistics

		Y1	Y2	Y3	Y4	Y
N	Valid	60	60	60	60	60
	Missing	0	0	0	0	0
Mean		4.40	4.20	4.25	4.38	17.23
Median		4.00	4.00	4.00	4.00	17.00
Mode		4	4	4	4	16
Sum		264	252	255	263	1034

Y1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	36	60.0	60.0	60.0
	5	24	40.0	40.0	100.0
Total		60	100.0	100.0	

Y2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.7	1.7	1.7
	4	46	76.7	76.7	78.3
	5	13	21.7	21.7	100.0
Total		60	100.0	100.0	

Y3

	Frequency	Percent	Valid Percent	Cumulative Percent
4	45	75.0	75.0	75.0
Valid 5	15	25.0	25.0	100.0
Total	60	100.0	100.0	

Y4

	Frequency	Percent	Valid Percent	Cumulative Percent
3	1	1.7	1.7	1.7
Valid 4	35	58.3	58.3	60.0
5	24	40.0	40.0	100.0
Total	60	100.0	100.0	

Y

	Frequency	Percent	Valid Percent	Cumulative Percent
15	1	1.7	1.7	1.7
16	23	38.3	38.3	40.0
17	14	23.3	23.3	63.3
Valid 18	12	20.0	20.0	83.3
19	3	5.0	5.0	88.3
20	7	11.7	11.7	100.0
Total	60	100.0	100.0	

LAMPIRAN 4
HASIL UJI VALIDITAS



a. Exterior Tampilan Luar (X1)

CORRELATIONS
 /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1
 /PRINT=TWOTAIL NOSIG
 /MISSING=PAIRWISE.

		Correlations				
		X1.1	X1.2	X1.3	X1.4	X1
X1.1	Pearson Correlation	1	.159	.106	.062	.467**
	Sig. (2-tailed)		.225	.420	.636	.000
	N	60	60	60	60	60
X1.2	Pearson Correlation	.159	1	.606**	.463**	.783**
	Sig. (2-tailed)	.225		.000	.000	.000
	N	60	60	60	60	60
X1.3	Pearson Correlation	.106	.606**	1	.706**	.823**
	Sig. (2-tailed)	.420	.000		.000	.000
	N	60	60	60	60	60
X1.4	Pearson Correlation	.062	.463**	.706**	1	.777**
	Sig. (2-tailed)	.636	.000	.000		.000
	N	60	60	60	60	60
X1	Pearson Correlation	.467**	.783**	.823**	.777**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

b. Store Layout Tata Letak (X2)

CORRELATIONS

```

/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
  
```

Correlations

		X2.1	X2.2	X2.3	X2.4	X2
X2.1	Pearson Correlation	1	.602**	.128	.254	.632**
	Sig. (2-tailed)		.000	.331	.050	.000
	N	60	60	60	60	60
X2.2	Pearson Correlation	.602**	1	.294*	.505**	.788**
	Sig. (2-tailed)	.000		.023	.000	.000
	N	60	60	60	60	60
X2.3	Pearson Correlation	.128	.294*	1	.589**	.716**
	Sig. (2-tailed)	.331	.023		.000	.000
	N	60	60	60	60	60
X2.4	Pearson Correlation	.254	.505**	.589**	1	.815**
	Sig. (2-tailed)	.050	.000	.000		.000
	N	60	60	60	60	60
X2	Pearson Correlation	.632**	.788**	.716**	.815**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

c. Interior Tampilan Dalam (X3)

CORRELATIONS

/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3
 /PRINT=TWOTAIL NOSIG
 /MISSING=PAIRWISE.

Correlations

		X3.1	X3.2	X3.3	X3.4	X3
X3.1	Pearson Correlation	1	.464**	.266*	.204	.601**
	Sig. (2-tailed)		.000	.040	.117	.000
	N	60	60	60	60	60
X3.2	Pearson Correlation	.464**	1	.746**	.496**	.844**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	60	60	60	60	60
X3.3	Pearson Correlation	.266*	.746**	1	.630**	.842**
	Sig. (2-tailed)	.040	.000		.000	.000
	N	60	60	60	60	60
X3.4	Pearson Correlation	.204	.496**	.630**	1	.803**
	Sig. (2-tailed)	.117	.000	.000		.000
	N	60	60	60	60	60
X3	Pearson Correlation	.601**	.844**	.842**	.803**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

d. Keputusan Pembelian (Y)

```

CORRELATIONS
/VARIABLES=Y1 Y2 Y3 Y4 Y
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
    
```

Correlations

		Y1	Y2	Y3	Y4	Y
Y1	Pearson Correlation	1	.248	.236	.249	.611**
	Sig. (2-tailed)		.056	.070	.055	.000
	N	60	60	60	60	60
Y2	Pearson Correlation	.248	1	.438**	.394**	.703**
	Sig. (2-tailed)	.056		.000	.002	.000
	N	60	60	60	60	60
Y3	Pearson Correlation	.236	.438**	1	.611**	.779**
	Sig. (2-tailed)	.070	.000		.000	.000
	N	60	60	60	60	60
Y4	Pearson Correlation	.249	.394**	.611**	1	.795**
	Sig. (2-tailed)	.055	.002	.000		.000
	N	60	60	60	60	60
Y	Pearson Correlation	.611**	.703**	.779**	.795**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	60	60	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

LAMPIRAN 5
UJI RELIABILITAS



a. Exterior (X1)

```
RELIABILITY  
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1  
/SCALE('ALL VARIABLES') ALL  
/MODEL=ALPHA  
/STATISTICS=DESCRIPTIVE.
```

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.782	5

Item Statistics

	Mean	Std. Deviation	* N
X1.1	4.38	.666	60
X1.2	4.25	.680	60
X1.3	4.20	.576	60
X1.4	4.15	.633	60
X1	16.95	1.808	60

b. Store Layout (X2)

RELIABILITY

```
/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2  
/SCALE('ALL VARIABLES') ALL  
/MODEL=ALPHA  
/STATISTICS=DESCRIPTIVE.
```

Case Processing Summary

	N	%
Valid	60	100.0
Cases Excluded ^a	0	.0
Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.794	5

Item Statistics

	Mean	Std. Deviation	N
X2.1	4.47	.503	60
X2.2	4.35	.515	60
X2.3	4.17	.615	60
X2.4	4.23	.593	60
X2	17.22	1.648	60

c. Interior (X3)

RELIABILITY

/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/STATISTICS=DESCRIPTIVE.

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.802	5

Item Statistics

	Mean	Std. Deviation	N
X3.1	4.43	.563	60
X3.2	4.32	.504	60
X3.3	4.28	.524	60
X3.4	4.30	.766	60
X3	17.33	1.820	60

d. Keputusan Pembelian (Y)

```
RELIABILITY  
/VARIABLES=Y1 Y2 Y3 Y4 Y  
/SCALE('ALL VARIABLES') ALL  
/MODEL=ALPHA  
/STATISTICS=DESCRIPTIVE.
```

Case Processing Summary

		N	%
Cases	Valid	60	100.0
	Excluded ^a	0	.0
	Total	60	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.787	5

Item Statistics

	Mean	Std. Deviation	N
Y1	4.40	.494	60
Y2	4.20	.443	60
Y3	4.25	.437	60
Y4	4.38	.524	60
Y	17.23	1.370	60

LAMPIRAN 6
HASIL UJI REGRESI, UJI ASUMSI KLASIK DAN
UJI HIPOTESISS



REGRESSION

```

/DESCRIPTIVES MEAN STDDEV CORR SIG N
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y
/METHOD=ENTER X1 X2 X3
/SCATTERPLOT=(*SRESID ,*ZPRED)
/RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID)
/CASEWISE PLOT(ZRESID) OUTLIERS(3)
/SAVE PRED ZPRED ADJPRED.
    
```

Descriptive Statistics

	Mean	Std. Deviation	N
Y	17.23	1.370	60
X1	16.95	1.808	60
X2	17.22	1.648	60
X3	17.33	1.820	60

Correlations

		Y	X1	X2	X3
Pearson Correlation	Y	1.000	.593	.278	.825
	X1	.593	1.000	.066	.448
	X2	.278	.066	1.000	.094
	X3	.825	.448	.094	1.000
Sig. (1-tailed)	Y	.	.000	.016	.000
	X1	.000	.	.307	.000
	X2	.016	.307	.	.237
	X3	.000	.000	.237	.
N	Y	60	60	60	60
	X1	60	60	60	60
	X2	60	60	60	60
	X3	60	60	60	60

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X3, X2, X1 ^b	.	Enter

a. Dependent Variable: Y

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics					Durbin-Watson
					R Square Change	F Change	df1	df2	Sig. F Change	
1	.884 ^a	.781	.769	.658	.781	66.483	3	56	.000	2.129

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y

ANOVA^a

Model		Sum of Squares	Df	Mean Square	F	Sig.
1	Regression	86.458	3	28.819	66.483	.000 ^b
	Residual	24.275	56	.433		
	Total	110.733	59			

a. Dependent Variable: Y

b. Predictors: (Constant), X3, X2, X1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations			Collinearity Statistics	
		B	Std. Error	Beta			Zero-order	Partial	Part	Tolerance	VIF
1	(Constant)	2.000	1.253		1.597	.116					
	X1	.207	.053	.274	3.911	.000	.593	.463	.245	.798	1.252
	X2	.162	.052	.195	3.101	.003	.278	.383	.194	.990	1.010
	X3	.515	.053	.684	9.745	.000	.825	.793	.610	.795	1.258

a. Dependent Variable: Y

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	X1	X2	X3
1	1	3.980	1.000	.00	.00	.00	.00
	2	.010	19.497	.01	.21	.46	.14
	3	.006	25.763	.00	.68	.00	.77
	4	.003	34.456	.99	.11	.54	.09


a. Dependent Variable: Y

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	14.63	19.69	17.23	1.211	60
Std. Predicted Value	-2.148	2.030	.000	1.000	60
Standard Error of Predicted Value	.088	.319	.161	.054	60
Adjusted Predicted Value	14.28	19.65	17.23	1.220	60
Residual	-1.590	1.788	.000	.641	60
Std. Residual	-2.414	2.716	.000	.974	60
Stud. Residual	-2.761	2.854	.003	1.031	60
Deleted Residual	-2.078	1.975	.004	.720	60
Stud. Deleted Residual	-2.943	3.060	.008	1.065	60
Mahal. Distance	.063	12.886	2.950	2.687	60
Cook's Distance	.000	.585	.033	.092	60
Centered Leverage Value	.001	.218	.050	.046	60


a. Dependent Variable: Y

Charts




Normal P-P Plot of Regression Standardized Residual

Dependent Variable: Y



Scatterplot

Dependent Variable: Y



LAMPIRAN 7
DOKUMENTASI





