

Abstrak
UNIVERSITAS MUHAMMADIYAH JEMBER
PROGRAM STUDI S1 KEPERAWATAN
FAKULTAS ILMU KESEHATAN

Skripsi, Februari 2021
Dwi Retno Aprilianti

Hubungan Kecemasan Ibu Dengan Produksi Air Susu Ibu Ibu *Post Sectio Caesaria* Dengan *Pre Eklamsi Berat* Di Ruang Intensive Care Unit Rumah Sakit Daerah Balung.

Xiv + 62 hal + 8 Tabel + 1 Gambar + 8 Lampiran

Abstrak

Kecemasan adalah suatu perasaan tidak santai yang samar-samar karena ketidaknyamanan atau rasa takut yang disertai suatu respon (sumber seringkali tidak spesifik atau tidak diketahui oleh individu), suatu perasaan takut akan terjadi sesuatu yang disebabkan antisipasi bahaya. Produksi Air Susu Ibu pada ibu yang dipengaruhi oleh beberapa faktor salah satunya yaitu faktor psikologis yang meliputi keadaan tertekan, sedih, kecemasan dan kurang percaya diri. Penelitian ini menggunakan desain deskriptif korelasi dengan pendekatan cross sectional yang bertujuan untuk mengetahui hubungan kecemasan dengan Produksi Air Susu Ibu Post Sectio Caesarea Dengan Pre Eklamsi Berat di Ruang Intensive Care Unit di Rumah Sakit Daerah Balung. Populasi pada penelitian ini adalah ibu Post Sectio Caesarea Dengan Pre Eklamsi Berat di Ruang Intensive Care Unit di Rumah Sakit Daerah Balung. Jumlah pasien di ruang ICU dalam kurun waktu Januari sampai Juli 2020 adalah 155 pasien dan jumlah pasien Post SC dan Pre Eklamsi Berat tiga bulan terakhir sejumlah 93 pasien. Jumlah sampel pada penelitian ini adalah jumlah rata-rata tiga bulan terakhir pasien Post Sectio Caesaria dan Pre Eklamsi Berat di ruang Intensive Care Unit Rumah Sakit Daerah Balung sebanyak 31 orang. Teknik sampling pada penelitian ini adalah accidental sampling. Teknik pengumpulan data menggunakan kuesioner pada variabel independen dan lembar observasi untuk variabel dependen. Hasil penelitian tidak cemas 3 pasien (10%), cemas ringan 1 pasien (3,3%), cemas sedang 10 pasien (33,3%), cemas berat 12 pasien (40%), cemas berat sekali 4 pasien (13,3%). Dan produksi Air Susu Ibu lancar 4 pasien (13,3%), tidak lancar 26 pasien (86,7%). Analisis hubungan kecemasan dengan produksi ASI menggunakan uji Spearman dengan ($\alpha = 0,05$) didapatkan p value = 0,000. Kesimpulan pada penelitian ini menunjukkan bahwa ada hubungan kecemasan ibu dengan produksi Air Susu Ibu Post Sectio Caesarea dengan Pre Eklamsi Berat di ruang Intensive Care Unit Rumah Sakit Daerah Balung.

Kata kunci : kecemasan, produksi air susu ibu
Daftar pustaka 24 (2011 -2016)

Abstract
MUHAMMADIYAH JEMBER UNIVERSITY
STUDY PROGRAM OF S1 NURSING
FACULTY OF HEALTH SCIENCE

Thesis, Februari 2021
Dwi Retno Aprilianti

The Relationship between Mother's Anxiety and Breastmilk Production for Post-
Sectio Caesaria Mothers with Severe Pre-Ekamsi in Intensive Care Unit Balung
General Hospital

Xi + 62 page + 8 Tables + 1 picture + 8 attachment

Abstract

Anxiety is a vague feeling of discomfort or fear that is accompanied by a response (the source is often not specific or unknown to the individual), a feeling of fear that something will happen due to the anticipation of danger. The production of breast milk in mothers is influenced by several factors, one of which is psychological factors, which include stress, sadness, anxiety and lack of self-confidence. This study used a correlation descriptive design with a cross sectional approach which aims to determine the relationship between anxiety and post-sectio caesarean breast milk production with severe pre-eclampsia in the Intensive Care Unit at the Balung Regional Hospital. The population in this study were mothers of Post Sectio Caesarea with severe pre-eclampsia in the Intensive Care Unit at the Balung Regional Hospital. The number of patients in the ICU from January to July 2020 was 155 patients and the number of Post SC and Pre-eclampsia severe patients in the last three months was 93 patients. The number of samples in this study was the average number of the last three months of patients with Post Sectio Caesaria and Severe Pre-Eclampsia in the Intensive Care Unit of the Balung Regional Hospital as many as 31 people. The sampling technique in this study was accidental sampling. The data collection technique uses a questionnaire on the independent variable and the observation sheet for the dependent variable. The results of the study were not anxious in 3 patients (10%), 1 patient with mild anxiety (3.3%), 10 patients with moderate anxiety (33.3%), 12 patients with severe anxiety (40%), 4 patients with severe anxiety (13, 3%). And the production of breast milk was smooth for 4 patients (13.3%), 26 patients (86.7%) were not fluent. Analysis of the relationship between anxiety and milk production using the Spearman test ($\alpha = 0.05$) obtained p value = 0.000. The conclusion of this study shows that there is a relationship between maternal anxiety and post-sectio caesarean breast milk production with severe pre-eclampsia in the Intensive Care Unit of the Balung Regional Hospital.

Key words: anxiety, breast milk production
Bibliography 24 (2011-2016)